

PLAN No. 1047

Original

BUREAU INS. OF BUILDINGS.

Received. SEP 1 1887

B
449
L
36

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and herewith submit Plans and Drawings of such proposed alterations; and do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here)

William Klein

NEW YORK,

Sept. 1 1887

1. State how many buildings to be altered, One
2. What is the street or avenue and the number thereof? 119. 1. Ave
3. How much will the alteration cost, \$ 750.00

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. feet front, 20; feet rear, 20; feet deep, 50
2. Size of building, No. of feet front, 20; feet rear, 20; feet deep, 38; No. of stories in height, 4; No. of feet in height, from curb level to highest point of beams, 44
3. Material of building, Brick & Mortar; material of front, Brick & Mortar
4. Whether roof is peak, flat, or mansard? flat
5. Depth of foundation walls 10 feet; thickness of foundation walls, 20"; materials of foundation walls, stone & mortar
6. Thickness of upper walls, 12 inches. Material of upper walls, stone & mortar
7. Whether independent or party-walls, party
8. How the building is occupied, store and tenement

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised?
2. How high will the building be when raised?
3. Will the roof be flat, peak or mansard?
4. What will be the thickness of wall of additional stories? story, inches; story, inches.
5. Give size and material of floor beams of additional stories; 1st tier, x; 2d tier, x. Distance from centres on tier, inches; tier, inches.
6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

1. Size of extension, No. feet front; feet rear; feet deep; No. of stories in height; No. of feet in height.
2. What will be the material of foundation walls of extension. What will be the depth, feet. What will be the thickness, inches.
3. Will foundation be laid on earth, rock, timber or piles,

W. Klein

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? If base stones, give size, and how laid If concrete, give thickness.
5. What will be the sizes of piers?
6. What will be the thickness of upper walls in 1st story inches; 2d story, inches; 3d story, inches; from thence to top, inches; and of what materials to be constructed,
7. Whether independent or party-walls; if party-walls, give thickness thereof, inches.
8. With what material will walls be coped?
9. What will be the materials of front? If of stone, what kind Give thickness of front ashlar,, and thickness of backing thereof,
10. Will the roof be flat, peak, or mansard?
11. What will be the materials of roofing?
12. Give size and material of floor beams, 1st tier, x; 2d tier, x; 3d tier, x; 4th tier, x; 5th tier, x; 6th tier, x; roof tier, x State distance from centres on 1st tier inches; 2d tier, inches; 3d tier, inches; 4th tier, inches; 5th tier, inches; 6th tier, inches; roof tier, inches.
13. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, x under upper floors, Size and material of columns under 1st floor, under upper floors,
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building?
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor,

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED:

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER:

Take out present front, put in 2.12" rolled iron beams, resting at each end at 12x12" cast iron lintel post, have a new 8x8" cast iron post, as shown on diagram. new show windows with plate glass, the building will be properly stored off.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

“SPECIFICATIONS—SHEET A” [Form 152] must be filed with EVERY Alteration Application.

“SPECIFICATIONS—SHEET B” [Form 158] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 070 191

LOCATION 119 First Ave

Examined May 10th 1917

Isaac M. Euline,
Examiner

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED one
Any other building on lot or permit granted for one? no
- (2) ESTIMATED COST OF ALTERATION: \$ 750.
- (3) OCCUPANCY (in detail):
Of present building store and dwelling for 3 families
Of building as altered store and dwelling for 3 families
- (4) SIZE OF EXISTING BUILDING:
- | | | | | |
|------------------------|----|------------|----|-----------|
| At street level | 20 | feet front | 37 | feet deep |
| At typical floor level | 20 | feet front | 37 | feet deep |
| Height | 4 | stories | 45 | feet |
- (5) SIZE OF BUILDING AS ALTERED:
- | | | | | |
|------------------------|----|------------|----|-----------|
| At street level | 20 | feet front | 37 | feet deep |
| At typical floor level | 20 | feet front | 37 | feet deep |
| Height | 4 | stories | 45 | feet |
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: ordinary
[Frame, Ordinary or Fireproof]
- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Studpartitions to erected for new water closet compartments in 2. in 3. and 4. stories.

One window opening in rear of 2., 3. and 4. stories to be enlarged in width, as shown on plan, and two 4" X 4" angles to be placed over each.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

RECEIVED DEC 15 1924
 FOR THE CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 2840 1924 BLOCK 449 LOT 36

LOCATION 119 First Avenue W. S. 37'-6" N. of 7th St.

DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area B

Examined Dec. 18 1924 Frank D. Byrbee Examiner.

SPECIFICATIONS—SHEET A

(1) NUMBER OF BUILDINGS TO BE ALTERED one
 Any other building on lot or permit granted for one? no

(2) ESTIMATED COST OF ALTERATION: \$ 3000.

(3) OCCUPANCY (in detail):
 Of present building Store and tenement

Of building as altered same

(4) SIZE OF EXISTING BUILDING:

At street level	<u>20</u>	feet front	<u>37' 2"</u>	feet deep
At typical floor level	<u>20</u>	feet front	<u>37' 2"</u>	feet deep
Height	<u>4</u>	stories	<u>40</u>	feet

(5) SIZE OF BUILDING AS ALTERED:

At street level		feet front		feet deep
At typical floor level	<u>same</u>	feet front	<u>same</u>	feet deep
Height		stories		feet

(6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: ordinary
[Frame, Ordinary or Fireproof]

(7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):

Five persons in store.

(8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Lower floor beams and double up new posts and girders, new store fronts as shown on plan.