

RECORDED

15 1906

Original

Form No. 2
344906
48

APPLICATION TO ALTER, REPAIR, ETC.

1

Application is hereby made to the Superintendent of Buildings of the City of New York, for the alteration or repair of the building herein described. All provisions of the Building Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

NEW YORK, February 13 1895

(Sign here) Henry Feldmann
per Sturges & Howell
Attorneys

- 1. State how many buildings to be altered. One
- 2. What is the street or avenue and the number thereof? Give diagram of property. No 67 Seventh Street
- 3. How much will the alteration cost? \$ 7000

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

- 1. Size of lot on which it is located, No. of feet front, 25; feet rear, 25; feet deep, 42.6
- 2. Size of building, No. of feet front, 25; feet rear, 25; feet deep, 63. No. of stories in height, 4 stories; No. of feet in height from curb level to highest point of beams, 53
- 3. Material of building, brick; material of front, brick
- 4. Whether roof is peak, flat, or mansard, flat
- 5. Depth of foundation walls, 4 feet; thickness of foundation walls, 20; materials of foundation walls, blue stone
- 6. Thickness of upper walls, 12 inches. Material of upper walls, brick
- 7. Whether independent or party walls, easterly wall a party wall
- 8. How the building is or was occupied, Private, esp. Boarding House

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

- 1. How many stories will the building be when raised? Present Extension to be raised two stories. Basement & 4 stories
- 2. How high will the building be when raised? 54 feet
- 3. Will the roof be flat, peak, or mansard? flat (descend to rear)
- 4. What will be the thickness of wall of additional stories? 3rd story, 12 inches; 4th story, 12 inches.
- 5. Give size and material of floor beams of additional stories: 1st tier, spruce 3" x 10"; 2d tier, 3" x 10" spruce; Distance from centres on 1st add tier, 16 inches; 2nd add tier, 16 inches, roof tier 20" s.c.s.
- 6. How will the building be occupied? by 5 families - the descend front near to front of roof of present main building to be altered that the descend will be front to rear

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION.

- 1. Size of extension, No. feet front, ; feet rear, ; feet deep, ; No. of stories in height, ; No. of feet in height, .
- 2. What will be the material of foundation walls of extension? . What will be the depth? .feet. What will be the thickness? .inches.
- 3. Will foundation be laid on earth, sand, rock, timber or piles? .

IF TO BE EXTENDED ON ANY SIDE GIVE THE FOLLOWING INFORMATION.

4. What will be the base, stone or concrete? If base stones, give size and thickness and how laid, If concrete, give thickness,
5. What will be the sizes of piers? What will be the sizes of the base of piers?
6. What will be the thickness of upper walls? 1st story, inches ; 2d story, inches ; 3d story, inches ; 4th story, inches ; 5th story, inches ; 6th story, inches ; 7th story, inches ; from thence to top, inches ; and of what materials to be constructed,
7. State whether independent or party-walls. If party-walls give thickness thereof.
8. With what material will walls be coped?
9. What will be the materials of front? If of stone, what kind? Give thickness of front ashlar, Give thickness of backing,
10. Will the roof be flat, peaked or mansard?
11. What will be the materials of roofing?
12. Give size and material of floor beams, 1st tier, x ; 2d tier, x ; 3d tier, x ; 4th tier, x ; 5 h tier, x ; 6th tier, x ; 7th tier, x ; roof tier, x State distance from centres on 1st tier, inches ; 2d tier, inches ; 3d tier, inches ; 4th tier, inches ; 5th tier, inches ; 6th tier, inches ; 7th tier, inches ; roof tier, inches
13. If floors are to be supported by columns and girders, give the following information : Size and material of girders under 1st floor, x under each of the upper floors, Size and material of columns under first floor, under each of the upper floors,
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building?
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor.
18. State who will superintend the alterations.

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED :

*Take out partitions, stairs, walls of first small extension as shown on plans
Put up rear partitions stairs etc. as per plans to suit new arrangements
Light - Vent & Dumbwaiter shafts to be constructed of 3x3" angle iron
filled in with 3" fire proof stuff, all set on proper foundation in cellar as per plan line
bearing walls in Extension 8 brick in Basement + 1/2" to foundation as per plans in plan full
new motor flues to be lined with clay pipes - Building will be occupied by 5 families*

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN

WHAT MANNER :

*Rear wall of present Main building to be taken out entirely from Basement
to roof - Have two 10" steel beams 76 1/2 lbs. per yard over big opening of rear
wall of present Extension over 2nd story to support part of rear wall of the
additional two stories of Extension. Beams to be set on 12x12x16 granite
lockwell built in. Iron work to be tested before set.*

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Conc. & E. 161st St.,

QUEENS
21-10 49th Avenue,
L.I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This application must be typewritten and filed in triplicate. All proposed work under this application must be shown on plans and section. All vertical lines of soil, waste, leader and refrigerator pipes should be designated by numbers or letters. A soil or waste line and its attendant vent line may be considered as one stack, and so numbered or lettered. In alterations, NEW WORK ONLY should be specified. When new fixtures are to be connected to present lines, the location and diameter of said lines must be shown on the plan.

PLUMBING

P. & D. APPLICATION NO. 39 19-37 BLOCK 449 LOT 48

PERMIT NO. 19 SEC. VOL.

LOCATION 67 East 7th Street

EXAMINED AND RECOMMENDED

FOR APPROVAL ON 19 Examiner.

APPROVED 19 Borough Superintendent.

Cost \$100.00

SPECIFICATIONS

- (1) Number of Buildings? one New or Old old Brick or Frame brick No. of Stories B & 4
- (2) Dimensions of each Building: 25 Ft. Front 25 Ft. Rear 62 Ft. Deep 52'-9" Ft. High
Front or rear of lot front
Dimensions of each Lot: 25 x 92'-6" feet, Area in square feet 2312.5
- (3) How occupied? Mult. dwell., Class A No. of Families five
- (4) How to be occupied same No. of Families ten
- (5) If an alteration, describe generally work to be done present apartment per floor to be converted to two apartments. Building repaired and modernized. All new plumbing throughout.
- (6) Sewage and Drainage Disposal: Combined present Sanitary Storm Cesspool
- (7) House sewers—Number? present 1 Material CI Diameter 5 Fall per foot 1/4
- (8) House traps—Number? " 1 Material CI Diameter 5 inches
- (9) Fresh-air inlets—Number? " 1 Diameter 5" Location of inlet face of bldg.
- (10) House drains—Number? " 1 Diameter 4 Fall per foot 1/4
- (11) Roof Drainage—Number of outside leaders pres. 1 Material GI Diameter 4 Diameter of traps 5
Roof Drainage—Number of inside leaders None Material Diameter Diameter of traps
- (12) Area, shaft, court and yard drains—Number? None Diameter inches
- (13) If floor, cellar or stall drains are to be installed, state number and method of maintaining the water seal in traps?
- (14) Soil lines—Number? two Material X.C.I. Diameter 4"
- (15) Waste lines—Number? two Material C.I. Diameter 2"
- (16) Vent lines—Number? three Material X.C.I. Diameter 3"
- (17) Oil Separator Vent line Relief line
- (18) Ejector Type Purpose
- (19) Acid Waste Material How disposed
- (20) How will the floor of watercloset apartment be made waterproof? tile floor & base
- (21) How will flushometers be water supplied? From street pressure, pressure tank or roof tank? street pressure
- (22) Will building be piped for gas? yes Describe purpose cooking
- (23) Air Conditioner How will waste be disposed of?
- (24) Is application made to remove a violation? No
- (25) Owner Metropolitan Savings Bank Address 752 Broadway, NYC
- (26) Architect Cherry & Matz Address 16 East 50th St., NYC
- (27) Lessee Address

RECEIVED

TABLE OF FIXTURES

TO INCLUDE FIXTURES RESET WHERE NEW ROUGHING IS INSTALLED

Indicate Number of Proposed Fixtures on all Floors	Cellar	Basement	First Floor	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth	Eleventh	Twelfth	Thirteenth	Fourteenth	Fifteenth	Sixteenth	Seventeenth	Eighteenth	Nineteenth	Twentieth	DESCRIBE FIXTURES	
Water-Closets		2	2	2	2	2																	syphon jet	
Urinals																								
Wash-basins		2	2	2	2	2																		vit. china
Bath-tubs		2	2	2	2	2																		enamelled iron
Wash-tubs		1	1	2	2	2																		" "
Sinks		2	2	2	2	2																		" "
Dental Cuspidors																								
Slop Sinks																								
Drinking Fountains																								
Showers																								

Satisfactory proof has been submitted that the plumber has compensation insurance as provided by the Workmen's Compensation Law.

Company.....Policy No.....Expires.....

Minimum Water Pressure
 At Curb Elevation is.....lbs. Sq. In. Approximate depth is.....feet to inner top of
 Existing.....Proposed.....Combined Sewer
 Existing.....Proposed.....Sanitary Sewer
 Existing.....Proposed.....Storm Sewer
 from legal grade of street.

Department of Water Supply, G. & E.

Bureau of Sewers

(AFFIDAVIT TO BE MADE ONLY BY PLUMBER.)

STATE AND CITY OF NEW YORK, }
 COUNTY OF..... } ss.:

being duly sworn, deposes and says that he is a duly registered Plumber in The City of New York with shop at No. Borough of..... and residence at No..... Borough of.....

that he is duly authorized by the owner as given above to do all of the Plumbing and Drainage work as set forth in this detailed statement and/or amendments of the specifications and shown on accompanying plans, and hereby stipulates that all Rules and Regulations of the Department of Housing and Buildings shall be complied with, whether specified herein or not, and written notice shall be given Twenty-four hours in advance for any inspection.

Sworn to this.....day of }
, 19..... }

Commissioner of Deeds, City of New York.

DATE OF INSPECTION	RECORD OF INSPECTIONS AND VIOLATIONS	INSPECTOR

Date of Completion.....Signed.....
Ins. stor.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

INSTRUCTIONS—The NAME and ADDRESS of the OWNER or LESSEE of the building, and ARCHITECT or other REPRESENTATIVE must be stated. If owner or lessee is a corporation, state name and address of one of the executive officers. This application must be SIGNED BY OWNER, LESSEE or any person authorized by owner or lessee.

THIS APPLICATION MUST BE TYPEWRITTEN

APPLICATION FOR CERTIFICATE OF OCCUPANCY

June 2, 1939 19

TO THE BOROUGH SUPERINTENDENT:

The undersigned respectfully requests that a permanent Certificate of Occupancy be issued to him stating that the Building located at and known as No. 67 East 7th Street in the Borough of Man., conforms to the requirements of the Administrative Code and all other laws and ordinances and to the rules and regulations of the Department of Housing and Buildings and the Board of Standards and Appeals, applicable to a building of its class and kind.

Block 449 Lot 48 (Signed) Metropolitan Savings Bank Owner Lessee

ALT. Plan No. 51 19 39
N. B. or Alt. (Address) Broadway and 8th St

SIZE OF BUILDING:

Feet Front 25 Feet Deep 62 (By) [Signature] Architect
Feet High 52'9" Engineer
Representative

Number of Stories Base & 4 (Address) 16 E. 50th Street NYC.

STORY	LIVE LOADS LBS. PER SQ. FT.	PERSONS ACCOMMODATED			APTS.	ROOMS	USE
		MALE	FEMALE	TOTAL			
Cellar							boiler room
Basement	40	2	2	4	2	4	apartments
First Story	40	2	2	4	2	6	apartments
2nd.	40	2	2	4	2	6	"
3rd.	40	2	2	4	2	6	"
4th.	40	2	2	4	2	6	"

Mail to W.J. Cherry Address 16 E. 50th St NY

DO NOT WRITE BELOW THIS LINE

INDEX CLERK will note all N. B., Alt. and other applications together with pending Violations. U. B.'s Exit Orders, recent Special Reports, Fire Department Orders, and Division of Housing Orders.

ALT 51 19 39 31
2610 37

I have examined the above papers and find nothing which will prevent a Certificate of Occupancy being issued.
This Certificate to contain the following endorsements: _____

(Signed) _____

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.

QUEENS
21-10 49th Avenue
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

ALTERED BUILDINGS

APPLICATION No. 51 19 39 BLOCK 449 LOT 48

PERMIT No. _____ 19 SEC. _____ VOL. _____

LOCATION 67 East 7th Street

DISTRICT (Under building zone resolution) USE Bus. HEIGHT 1 1/2 AREA B

EXAMINED AND RECOMMENDED
FOR APPROVAL ON Jan 25 19 39 John Daniels Examiner
APPROVED 1939 19 _____
Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? no
Is building on front or rear of lot? front
- (2) ESTIMATED COST OF ALTERATION: \$ 8,000.
- (3) OCCUPANCY (in detail): Tenement house, one family per floor. Old Lav. Tenn.

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			boiler rm & stor.							same
Bas'mt.	1	5	apartment				2	4		apartments
1st.	1	5	"				2	6		"
2nd.	1	6	"				2	6		"
3rd	1	6	"				2	6		"
4th	1	6	"				2	6		"

ORIGINAL

If building is to be occupied other than dwelling with ordinary store on the first floor, give permit number under which it was erected or legally converted.

(4) SIZE OF EXISTING BUILDING:
At typical floor level 25 feet front 62 feet deep
At street level 25 feet front 62 feet deep
Height basement and four stories 52'-9" feet

(5) SIZE OF BUILDING AS ALTERED:
At street level feet front feet deep
At typical floor level No change feet front No change feet deep
Height feet

(6) CHARACTER OF PRESENT BUILDING:
Frame— Fire-Protected—
Non-fireproof— non fireproof Metal—
Fireproof— Heavy Timber—

(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Building in general to be modernized and repaired. Present apartment on each floor to be converted into two apartments. New plumbing, heating and electric wiring throughout.

New C.O. will be obtained

*not removed
existing partition
any of the
H. Existing
any on into also
may be done R. 124, 17*

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(8) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(9) FOOTINGS: Material

(10) FOUNDATION WALLS: Material

(11) UPPER WALLS: Material

Kind of Mortar
Any Ashlar
Thickness of Walls

(12) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(13) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(14) FOOTINGS: Material

(15) FOUNDATION WALLS: Material

(16) UPPER WALLS: Material

Kind of Mortar
Any Ashlar
Thickness of Walls

(17) PARTY WALLS: Any to be used?

Thickness of Walls

(18) FIREPROOFING: Material and Thickness

For Columns
For Girders
For Beams

(19) INTERIOR FINISH: Material

Floor Surface
Trim, Sash, Doors, etc.
Plaster

(20) OUTSIDE WINDOW FRAMES AND SASH: Material

(21) ANY ELECTRICAL WORK TO BE DONE?

Work commenced.....Date signed off.....19.....

I hereby Certify that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed.....Inspector

ORIGINAL

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
125-85 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall
St. George 1, S. I.

NOTICE - This Application must be TYPEWRITTEN and filed in TRIPLICATE.

CHECK ONE BOX

- ORIGINAL INSTALLATION
- REPLACEMENT OR ALTERATION
(If work involves change of design of combustion chamber, maximum capacity, atomization, or grade of oil)
- OTHER THAN ABOVE

OIL BURNING EQUIPMENT



N.B., ALT., OR B.N. NO. _____ 19____

BLOCK 449 LOT. 48 19 64

APC-5 FILED APC-48 FILED
DO NOT WRITE IN THIS SPACE

LOCATION 67 E. 7 St; N/S 275' W of First Avenue BOROUGH Manhattan

ALL ITEMS MUST BE FILLED IN EXCEPT WHERE OTHERWISE INDICATED

Maximum Input 765,000 BTU per hour Maximum Output 536,000 BTU per hour

Fee Computation FOR OIL BURNING EQUIPMENT \$ 25.00 TOTAL \$ 25.00
FOR ERECTION OR ALTERATION OF CHIMNEY \$ _____

FEE PAID 010-51-64 439044

TO THE BOROUGH SUPERINTENDENT Date December 11 19 64

I hereby make application for approval of the installation described herein and certify to the accuracy of the statements given in this application and the computations; plans and detailed drawings which were prepared by me or under my supervision and that to the best of my knowledge and belief the installation if made in accordance therewith, will conform to the Administrative Code, the Rules of the Board of Standards and Appeals, and the Rules of the Board of Air Pollution Control and will not conflict with any provision of the Charter, the Multiple Dwelling Law and the Labor Law, the General City Law, the Building Zone Resolution or other provisions of law applicable thereto, except for the following:

R.D. Chiarg Associates
(APPLICANT)

93



Examined For Approval on 3/26/65

Approved MAR 9 6 1965

BOROUGH SUPERINTENDENT

Thomas V. ...
BOROUGH SUPERINTENDENT

SPECIFICATIONS

Construction of building brick

How is building occupied? Cl. A - M.D. & sts. State number of families 5

Proposed work Legalize existing installation of oil burner and 1080 gal. fuel oil tank.

Name of Burner(s) Chrysler Air Temp B.S. & A. Cal. No. 107-48

Capacity of Tank(s) 1080 Grade of Oil 2

Will system be fully automatic? yes Name of preheater _____

B.S. & A. Cal. No. _____ Will preheater conform with Rule 7.2.2? _____

Will all safety and operating controls be provided as per B.S. & A. resolution approving the burner and/or preheater? yes Name of constant level device _____

Name of anti-siphon or foot valve _____ Will tanks be inside or outside building? inside

Buried or above ground? above Will tank enclosure comply with Rule 6? yes

Any heating coils in tanks? no Will fill line comply with Rule 7.4? yes

Will vent line comply with Rule 7.3? yes

Location of shut-off valves at burner and tank

Type of measuring device Rochester gauge Name of pump integral

Will pump of burner be below top of storage tank? yes

In dwelling will automatic control be installed? NA

Will damper when closed completely cut off passage of flue gases? no

Location of remote control as shown Labeled yes

Is ventilation adequate? yes Will fire protection comply with Rule 14? yes

Is installation along line of subway? no Will it conform with Rule 6.5.1? _____

Fill Box Permit No. 50 46 3967 549

Mar 3/26/65

PROPOSED CONSTRUCTION WORK

Will installation include the erection or alteration of a chimney? no (YES OR NO). If answer is "yes", describe

and fill in either estimated cost \$ _____ or whether work is included in approved application _____ (N.B., ALT., OR B.N.)

No. _____. If answer is "no", fill in statement regarding construction of existing chimney. Will the tank be buried, enclosed, or installed outside the building? no (YES OR NO). If answer is "yes", specify _____

_____. If answer to either or both of the above questions is "yes", submit this form in quadruplicate.

STATEMENT REGARDING CONSTRUCTION OF EXISTING CHIMNEY

I hereby state that I have inspected the chimney at the premises wherein under this application I propose to install oil burning equipment and found that the chimney is in good condition and has walls of _____

brick - 8"
(GIVE MATERIAL AND THICKNESS)

and lining of terra cotta flue
(GIVE MATERIAL)

Hillard Stern
(NAME OF P.E., OR R.A. OR LICENSED INSTALLER)

Hillard Stern
(SIGNATURE)

5005 - 19 Ave., Bklyn.
(ADDRESS)

STATEMENT OF OWNER

I hereby state that I am the sole part owner of the premises described in this application and that the premises are occupied as Cl. A - M.D. & sts.

I have authorized the applicant to file this application for the work specified herein.

If occupied as a Multiple Dwelling, also complete the following:

I hereby further state that a Central Heating Plant did exist at these premises prior to July 1st, 1951. (DID OR DID NOT)

The owner or owners of the said premises are

J. Terech
(NAME AND RELATIONSHIP TO PREMISES)

premises
(ADDRESS)

(NAME AND RELATIONSHIP TO PREMISES)

(ADDRESS)

(NAME AND RELATIONSHIP TO PREMISES)

(ADDRESS)

Terech Terech
(SIGNATURE OF OWNER OR OFFICER OF CORP.)

(IF A CORPORATION, GIVE NAME AND ADDRESS OF CORPORATION ON THE FIRST LINE ABOVE AND THE NAME AND ADDRESS OF TWO OFFICERS ON THE SECOND AND THIRD LINES; AND SIGNED BY AN AUTHORIZED OFFICER OF THE CORPORATION)

WORK PERMIT

I hereby state that I will make the installation described in this application and plans, if any, approved therewith and I certify that to the best of my knowledge and belief, the installation will conform to the Administrative Code, the rules of the Board of Standards and Appeals and the rules of the Department of Air Pollution Control and I have obtained Workmen's Compensation insurance as follows:

Lib. Mut. Ins. Co.
INSURANCE COMPANY

WC 1-123-014867-023 BD032 7/1/65
POLICY NO. EXPIRES

Stern Bros.
NAME OF INSURED

5005 - 19 Ave., Bklyn.
ADDRESS

Hillard Stern
NAME OF LICENSED INSTALLER

5005 - 19 Ave., Bklyn.
ADDRESS OF LICENSED INSTALLER

License No. 657A CLASS A OR B

11/30/65 EXPIRES

Hillard Stern
SIGNATURE OF LICENSED INSTALLER

PERMISSION IS HEREBY GRANTED TO INSTALL OIL BURNING EQUIPMENT AS DESCRIBED IN THE FOREGOING APPLICATION.

DATE OF ISSUANCE

BOROUGH SUPERINTENDENT

ISSUED BY CLERK

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

FOR CONSTRUCTION INSPECTOR'S USE WHEN "PROPOSED CONSTRUCTION WORK" ABOVE, IS INVOLVED.

On _____ (DATE) I inspected the subject premises and found that the construction work involved in this application has been done in accordance with the approved application and plan.

gned

(CONSTRUCTION INSPECTOR)