

B 450
L 24

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 2515

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

Ernest J. ...
The City of New York, Borough of Manhattan, September 11, 1907.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof)
340 East 9th Street
- How was the building occupied? Tenement
How is the building to be occupied? Tenement
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25'-0" feet front; 25'-0" feet rear; 94'-0" feet deep.
- Size of building which it is proposed to alter or repair? 25'-0" feet front; 25'-0" feet rear; 48'-6" feet deep. Number of stories in height? below 3 stories Height from curb level to highest point? 50 feet
- Depth of foundation walls below curb level? 10 feet Material of foundation walls? Brick and Blue Stone Thickness of foundation walls? front 20 inches rear 16 inches; side 20 inches; party _____ inches.
- Material of upper walls? Brick If ashlar, give kind and thickness Brown Stone 4" thick
- Thickness of upper walls:
Basement: front ✓ inches; rear ✓ inches; side ✓ inches; party _____ inches.
1st story: " 20 " " 16 " " 12 " " _____ "
2d story: " 12 " " 12 " " 12 " " _____ "
3d story: " 12 " " 12 " " 12 " " _____ "
4th story: " 12 " " 12 " " 12 " " _____ "
5th story: " 12 " " 12 " " 12 " " _____ "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls:
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " " _____ " " _____ " " _____ " " _____ "
 2d story: " _____ " " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ " " _____ "
15. Is present building provided with a fire escape? yes
- If to be extended on any side, give the following information:
16. Is extension to be on side, front or rear? Rear
17. Size of proposed extension, feet front 13'-0"; feet rear 13'-0"; feet deep 4'-6"; number of stories in height? Cellar and 5 stories number of feet in height? 50'-0"
18. Material of foundation walls? Brick; depth 10'-0" feet; material of base course Concrete; thickness of base course 12 inches; thickness of foundation walls, front _____ inches; side 16 inches; rear 16 inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? earth
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? Brick; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front ✓ inches; rear 12 inches; side 12 inches; party _____ inches.
 2d story: " ✓ " " 12 " " 12 " " _____ "
 3d story: " ✓ " " 12 " " 12 " " _____ "
 4th story: " ✓ " " 12 " " 12 " " _____ "
 5th story: " ✓ " " 12 " " 12 " " _____ "
 6th story: " _____ " " _____ " " _____ " " _____ "
23. With what will walls be coped? Blue stone
24. Will roof be flat, peak, or mansard? flat; material Tin
25. Give size and material of floor and roof beams Spurce
 1st tier, material Spurce; size 3" x 10"; distance on centres 12"
 2d tier, " Spurce " 3" x 10" " " 12"
 3d tier, " Spurce " 3" x 10" " " 12"
 4th tier, " Spurce " 3" x 10" " " 12"
 5th tier, " Spurce " 3" x 10" " " 12"
 Roof tier, " Spurce " 3" x 9" " " 12"
 Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. I propose to build on rear of main bldg a 4'-6" x 13'-0" Extension of brick to contain 2 K. Cl. compts. Cut down the two center window breasts to form door openings on each story as per plans so as to enter extension from each apartment. Enlarge the easterly and westerly windows of rear wall at each story so that window openings will contain 1/10 the superficial area of Living Room upon which they open. Over enlarged window opening in rear wall of 1st story place 2-4" St. Bms. In Rear wall of Cellar form new door opening of easterly window to maintain entrance from yard to easterly storage room.

If altered internally, give definite particulars, and state how the building will be occupied :

48. Erect new studpartitions to form two closet compts in extension. Set in Bedroom partitions on all stories 3'-0" x 5'-0" sash windows. Over main hall set new 3'-0" x 7'-0" skylight with ridge and louvers. Remove wooden panels in hall doors to receive glass panels. Run new 6" c.i. house drain. Remove fire escapes from rear of bldg and erect new fire escapes on front of bldg as per plans.
The building will be occupied by 10 families.

49. How much will the alteration cost? \$ 2,000.00 / 100.

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied? _____
How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

58. Dimensions of water closet windows? _____
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, John Becker Address, #55 East 123rd Street

Architect, Henry Regehrmann " #133 Seventh Street

Superintendent, _____ " _____

Mason, _____ " _____

Carpenter, _____ " _____

B 450
L 24

28 n-1-08 (B) 12.0

Applicant must indicate the Building Line
Lines clearly and distinctly on the Drawings.

2

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN,

August 20th 1909

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered. One
2. What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof)
340 E. 9th Street
3. How was the building occupied? Tenement
How is the building to be occupied? Tenement
4. Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
5. Size of lot? 25 feet front; 25 feet rear; 94 feet deep.
6. Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 48'-6" feet deep. Number of stories in height? 5 Height from curb level to highest point? 50
7. Depth of foundation walls below curb level? 11'-0" Material of foundation walls? Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
8. Material of upper walls? Brick If ashlar, give kind and thickness _____
9. Thickness of upper walls:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " 12 " " 12 " " 12 " " " " "
2d story: " 12 " " 12 " " 12 " " " " "
3d story: " 12 " " 12 " " 12 " " " " "
4th story: " 12 " " 12 " " 12 " " " " "
5th story: " 12 " " 12 " " 12 " " " " "
6th story: " _____ " " _____ " " _____ " " " " "
10. Is roof flat, peak or mansard? flat.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. I propose to remove present rear wall & build new brick extension, which is to be occupied by bath rooms. New stud partitions to be erected where so shown on plans & to be lathed & plastered 3 coats. New Skylight to be set over ~~new~~ stair hall of size shown on plan. New 6" cast iron bouse drain to be run through cellar.

If altered internally, give definite particulars, and state how the building will be occupied :

48. _____

49. How much will the alteration cost? \$5000 00/100

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-						

53. How basement to be occupied? _____
 How made water-tight? _____
 54. Will cellar or basement ceiling be plastered? _____ How? _____
 55. How will cellar stairs be enclosed? _____
 56. How will cellar be occupied? _____
 How made water-tight? _____
 57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

 Size of each shaft? _____

