

TH... of the Borough President of the Borough of M<sup>AN</sup>HATTAN  
OF THE BOROUGH OF MANHATTAN  
New York  
1935

PLAN No. .... *W.B. Act. of 1905*

State and City of New York, }  
County of ..... } ss.:

*Henry J. Feiser, Architect.*

being duly sworn, deposes and says: That he resides at Number *150 Nassau Street.*

..... in the Borough of *Manhattan.*

in The City of *New York*....., in the County of *New York*

in the State of *New York*.....; that he is *the Architect for the*

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of *Manhattan*

in The City of New York, aforesaid, and known and designated as Number *339 East 9<sup>th</sup> Street.*

....., and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, is duly authorized to be performed by *the*

*owner.*

and that *Henry J. Feiser, Architect.*

duly authorized by *the owner.*

to make application for the approval of such detailed statement of specifications and plans in *his* behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure, or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

*David Yankauer*..... No *156 West Broadway*

..... as *owner*

*Henry J. Feiser*..... No *150 Nassau Street*

..... as *Architect*

..... No .....

..... as .....

..... No .....

..... as .....

..... No .....

..... as .....

ORIGINAL

2665

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 451  
L 42

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

of the City of New York  
1  
FOR THE BOROUGH OF MANHATTAN

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

2665

Plan No. ....

### APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Henry J. Feiser, Architect.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, September 16<sup>th</sup> 1905.

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) No 339 E 9<sup>th</sup> Street. N.S.  
150 ft. west of First Avenue
- How was the building occupied? tenement.  
How is the building to be occupied? tenement.
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no. Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 25 feet front; 25 feet rear; 92' 3" feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 52' 4" feet deep. Number of stories in height? 5 1/2 bats Height from curb level to highest point? 56'
- Depth of foundation walls below curb level? 10 ft. Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party \_\_\_\_\_ inches.
- Material of upper walls? brick If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front 16 inches; rear 16 inches; side 16 inches; party \_\_\_\_\_ inches.  
1st story: " 12 " " 12 " " 12 " " " \_\_\_\_\_ "  
2d story: " 12 " " 12 " " 12 " " " \_\_\_\_\_ "  
3d story: " 12 " " 12 " " 12 " " " \_\_\_\_\_ "  
4th story: " 12 " " 12 " " 12 " " " \_\_\_\_\_ "  
5th story: " 12 " " 12 " " 12 " " " \_\_\_\_\_ "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? flat.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. *Present windows in rear wall where shown on 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup> and 5<sup>th</sup> stories will be enlarged and brickwork above carried by two 6" steel beams 40 lbs. per yard*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *Present partitions to be removed and new partitions built where shown to form new water closet compartments.*

49. How much will the alteration cost? *\$ 3000 <sup>00</sup>/<sub>100</sub>*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied? \_\_\_\_\_  
How made water-tight? \_\_\_\_\_

54. Will cellar or basement ceiling be plastered? \_\_\_\_\_ How? \_\_\_\_\_

55. How will cellar stairs be enclosed? \_\_\_\_\_

56. How cellar to be occupied? \_\_\_\_\_  
How made water-tight? \_\_\_\_\_

57. Will shafts be open or covered with louvre skylights full size of shafts? \_\_\_\_\_

Size of each shaft? \_\_\_\_\_