

B451 L53 317 E. 9th St.

HOUSE NO. AND STREET

HOUSE NO. AND STREET

HOUSE NO. AND STREET

DIAGRAM

APPLICATIONS

	KIND	NO.	YEAR	FILED	COMPLETED	DRAWINGS
1	CH.	840	1890	(minor)	O-Isaac Rosendorf A-Schneider Henter	
2	ALT	594	1904	(minor)	O-Osiris? Karp A-Maximilian (Girres)?	
3	ALT.	131	1914	Correct cellar passage	O-Carry Buchenholz A-O. Reissmann	
4	P+D	857	1933		O-Reuel Nadel	
5	ALT.	942	1939		O-Dry Dock A-Sidney Damb	
6	P+D	754	1939		O-Dry Dock Savings Institution A-Sidney Damb.	
7	B.N	2184	-	1965	(minor)	
8						
9						
10						
11						

Plan No. *Ho. 1*

B451
L53

APPLICATION TO ALTER, REPAIR, ETC.

1


Application is hereby made to alter as per subjoined detailed statement of specification for Alterations or Repairs to buildings already erected, and *I* herewith submit Plans and Drawings of the proposed alterations; and *I* do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here)

Isaac Rosendorf
Archts

NEW YORK, *April 24* 1890

- 1. State how many buildings to be altered. *one*
- 2. What is the street or avenue and the number thereof? Give diagram of property. *No 317 East 9th Street*
- 3. How much will the alteration cost? \$ *2500 00*



GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING :

- 1. Size of lot on which it is located, No. of feet front, *25*; feet rear, *25*; feet deep, *75*
- 2. Size of building, No. of feet front, *25*; feet rear, *25*; feet deep, *48* No. of stories in height, *5 x basement*; No of feet in height from curb level to highest point of beams, *56*
- 3. Material of building, *brick*; material of front, *brick*
- 4. Whether roof is peak, flat, or mansard, *flat*
- 5. Depth of foundation walls, *9* feet; thickness of foundation walls, *20"*; materials of foundation walls, *stone & Rosendale cement mortar*
- 6. Thickness of upper walls, *8* inches. Material of upper walls, *brick*
- 7. Whether independent or party walls, *independent*
- 8. How the building is or was occupied, *as dwelling resp. tenement house*

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION :

- 1. How many stories will the building be when raised? _____
- 2. How high will the building be when raised? _____
- 3. Will the roof be flat, peak, or mansard? _____
- 4. What will be the thickness of wall of additional stories? _____ story, _____ inches; _____ story, _____ inches.
- 5. Give size and material of floor beams of additional stories; _____ 1st tier, _____, _____ x _____ 2d tier, _____, _____ x _____ Distance from centres on _____ tier, _____ inches; _____ tier _____ inches.
- 6. How will the building be occupied? _____

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION.

- 1. Size of extension, No. feet front, _____; feet rear, _____; feet deep, _____; No. of stories in height, _____; No. of feet in height, _____.
- 2. What will be the material of foundation walls of extension? _____ What will be the depth? _____ feet. What will be the thickness? _____ inches.
- 3. Will foundation be laid on earth, sand, rock, timber or piles? _____

Isaac Rosendorf
Archts

IF TO BE EXTENDED ON ANY SIDE GIVE THE FOLLOWING INFORMATION.

4. What will be the base, stone or concrete?..... If base stones, give size and thickness and how laid,..... If concrete, give thickness,.....
5. What will be the sizes of piers?..... What will be the sizes of the base of piers?.....
6. What will be the thickness of upper walls? 1st story,.....inches; 2d story,.....inches; 3d story,.....inches; 4th story,.....inches; 5th story,.....inches; 6th story,.....inches; 7th story,.....inches; from thence to top,.....inches; and of what materials to be constructed,.....
7. State whether independent or party-walls..... If party-walls give thickness thereof.....
8. With what material will walls be coped?.....
9. What will be the materials of front?..... If of stone, what kind?..... Give thickness of front ashlar..... Give thickness of backing.....
10. Will the roof be flat, peaked or mansard?.....
11. What will be the materials of roofing?.....
12. Give size and material of floor beams, 1st tier,.....,..... x.....; 2d tier,..... x.....; 3d tier,.....,..... x.....; 4th tier,.....,..... x..... 5th tier,.....,..... x.....; 6th tier,.....,..... x.....; 7th tier,..... x.....; roof tier,.....,..... x..... State distance from centres on 1st tier,..... inches; 2d tier,.....inches; 3d tier,.....inches; 4th tier,.....inches; 5th tier,.....inches; 6th tier,.....inches; 7th tier,.....inches; roof tier,.....inches
13. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor,.....,..... x..... under each of the upper floors,..... Size and material of columns under first floor,..... under each of the upper floors,.....
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,.....
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building?.....
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor.
18. State who will superintend the alterations.

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED:

The 8" brick wall running from front to rear through basement & 1st story to 2nd tier of beams is to be taken out to a depth of 20 ft. from front backwards and the beams (1st & 2nd tier) will be supported by 8x10 yellow pine girders supported at each end on brick wall & by a 8x8" yellow pine post in centre set on 3x3" x 10" bottom stone all as shown on plans, and all wooden partitions are to be taken out in basement & one new brace & rafter partition to be erected, & under new girders in 1st story & a door broke through opposite partition where vestibule is to be

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER:

The centre pier on each side of front basement wall is to be taken out & the wall above to be supported by girders of two 10" high light rolled beams strongly bolted together & set out on 12" high granite blocks on top of piers, and a new store front to project 12" outside of the building line will be erected as shown on plan & section.

COPY

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

Plan No. 594

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) [Handwritten Signature]

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, April 18 1904

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- 1. State how many buildings to be altered? One
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 317 East 9th St 225 ft East of 2nd Ave North side
3. How was the building occupied? [Handwritten] How is the building to be occupied? [Handwritten]
4. Is the building on front or rear of lot? Front & Rear Is there any other building erected on lot or permit granted for one? Size...; height... How occupied?... Give distance between same and proposed building... feet.
5. Size of lot? 25'0" feet front; 25'0" feet rear; 42'3" feet deep.
6. Size of building which it is proposed to alter or repair? 25'0" feet front; 25'0" feet rear; 50'0" feet deep. Number of stories in height? 5 Height from curb level to highest point? 57'0"
7. Depth of foundation walls below curb level? 8'6" Material of foundation walls? [Handwritten] Thickness of foundation walls? front 2'0" inches; rear 2'0" inches; side 2'0" inches; party 2'0" inches.
8. Material of upper walls? Brick If ashlar, give kind and thickness.

9. Thickness of upper walls:

Basement:	front.....	inches;	rear.....	inches;	side.....	inches;	party.....	inches.
1st story:	" ..16.....	"	" ..16.....	"	" ..16.....	"	" ..16.....	"
2d story:	" ..12.....	"	" ..12.....	"	" ..12.....	"	" ..12.....	"
3d story:	" ..12.....	"	" ..12.....	"	" ..12.....	"	" ..12.....	"
4th story:	" ..12.....	"	" ..12.....	"	" ..12.....	"	" ..12.....	"
5th story:	" ..16.....	"	" ..12.....	"	" ..12.....	"	" ..12.....	"
6th story:	" ..	"	" ..	"	" ..	"	" ..	"

10. Is roof flat, peak or mansard?..... Flat

11. Size of present extension, if any?..... feet front;..... feet deep;..... feet high.

12. Thickness and material of foundation walls?.....

13. Material of upper walls?..... If ashlar, give kind and thickness.....

14. Thickness of upper walls:

Basement:	front.....	inches;	rear.....	inches;	side.....	inches;	party.....	inches.
1st story:	" ..	"	" ..	"	" ..	"	" ..	"
2d story:	" ..	"	" ..	"	" ..	"	" ..	"
3d story:	" ..	"	" ..	"	" ..	"	" ..	"
4th story:	" ..	"	" ..	"	" ..	"	" ..	"

15. Is present building provided with a fire escape?.....

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear?.....

17. Size of proposed extension, feet front.....; feet rear.....; feet deep.....; number of stories in height?.....; number of feet in height?.....

18. Material of foundation walls?.....; depth..... feet; material of base course.....; thickness of base course.....; thickness of foundation walls: front..... inches; side..... inches; rear..... inches; party..... inches.

19. Will foundation be on rock, sand, earth or piles?.....

20. What will be the size of piers in cellar?.....; distance on centres?.....; size of base of piers?.....; thickness of cap stones?.....; of bond stones?.....

21. Material of upper walls?.....; material of front?.....

22. Thickness, exclusive of ashlar, of upper walls:

1st story:	front.....	inches;	rear.....	inches;	side.....	inches;	party.....	inches.
2d story:	" ..	"	" ..	"	" ..	"	" ..	"
3d story:	" ..	"	" ..	"	" ..	"	" ..	"
4th story:	" ..	"	" ..	"	" ..	"	" ..	"
5th story:	" ..	"	" ..	"	" ..	"	" ..	"
6th story:	" ..	"	" ..	"	" ..	"	" ..	"

23. With what will walls be coped?.....
24. Will roof be flat, peak, or mansard?.....; material.....
25. Give size and material of floor and roof beams.....
- 1st tier, material.....; size.....; distance on centres.....
- 2d tier, "....."....."....."
- 3d tier, "....."....."....."
- 4th tier, "....."....."....."
- 5th tier, "....."....."....."
- Roof tier, "....."....."....."

Give thickness of headers.....of trimmers.....

26. Give material of girders.....of columns.....
- Under 1st tier, size of girders..... size of columns.....
- " 2d " " "....."....."
- " 3d " " "....."....."
- " 4th " " "....."....."
- " 5th " " "....."....."
- " Roof tier, " "....."....."

27. If front, rear or side is to be supported on columns or girders, give:
- Girders, material.....; front.....; side.....; rear.....
- size....."....."....."
- Columns, material....."....."....."
- size....."....."....."

28. If constructed of frame, give material.....; size of sill.....;
- plate.....; enteties.....; posts.....; studs.....;
- braces.....

29. If open on one side, give size of plate.....posts.....

30. How will extension be occupied?.....
- If for dwelling, give number of families on each floor.....

31. How will extension be connected with main building?.....

32. Give size of skylights.....material.....

33. Give material of cornices.....

34. Give material of light shafts.....; size.....

If to be increased in height, give the following information:

35. Will building be raised from foundation, or extended on top? Give particulars.....
-
-

36. How many stories high will building be when raised?.....; feet high.....

37. Will the roof be flat, peak or mansard?.....; material.....

38. Material of coping?.....

39. Give material of new walls thickness of story inches;
 story inches; story inches; story
 inches; story inches; story inches;
 story inches.
40. Material of floor beams? Size tier
 centres; tier; centres; tier
 centres; tier; centres; tier
 centres
41. Material of girders? Size under 1st tier; 2d tier
 3d tier; 4th tier; 5th tier; 6th tier
42. Material of columns? Size under 1st tier; 2d tier
 3d tier; 4th tier; 5th tier; 6th tier
43. Size of piers in cellar; distance on centres; thickness of capstones
 to piers; bond stones
44. If constructed of frame, give material of frame; size of sills
 corner posts; middle posts; enterties
 plates; braces; studs
45. How will building be occupied when altered?
 If for dwelling, state number of families on each floor
46. With what kind of fire escape will building be provided?

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner :

47. ~~Front Window 10' x 8' 0" in base~~
 which is 5' 0" wide & 8' 0" high
 by a C.I. box 3/4" deep

There will be no show windows on 1st Story
 Basement Show windows now in: *Phy.*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Remove all partitions show windows
 construct all partitions show windows
~~and install a toilet in each show window~~
 Also a set of tubs & sink. Two each
 Apartment also built
 hardware windows 5' 0" x 5' 0" windows
 no show windows
49. How much will the alteration cost? *7000*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose? If so, state what *part*

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?			2	2	2	2	2	2
52. Height of ceilings?	10	10	10	10	10	10	10	10

53. How basement to be occupied?
 How made water-tight?
54. Will cellar or basement ceiling be plastered? *Yes* How? *Plaster + 3/4" concrete*
55. How will cellar stairs be enclosed? *Plaster*
56. How cellar to be occupied?
 How made water-tight?
57. Will shafts be open or covered with louvre skylights full size of shafts?
 Size of each shaft?
58. Dimensions of water closet windows?
 Dimensions of windows for living rooms?
59. Of what materials will hall partitions be constructed?
60. Of what materials will hall floors be constructed?
61. How will hall ceilings and soffits of stairs be plastered?
62. Of what material will stairways be constructed?
 Give sizes of stair well holes
63. If any other building on lot, give size: front; rear; deep
 stories high; how occupied; on front or rear of lot
 material
- How much space between it and proposed building?
64. How will floors and sides of water closets to the height of 16 inches be made waterproof?
65. Number and location of water closets: Cellar; 1st floor; 2d floor
 3d floor; 4th floor; 5th floor; 6th floor

Owner, *James H. ...* Address, *...*

Architect, *...* " *...*

Superintendent, *...* " *...*

Mason, *...* " *...*

Carpenter, *...* " *...*

Office of the Borough President of the Borough of Manhattan

IN THE CITY OF NEW YORK

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street

PLAN NO. 131 { ~~NEW BUILDINGS~~ } 1914
ALTERATIONS

MXCW
1/17

Location 317 East 9th St.

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the Application and Plans on file in the Bureau.

1. Foundation walls. Depth below curb level..... material.....
thickness, front..... inches; rear..... inches; side..... inches; party..... inches.
2. Upper walls. Material.....; thickness as follows:
Basement: front..... inches; rear..... inches; side..... inches; party..... inches.
1st story: " " " " " " " " " "
2d story: " " " " " " " " " "
3d story: " " " " " " " " " "
4th story: " " " " " " " " " "
5th story: " " " " " " " " " "
6th story: " " " " " " " " " "
3. Nature of ground.....
4. Quality of sand used in mortar.....
5. What walls are built as party walls?.....
6. What fire escapes are provided?.....
7. Is building fireproof?.....
8. If building is *vacant*, state how the same *was* occupied.....
9. Is the present building to be connected with any adjoining building? Do not know
If so, state dimensions and material of *adjoining building*, viz.:
Material.....; feet front.....; feet rear.....
feet deep.....; feet in height.....; number of stories.....;
how occupied.....
10. How is present building occupied? Basement Stores; 1st floor Tenants;
2d floor Tenants; 3d floor Tenants; 4th floor Tenants; 5th floor Tenants;
6th floor.....; 7th floor.....; 8th floor.....; 9th floor.....
11. Height of building: feet.....; stories.....
12. Size of building: feet front.....; feet rear.....; feet deep.....
13. Size of lot: " ".....; " ".....; " ".....
14. Are fireproof shutters provided?..... What kind?.....

Dated, Jan 25th 1914 James J. Pappas Inspector.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE. "SPECIFICATIONS-SHEET A" [Form 152-1913] must be filed with EVERY Alteration Application. "SPECIFICATIONS-SHEET B" [Form 158-1913] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

RECEIVED
BUREAU OF BUILDINGS
JAN 14 1914
BOROUGH OF MANHATTAN
CITY OF NEW YORK

ALT. APPLICATION No. 131 191 ✓

LOCATION #317 East 9th. St., north side 225' east of Second Ave.

Examined 1/20/14 191 M. X. C. [Signature]
Examiner

SPECIFICATIONS-SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED **one**
Any other building on lot or permit granted for one? **yes**
- (2) ESTIMATED COST OF ALTERATION: \$ **500**
- (3) OCCUPANCY (in detail):
Of present building **Tenement House**
Of building as altered " "
- (4) SIZE OF EXISTING BUILDING:
At street level **25'** feet front **25'** feet deep
At typical floor level **25'** feet front **25'** feet deep
Height **Two** stories **25'** feet
- (5) SIZE OF BUILDING AS ALTERED:
At street level feet front
At typical floor level **(as above)** feet front **(as above)** feet deep
Height stories **(as above)** feet deep
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: **ordinary**
[Frame, Ordinary or Fireproof]
- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Propose to erect 8" brick wall in cellar to form a passage way from yard to the adjoining premises as shown on plans.

Ceiling of said passge will of 2" terra cotta blocks set in angle iron frame all as indicated on plans.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

RECEIVED
BUREAU OF BUILDINGS
JAN 14 1914
BOROUGH OF MANHATTAN
CITY OF NEW YORK

ALT. APPLICATION No. _____ 191 *4*

LOCATION #317 East 9th Street., north side 225' east of Second Ave.
New York City, Jan. 14th. 191 4.

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Bureau of Buildings for the Borough of Manhattan, all provisions of the Building Code of the City of New York, and with every other provision of law relating to this subject in effect at this date.

(Sign here) _____ Applicant

When properly signed by the Superintendent of Buildings of the Borough of Manhattan, this application becomes a PERMIT as required by the Building Code of the City of New York, to perform such work as is described in the foregoing statement and the attached plans and specifications which are a part hereof.

EXAMINED AND RECOMMENDED FOR APPROVAL ON *1/20/14* 191
Max C. Buckenholz
APPROVED *1/22/14* 191 4 *Richard D. ...* Examiner
Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND)
CITY OF NEW YORK) ss.: Otto Reissmann (Applicant)

being duly sworn, deposes and says: That he resides at Number #30 First Street
In the Borough of Manhattan.
in the City of New York, in the County of New York
in the State of New York, that he is architect for Carry
Buckenholz

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number #317 East 9th. Street and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications **filed herewith**, and all subsequent amendments thereto—is duly authorized by **Carry Buckenholz, owner**
[Name of Owner or Lessee]

and that **Otto Reissmann, architect**

duly authorized by the aforesaid **owner** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **her** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner..... **Carry Buckenholz #154 Second Ave.**

Lessee.....

Architect..... **Otto Reissmann, #30 First Street**

Superintendent..... **owner**

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING

at a point on the **north** side of **9th. Street**
distant **225'** feet **east** from the corner formed by the intersection of
Second Ave. and **9th. Street**
running thence **north 92'-3"** feet; thence **east 25'** feet;
thence **south 92'-3"** feet; thence **west 25'** feet;

to the point or place of beginning,—being designated on the map as Block No. **451** Lot No. **53**

Sworn to before me, this 14th day of Jan. 1914

[Handwritten signature: Otto Reissmann]
[Handwritten signature: Robert H. ...]
[Handwritten text: ... of ... N.Y.C.]

ALTERATION
PERMIT

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK

ORIGINAL

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN Municipal Bldg., Manhattan
BROOKLYN Municipal Bldg., Brooklyn
BRONX Bronx County Bldg., Grand Concourse & E. 161st St.,
QUEENS 21-10 49th Avenue, L. I. City
RICHMOND Boro Hall St. George, S. I.

NOTICE—This Application must be TYPEWRIT TEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

PERMIT No. 1339 19 N. B. ALT. P. & D. ELEV. D. W. SIGN } Application No. 942 19 39

LOCATION 317 E. 9th Street (Rear Building) BLOCK 451 LOT 53

FEES PAID FOR New York City April 6 19 39

To the Borough Superintendent: Application is hereby made for a PERMIT to perform the Carpentery - Plastering - Cement work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: State Insurance Fund Policy # 125793 - Expires 7-27- 39

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

The construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent.

STATE AND CITY OF NEW YORK } ss. Sidney Daub agent for Certified Contracting Corp. COUNTY OF New York } Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 241 East 36th St. in the Borough of Manhattan in the City of New York, in the County of New York in the State of New York, that he is General Contractor for owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 317 E. 9th St. and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Dry dock Savings Institution, Owners (Name of Owner or Lessee) and that Certified Contracting Corp. is duly authorized by the aforesaid to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Sworn to before me, this Tenth day of April 19 39 Notary Public or Commissioner of Deeds

JULE COHN Commissioner of Deeds, City of New York New York Co. CLK's No. 43, Reg. No. 1100 Commission expires April 12, 1940

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the Carpentery - Plastering Cement work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON APR 10 1939 Approved APR 10 1939 Examiner Borough Superintendent

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Conc. & E. 161st St.

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

DEPARTMENT OF

HOUSING & BUILDINGS

NOTICE—This Application must be TYPEWRITTEN and filed in **QUADRUPPLICATE**

RECEIVED 1132 27 1939

ALTERED BUILDING CITY OF NEW YORK
BOROUGH OF MANHATTAN

PERMIT NO. 1939 BLOCK 451 LOT 53

ALT. Application No. 942 1939 SEC. OR WARD VOL.
N.B. ALT.

LOCATION 317 East 9th St. (Front Building).

DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area B

EXAMINED AND RECOMMENDED

FOR APPROVAL ON April 6 1939
APR 6 1939
E. J. [Signature] Examiner

APPROVED 19 [Signature] Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? NO
Is building on front or rear of lot? Front
- (2) ESTIMATED COST OF ALTERATION: \$50.
- (3) PROPOSED OCCUPANCY: Stores and Old Law Tenement - Class A Multiple Dwelling

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
			No change in occupancy.							No change in occupancy
			No certificate of occupancy requested.							No certificate of occupancy requested.
<p>Note. Examined for work specified only No C.O. req. 4/6/39 SA</p>										

- (4) SIZE OF EXISTING BUILDING:
At typical floor level 25' feet front 46' feet deep 25' feet rear
At street level 25' feet front 46' feet deep 25' feet rear
Height¹ 5 & basement stories 59' feet

- (5) SIZE OF BUILDING AS ALTERED:
At street level 25' feet front 46' feet deep 25' feet rear
At typical floor level 25' feet front 46' feet deep 25' feet rear
Height¹ 5 & basement stories 59' feet

If volume of building is to be increased, give the following information:

- (6) AREA² OF BUILDING AS ALTERED: At street level Total floor area² sq. ft.
- (7) TOTAL HEIGHT³ Cubic Contents⁴ cu. ft.

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structure where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

(8) CHARACTER OF PRESENT BUILDING:

~~Frame~~
Non-fireproof—
~~Fireproof~~

~~Fire-Protected~~
~~Metal~~
~~Heavy-Timber~~

(9) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Direct stud and plaster partitions to create new water-closet compartments for basement, 1st, 2nd, 3rd, 4th and 5th floor east apartment of front building and cut window opening at basement floor of front building.
All as shown on drawing filed herewith.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(10) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(11) FOOTINGS: Material

(12) FOUNDATION WALLS: Material

(13) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(14) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(15) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(16) FOOTINGS: Material

(17) FOUNDATION WALLS: Material

(18) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(19) PARTY WALLS: Any to be used?

Thickness of Walls

(20) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(21) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(22) OUTSIDE WINDOW FRAMES AND SASH: Material

(23) ANY ELECTRICAL WORK TO BE DONE?

REMARKS

.....
Inspector