

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

280

B 402

L 23

Office of the Borough President of the Borough of Manhattan, 2  
In The City of New York.

DEPARTMENT OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 280

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Jas R. Wardis

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered. One 0
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof). S. S. 11th St. 200 feet West of 1st Ave. # 330 East 11th St
- How was the building occupied? Store & tenement  
How is the building to be occupied? " "
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 75 feet front; 75 feet rear; 100 feet deep.
- Size of building which it is proposed to alter or repair? 75 feet front; 75 feet rear; 75 feet deep. Number of stories in height? 5 Height from curb level to highest point? 55
- Depth of foundation walls below curb level? 10 Material of foundation walls? stone  
Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " 12 " " 12 " " 12 " " 16 "  
2d story: " 12 " " 12 " " 12 " " 12 "  
3d story: " 12 " " 12 " " 12 " " 12 "  
4th story: " 12 " " 12 " " 12 " " 12 "  
5th story: " 12 " " 12 " " 12 " " 12 "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. *Window openings for W.C. Compartment cut in front & rear walls on 2<sup>d</sup> 3<sup>d</sup> 4<sup>d</sup> 5<sup>th</sup> floor & iron frame inserted as shown*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *Remove portion of center partitions at front & rear, and erect new new partitions for W.C. Compartments as shown. Fill in portion of partitions in halls where presents sinks are to be removed*

49. How much will the alteration cost? *\$1500.*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

*Store raw wool*

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?			1	4	4	4	4	
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

58. Dimensions

Dimensions of windows for living rooms? .....

59. Of what materials will hall partitions be constructed? .....

60. Of what materials will hall floors be constructed? .....

61. How will hall ceilings and soffits of stairs be plastered? .....

62. Of what material will stairways be constructed? .....

Give sizes of stair well holes? .....

63. If any other building on lot, give size; front.....; rear.....; deep.....; stories high.....; how occupied.....; on front or rear of lot.....; material.....

How much space between it and proposed building? .....

64. How will floors and sides of water closets to the height of 16 inches be made waterproof? *Slate floors*

*+ 1 1/2" slate base all round* .....

65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;

3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....

66. This building will safely sustain per superficial foot upon the first floor..... lbs.; upon 2d floor

..... lbs.; upon 3d floor..... lbs.; upon 4th floor..... lbs.; upon 5th floor

..... lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor

..... lbs.

Owner, *John Miller* Address, *106 97 121 St.*

Architect, *Jos R. Dardis* " *360 W 125 St*

Superintendent, .....

Mason, .....

Carpenter, .....





DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN  
Municipal Bldg.,  
Manhattan

BROOKLYN  
Municipal Bldg.,  
Brooklyn

BRONX  
Bronx County Bldg.,  
Grand Concourse & E. 161st St.

QUEENS  
21-10 49th Avenue  
L. I. City

RICHMOND  
Boro Hall  
St. George

DEPARTMENT OF  
HOUSING & BUILDINGS

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE.

received OCT 20 1938

ALTERED BUILDINGS CITY OF NEW YORK  
BOROUGH OF MANHATTAN

APPLICATION No. 3117 1938 BLOCK 452 LOT 23

PERMIT No. 19 SEC. VOL.

LOCATION 530 East 11th St

DISTRICT (Under building zone resolution) USE Bus. HEIGHT 1 1/2 AREA 3

EXAMINED AND RECOMMENDED

FOR APPROVAL ON 11/7/38 19

*J. D. [Signature]*  
Examiner

APPROVED 19

Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED 1  
Any other building on lot or permit granted for one? no  
Is building on front or rear of lot? front

*No C.O. req'd.  
J.D. 11/7/38*

- (2) ESTIMATED COST OF ALTERATION: \$ 1800.
- (3) OCCUPANCY (in detail): Class A, Mult. Dwlg. (Old Law Tenement & Stores)

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cel			storage							Storage & Boiler rm.
1	2	5	Stores & Apts				2	4		Stores & Apts.
2 to 5 each	4	12	Apts				4	8		Apts

ORIGINAL

If building is to be occupied other than dwelling with ordinary store on first floor, give permit number under which it was erected or legally converted.

- (4) SIZE OF EXISTING BUILDING:  
At typical floor level 25' feet front 72' feet deep  
At street level 25' feet front 72' feet deep  
Height cel & 5 stories 54' feet deep
- (5) SIZE OF BUILDING AS ALTERED:  
At street level feet front same feet deep  
At typical floor level same feet front same feet deep  
Height feet deep
- (6) CHARACTER OF PRESENT BUILDING:  
Frame— non f.p. Fire-Protected—  
Non-fireproof— Metal—  
Fireproof— Heavy Timber—



(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

On 2nd to 5th floor, each:- Install 2 new Toilets & make present Toilets private.

On 1st floor, install 1 new Toilet. In Collar, install new Boiler Rm and heating plant.

General:- Present wood stairs from 1st floor to roof to be replaced with new steel stairs of same dimensions. Erect new chimney in yard. Remove certain partitions doing away with present illegal rooms in apts.

All as shown on plans herewith.  
(Note: no C. of O. requested).

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(8) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(9) FOOTINGS: Material

(10) FOUNDATION WALLS: Material

(11) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(12) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(13) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(14) FOOTINGS: Material

(15) FOUNDATION WALLS: Material

(16) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(17) PARTY WALLS: Any to be used?

Thickness of Walls

(18) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(19) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(20) OUTSIDE WINDOW FRAMES AND SASH: Material

(21) ANY ELECTRICAL WORK TO BE DONE?

Work commenced.....Date signed off.....19.....

I hereby Certify that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed.....  
Inspector

ORIGINAL 1084

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN Municipal Bldg., New York, N. Y. 10007  
BROOKLYN Municipal Bldg., Brooklyn, N. Y. 11201  
BRONX 1932 Arthur Ave., Bronx, N. Y. 10457  
QUEENS 120-55 Queens Blvd., Kew Gardens, N. Y. 11424  
RICHMOND Boro Hall, St. George, N. Y. 10301

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

BLOCK 452 LOT 23

ZONING DISTRICT E7-2

Is sidewalk shed or fence required? No

SIDE WALK SHED. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this approval and any permit issued thereon.

BUILDING NOTICE

RECEIVED  
DEPARTMENT OF BUILDINGS

MAR 11 1970

1084

CITY OF NEW YORK  
BOROUGH OF MANHATTAN

DO NOT WRITE IN THIS SPACE

LOCATION 330 East 11th Street, 200'-0" west of 1st Avenue, Manhattan  
(Give Street Number)

THIS IS NOT A WORK PERMIT. A PERMIT MUST BE OBTAINED BEFORE WORK IS STARTED

State proposed work in detail: Erect new storefronts as shown on plan.

Date of Construction  Before 1938  After 1937

Indicate class of construction:

- Class 1—Fireproof  Class 2—Fire protected  Class 3—Non-fireproof
- Class 4—Wood frame  Class 5—Metal  Class 6—Heavy timber

Number of stories high 5

How occupied Stores & MD Class A OLT

Is application made to remove a violation? No

How to be occupied Same

Estimated Cost \$1,500.00

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim

Initial fee APR 9 1970

2024

NO UNSAFE BUILDING CASE PENDING

2nd payment of fee to be collected before a permit is issued—Amount \$ (40-30) = \$10

Verified by M. Jacoby Date APR 9 1970

ADDITIONAL FEES REQUIRED (Yes or No) AMOUNT \$

VERIFIED BY DATE

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law. Section 378 and 1826.

See M. Jacoby



REMARKS OR SKETCH:

If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb.....Length in Feet.....Total Splay.....Length in Feet.....

Deposit (\$.....), either in cash or certified check, payable to the order of the Department of Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B. ALT.....19

Donald D. Fisher of Jacob Fisher & Donald D. Fisher, Architects (Typewrite Name of Applicant)

States that his office is 225 Lafayette Street Borough of


Manhattan City of New York; that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications here-with submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Applicant further states that the full names and residences of the owners or lessees of said premises are:

Owner Antonita Calder Snitt Address 330 East 11th Street, N.Y.C.

Lessee.....Address.....

DATED March 2, 1970 (Sign here)



If Licensed Architect or Professional Engineer, affix seal

AUTHORIZATION OF OWNER: I hereby state that I have authorized the applicant to file this application for the work specified herein.

Signature of Antonita C. Snitt (Signature of Owner or Officer of Corp.)

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

APR 7 1970

For Approval on.....19

APR 7 1970

Approved.....19

Signature of Examiner and Borough Superintendent

Work commenced.....Date signed off.....19.....

I hereby Certify that the above report is true in every respect and that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed..... Inspector