



1903

ORIGINAL

317

Applicant must indicate the Building Line or Lines clearly and distinctly on the drawings.

Department of Buildings of The City of New York.

2

THOMAS J. BRADY,
 Chairman of the Board of Buildings and
 Commissioner of Buildings for the Bor-
 oughs of Manhattan and The Bronx.
 Office, No. 200 West 4th Avenue, S. W. cor. 18th Street,
 Borough of Manhattan.

JOHN GUILFOYLE,
 Commissioner of Buildings for
 the Borough of Brooklyn.
 Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,
 Commissioner of Buildings for the Bor-
 oughs of Queens and Richmond.
 Office, Richmond Building, New Brighton, Staten Island,
 Borough of Richmond.
 Branch Office, Town Hall, Jamaica, Long Island,
 Borough of Queens.

Plan No. 317

APPLICATION TO ALTER, REPAIR, ETC.

RECEIVED
 DEPARTMENT OF BUILDINGS
 MANHATTAN
 MAR 21 1902

Application is hereby made to the Commissioner of Buildings of The City of New York, for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repair of the building herein described. All provisions of the Building Code shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

Fred. Cheliny

THE CITY OF NEW YORK,

BOROUGH OF Manhattan March 17th 1902

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered 1
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 332 East 11th St., south side, 175 feet west of first Ave.
- How was the building occupied? 2 Stores & 18 families
How is the building to be occupied? the same by 2 Stores & 18 families
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25 feet front; 25 feet rear; 94'10" feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 72'10" feet deep. Number of stories in height? 5 Height from curb level to highest point? 55 ft.
- Depth of foundation walls below curb level? 10 Material of foundation walls? Stone & Brick Thickness of foundation walls? front 20 inches; rear 24 inches; side _____ inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: Stone front " 16 " " " " " 12 "
2d story: " 12 " " " 12 " " " " " 12 "
3d story: " 12 " " " 12 " " " " " 12 "
4th story: " 12 " " " 12 " " " " " 12 "
5th story: " 12 " " " 12 " " " " " 12 "
6th story: " _____ " " " _____ " " " " _____ "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? _____ feet front; _____ feet deep
feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and
thickness _____
14. Thickness of upper walls:
- | | | | | | | | | |
|------------|-------|---------------|------|---------------|------|---------------|-------|---------------|
| Basement: | front | _____ inches; | rear | _____ inches; | side | _____ inches; | party | _____ inches. |
| 1st story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 2d story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 3d story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 4th story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |

15. Is present building provided with a fire escape? *yes*

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? *rear, underneath curb level*
17. Size of proposed extension, feet front *16' 8"*; feet rear *16' 8"*; feet deep *14' 4"*; *Oven*
number of stories in height? *cellar only* number of feet in height? *10*
18. Material of foundation walls? *Brick*; depth *10* feet
material of base course *Concrete*; thickness of base course *12*
thickness of foundation walls, front *12* inches; side *16* inches;
rear *16* inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? *earth*
20. What will be the size of piers in cellar? _____; distance on centres? _____
size of base of piers? _____; thickness of cap stones? _____; of bond
stones? _____

21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
- | | | | | | | | | |
|------------|-------|---------------|------|---------------|------|---------------|-------|---------------|
| 1st story: | front | _____ inches; | rear | _____ inches; | side | _____ inches; | party | _____ inches. |
| 2d story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 3d story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 4th story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 5th story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |
| 6th story: | " | _____ " | " | _____ " | " | _____ " | " | _____ " |

23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? *flat*; material *blue slate* *eng*

25. Give size and material of floor and roof beams
- | | | | | | |
|--------------------|-------|-----------------------------|-------|-----------------------|-------|
| 1st tier, material | _____ | ; size | _____ | ; distance on centres | _____ |
| 2d tier, | " | " | _____ | " | _____ |
| 3d tier, | " | " | _____ | " | _____ |
| 4th tier, | " | " | _____ | " | _____ |
| 5th tier, | " | " | _____ | " | _____ |
| Roof tier, | " | <i>brick arch 16" thick</i> | " | " | _____ |
- Give thickness of headers _____ of trimmers _____

26. Give material of girders _____ of columns _____
- | | | | |
|---------------------------------|-------|-------------------|-------|
| Under 1st tier, size of girders | _____ | ; size of columns | _____ |
| " 2d " | _____ | " | _____ |
| " 3d " | _____ | " | _____ |
| " 4th " | _____ | " | _____ |
| " 5th " | _____ | " | _____ |
| " Roof tier, " | _____ | " | _____ |

27. If front, rear or side is to be supported on columns or girders, give
 girders, material.....; front.....; side.....; rear.....
 size..... "..... "..... ".....
 columns, material..... "..... "..... ".....
 size..... "..... "..... ".....
28. If constructed of frame, give material.....; size of sill.....;
 plate.....; enterties.....; posts.....; studs.....;
 braces.....
29. If open on one side, give size of plate..... posts.....
30. How will extension be occupied?..... If for
 dwelling, give number of families on each floor.....
31. How will extension be connected with main building?.....
32. Give size of skylights.....; material.....
33. Give material of cornices.....
34. Give material of light shafts.....; size.....

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars.....

36. How many stories high will building be when raised?.....; feet high.....
37. Will the roof be flat, peak or mansard?....., material.....
38. Material of coping?.....
39. Give material of new walls.....thickness of.....story.....inches;
story.....inches;story.....inches;story
inches;story.....inches;story.....inches;
story.....inches.
40. Material of floor beams?..... Size..... tier.....;
 centres.....;tier.....; centres.....;tier.....;
 centres.....;tier.....; centres.....;tier.....;
 centres.....
41. Material of girders?..... Size under 1st tier.....;
 2d tier.....; 3d tier.....; 4th tier.....; 5th tier.....;
 6th tier.....
42. Material of columns?..... Size under 1st tier..... 2d tier.....
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones
 to piers.....; bond stones.....
44. If constructed of frame, give material of frame.....; size of sills.....;
 corner posts.....; middle posts.....; enterties.....; plates.....;
 braces.....; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor?.....

46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. A new Chimney will be erected in rear wall as shown on plan and according to law. Sect. 65 laws of 1899. - and a Bake Oven will be built in yard underneath Curb level as shown on plans. - A new Cellar will be built from Cellar to yard also as shown, with blue stone treads complete.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. An 8" brick wall will be built around the bake shop and passage to the street. Cellar floor will be concreted. Ceiling and Girder will be wire lathed and covered with 2 coats of plastering, one coat of hair plaster and one coat of brown mortar.

49. How much will the alteration cost? \$ 1000 ⁰⁰

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars :

- 50. State what per centum of lot is to be occupied?
- 51. How many feet open space will remain between building and rear line of lot?
- 52. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
53. How many families will occupy each? - - -								
54. Height of ceilings? - - - - -								
55. Number of living rooms opening on shafts and courts?								
56. Number of living rooms opening on street and yard?								

- 57. How basement to be occupied? Height of basement ceiling above sidewalk?
 How lighted and ventilated?
 How made water-tight?
- 58. Will cellar or basement ceiling be plastered? How?

59. How will cellar stairs be enclosed?.....
60. How cellar to be occupied?..... Height of cellar ceiling above sidewalk?.....
 How lighted and ventilated?.....
 How made water-tight?.....
61. Give number of light and vent shafts.....
 State materials to be used in their construction.....
62. Will shafts be open or covered with louvre skylights full size of shafts?.....
 Size of each shaft?.....
63. Dimensions of water closet windows?.....
 Dimensions of windows for living rooms?.....
64. What doors will have fan lights?.....
 Dimensions of same?.....
65. Of what materials will hall partitions be constructed?.....
66. Of what materials will hall floors be constructed?.....
67. How will hall ceilings and soffits of stairs be plastered?.....
68. How will halls be lighted and ventilated?.....
69. Of what material will stairways be constructed?.....
 Give sizes of stair well holes?.....
70. If any other building on lot, give size; front.....; rear.....; deep.....;
 stories high.....; how occupied.....; on front or rear
 of lot.....; material.....
 How much space between it and proposed building?.....
71. How will floors and sides of water closets to the height of 16 inches be made waterproof?.....
72. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;
 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....
73. Total area of shafts over 25 square feet?..... Of courts?.....

Owner, Ciro Piggioneale Address, 252 Elizabeth Street
 Architect, Fred. Gehling " 97-7th Street
 Superintendent, Owner " _____
 Mason, _____ " _____
 Carpenter, _____ " _____

ORIGINAL

Applicant must indicate the Building **3** or Lines clearly and distinctly on the Drawings.

B 402
L 24

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

MAY 9 1905

3
1200

Plan No. 1200

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

Harry Glot

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, May 19 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered 1
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 332 E 11 St
South side of street 200 feet West of First Ave
- How was the building occupied? Tenement
How is the building to be occupied? Tenement
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25 feet front; 25 feet rear; 94 feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 42 feet deep. Number of stories in height? 5 Height from curb level to highest point? 50
- Depth of foundation walls below curb level? 10 Material of foundation wa.
Thickness of foundation walls? front 16 inches;
rear 16 inches; side 16 inches; party _____ inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 16 inches; rear 16 inches; side 16 inches; party _____ inches.
1st story: " 12 " " 12 " " 12 " " " _____ "
2d story: " 12 " " 12 " " 12 " " " _____ "
3d story: " 12 " " 12 " " 12 " " " _____ "
4th story: " 12 " " 12 " " 12 " " " _____ "
5th story: " 12 " " 12 " " 12 " " " _____ "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? Flat

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls:
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " _____ " _____ " _____ " _____ " _____ "
 2d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ " _____ "
15. Is present building provided with a fire escape? *Yes* _____
- If to be extended on any side, give the following information:
16. Is extension to be on side, front or rear? _____
17. Size of proposed extension, feet front _____; feet rear _____; feet deep _____; number of stories in height? _____ number of feet in height? _____
18. Material of foundation walls? _____; depth _____ feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 2d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ " _____ "
 5th story: " _____ " _____ " _____ " _____ " _____ " _____ "
 6th story: " _____ " _____ " _____ " _____ " _____ " _____ "
23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? _____; material _____
25. Give size and material of floor and roof beams
 1st tier, material _____; size _____; distance on centres _____
 2d tier, " _____ " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ " _____ "
- Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

In The City of New York

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,

S. W. Corner, 18th Street.

PLAN No. 1200 } NEW BUILDINGS } 1905
ALTERATIONS }

Location 332 E-11th Str
BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

1. Foundation walls. Depth below curb level _____ material _____
thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
2. Upper walls. Material _____; thickness as follows:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " " " " " " " " " "
2d story: " " " " " " " " " "
3d story: " " " " " " " " " "
4th story: " " " " " " " " " "
5th story: " " " " " " " " " "
6th story: " " " " " " " " " "

3. Nature of ground _____
4. Quality of sand used in mortar _____
5. What walls are built as party walls? _____
6. What fire escapes are provided? _____
7. Is building fireproof? _____

2 8. If building is vacant, state how the same was occupied Stores and tenement

9. Is the present building to be connected with any adjoining building? _____
If so, state dimensions and material of adjoining building, viz:—
Material _____; feet front _____, feet rear _____
feet deep _____; feet in height _____; number of stories _____
how occupied _____

? 10. How is present building occupied? Basement Storage; 1st floor Stores & 2 fam
2d floor 4 fam; 3d floor 4 fam; 4th floor 4 fam; 5th floor 4 fam;
6th " _____; 7th " _____; 8th " _____; 9th " _____

- 2 11. Height of building—feet 59; stories 5
12. Size of building—feet front _____; feet rear _____; feet deep _____
13. Size of lot— " " _____; " " _____; " " _____

14. Are fireproof shutters provided? _____ What kind? _____
Dated, May 23rd 1905 Wm J. McKeon Inspector.

BOROUGH OF MANHATTAN, CITY OF NEW YORK

DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

Use for Specifications of "ALTERED" Buildings

ALTERED BUILDINGS

PERMIT No. 19 BLOCK No. 452
 APPLICATION No. 588 19 35 LOT No. 24
 WARD No. _____
 VOL. No. _____

LOCATION 332 East 11th Street

DISTRICT (under building zone resolution) USE Bus. HEIGHT 1 1/2 AREA B

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED one
 Any other building on lot or permit granted for one? no
 Is building on front or rear of lot? front
- (2) ESTIMATED COST OF ALTERATION: \$ 1000.00
- (3) OCCUPANCY (in detail): Cellar - storage 1st floor store -- upper floors
 Class A e Dwel Old law 12 f i

STORY (include cellar and basement)	BEFORE ALTERATION		AFTER ALTERATION					
	APTS.	ROOMS	USE	LIVE LOAD	No. OF PERSONS	APTS.	ROOMS	USE
Cellar	0	0	storage & Bk	120	0	0	0	s
1st fl	0	0	2 stores	200	10			
2nd fl	4	12	4 families		12	3		3 families
3rd fl	4	12	" "		12		11	" "
4th fl	4	12	" "		12	3	11	" "
5th fl	4	12	" "				11	" "

If building is to be occupied other than d ordinary the floor, give permit number
 under which it was erected or legally converted.

- (4) SIZE OF EXISTING BUILDING
 At street level 25 feet front 72 feet deep
 At typical floor level 25 feet front 72 feet deep
 Height 5 stories 55 feet
- (5) SIZE OF BUILDING AS ALTERED:
 At street level 25 feet front 94'-10" feet deep
 At typical floor level 25 feet front 72'-0" feet deep
 Height 5 stories 55 feet

- (6) CHARACTER OF PRESENT BUILDING:
 Frame— no
 Non-fireproof— yes
 Fireproof— no

(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Relocate 1st story entrance hall and rearrange stairs to 2nd floor.
Install new elevator shaft to cellar from 1st floor.
Construct new 1st story extension on rear of 1st floor.
Remove fire escapes at front and replace with new.
Remove 1st tier of wood beams and install new at grade level.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(8) FOUNDATIONS: Character of Soil (State one of the materials as described in Building Code, Section 231, Subdivision 2) coarse sand (4 tons)
Material of Foundation Walls stone, lime, mortar
Thickness of Walls 20"
Depth Below Curb 8'

(9) UPPER WALLS: Material ~~br~~ brick
Kind of Mortar lime
Any Ashlar no
Thickness of Walls 12"

(10) PARTY WALLS: Any to be used? no
Thickness of Walls

If building is to be enlarged or extended, the following information as to New Work must be given:

(11) FOUNDATIONS: Character of Soil (State one of the materials as described in Building Code, Section 231, Subdivision 2) coarse sand, 4 tons
Material of Foundation Walls p.c. st. con. 1-2 1/2-5
Thickness of Walls 12"
Depth Below Curb 4'

(12) UPPER WALLS: Material brick
Kind of Mortar p.c.
Any Ashlar no
Thickness of Walls 8"

(13) PARTY WALLS: Any to be used? no
Thickness of Walls

(14) FIREPROOFING: Material and Thickness
For Columns
For Girders wire mesh and 2" cinder concrete
For Beams " " " 1 1/2" cinder concrete

(15) INTERIOR FINISH: Material
Floor Surface wood
Trim, Sash, Doors, etc. wood and glass
Plaster 2 coat work on masonry - 3 coat work

(16) OUTSIDE WINDOW FRAMES AND SASH: Material none

EXAMINED AND RECOMMENDED
FOR APPROVAL ON

193

Examiner

APPROVED _____ 193

Commissioner of Buildings, Borough of

DEPARTMENT OF BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

AMENDMENT

PERMIT No. 193

alt APPLICATION No. 588 193 5
(N.B., ALT., ELEV., ETC.)

LOCATION 332 East 11th Street BLOCK LOT WARD VOL.

To THE COMMISSIONER OF BUILDINGS: New York City 193

Application is hereby made for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed) Ferdinand J. Jorgensen
Applicant

New specification sheet filed with revised floor plan

Omit fireproof construction of 1st tier, also omit vent duct for boiler room, wood bins in cellar, cornice and show windows on front and fireproof door at head of rear cellar stair. Omit kalamein window in relocated stair leading to vent shaft. Relocate boiler room and chimney. Relocate bath on 2nd floor.

4- Respectfully request reconsideration as no certificate of occupancy is requested and Multiple dwelling law will be complied with as to fire retarding stairhalls when the law is applicable.
ALL STAIRHALL DOORS TO BE MADE SELF CLOSING

5- Plans clear now

6- Kitchen on 2nd floor not to be relocated. See new plans filed

7- Amendment now completed

May 13th 1935

IR:RF

This amendment is disapproved with the following objection repeated.

5- "Plans are not clear where marked."

Added objection.

8- Access to cellar shall not be through boiler room. Doors to same must be 1 hour test.

J. J. Jorgensen
Commissioner of Buildings.
as, rf.

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 193 Examiner

APPROVED 193 Commissioner of Buildings, Borough of

14

DEPARTMENT OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

AMENDMENT

DEPARTMENT OF BUILDINGS
OF THE CITY OF NEW YORK

PERMIT No. 1935 JUL 16 1935

ALTERATION APPLICATION No. 588 1935 FOR THE BOROUGH OF MANHATTAN
(N.B., ALT., ELEV., ETC.)

LOCATION 332 East 11th Street BLOCK LOT
WARD VOL.

To THE COMMISSIONER OF BUILDINGS: New York City July 15th 1935

Application is hereby made for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed) *Frederic J. Langue*
Applicant

Ventilation of rear cellar and boiler room to be as per revised plan filed herewith. Same to run to street instead of above rear extension.

To omit door between front open cellar and refrigerator room.

12. Respectfully request reconsideration as entrance to rear of cellar may be had from rear of first floor (same tenant who is owner).
on 7-24-35

Note—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON July 24. 1935 *W. C. Hauning* Examiner

APPROVED 1935 *20* Commissioner of Buildings, Borough of *ASNY*