



Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings

2
1600

3452
L 25

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 1657

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Priganti & Stearns*

The City of New York, Borough of Manhattan, June 15th 1906

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) East 11th St. # 335
3. How was the building occupied? tenement
How is the building to be occupied? tenement
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
5. Size of lot? 25' feet front; 25 feet rear; 93'-8" feet deep.
6. Size of building which it is proposed to alter or repair? 25' feet front; 25 feet rear; 40'-8" feet deep. Number of stories in height? 5 Height from curb level to highest point? 51
7. Depth of foundation walls below curb level? 9' Material of foundation walls? stone Thickness of foundation walls? front 2'-0" inches rear 2'-0" inches; side 2'-0" inches; party 2'-0" inches.
8. Material of upper walls? brick If ashlar, give kind and thickness _____
9. Thickness of upper walls:
Basement: front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
1st story: " 16 " " 16 " " 16 " " 16 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
10. Is roof flat, peak or mansard? flat

4

27. If front, rear or side is to be supported on columns or girders, give
 girders, material _____ ; front _____ ; side _____ ; rear _____
 size _____ " _____ " _____ " _____
 columns, material _____ " _____ " _____ " _____
 size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
 plate _____ ; enterties _____ ; posts _____ ; studs _____ ;
 braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? _____ If for
 dwelling, give number of families on each floor _____
31. How will extension be connected with main building? _____
32. Give size of skylights _____ ; material _____
33. Give material of cornices _____
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars _____

36. How many stories high will building be when raised? _____ ; feet high _____
37. Will the roof be flat, peak or mansard? _____ , material _____
38. Material of coping? _____
39. Give material of new walls _____ thickness of _____ story _____ inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story
 _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches.
40. Material of floor beams? _____ Size _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
 2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
 6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
 3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
 to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
 corner posts _____ ; middle posts _____ ; enterties _____ ; plates _____
 braces _____ ; studs _____
45. How will building be occupied when altered? _____
 If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. _____

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *A light shaft will be built on one side of the building 25 square feet large on which shaft the new W.C. Compartments (which will be added) will come out. A. N. Compartment will also be built in the yard for the use the present bakery. On every floor two W.C. compartments will be built*

The building will be occupied as before of tenement

49. How much will the alteration cost? *\$ 3000[#]*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

first floor in front two stores grocery-fish

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?			2	4	4	4	4	
52. Height of ceilings?			10-6	9	9	9	9	

53. How basement to be occupied?
 How made water-tight?

54. Will cellar or basement ceiling be plastered? *yes* How? *plaster of paris*

55. How will cellar stairs be enclosed? *brick*

56. How will cellar be occupied? *storage and bakery in the rear*
 How made water-tight?

57. Will shafts be opened or covered with louvre skylights full size of shafts? *yes*

Size of each shaft? *1*

After alt: Building will be occupied as it is now.

58. Dimensions of water closet windows? 3'-4 x 1'-8
 Dimensions of windows for living rooms? 2'-4 x 6'-0 new ones in the shaft
59. Of what materials will hall partitions be constructed? shutting plastered
60. Of what materials will hall floors be constructed? excentric
61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? slate
65. Number and location of water closets: ^{yard} Cellar 1; 1st floor 2; 2d floor 2;
 3d floor 2; 4th floor 2; 5th floor 2; 6th floor _____
66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, John Maccarone Address, 267 Elizabeth St.
 Architect, Bryant & Shuck " 205 E 17 St.
 Superintendent, not selected yet "
 Mason, " " " "
 Carpenter, " " " "

a Wall, or Part of a Wall, already built is to be used, all up the following:

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, _____ 190

The undersigned gives notice that _____ intend to use the _____ wall of building

as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____ inches thick, _____ feet below curb; the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

REPORT UPON APPLICATION.

The Bureau of Buildings for The Borough of Manhattan.

The City of New York, Borough of Manhattan, _____ 190

To the Superintendent of Buildings for the Borough of Manhattan:

I respectfully report that I have thoroughly examined and measured the wall _____, etc., named in the foregoing application, and found the foundation wall _____ to be built of _____ inches thick, _____ feet below curb, the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height, and that the mortar in said wall _____ is _____ hard and good, and that the building _____ in a good and safe condition to be altered as proposed. The _____ wall _____ built as party wall _____ and _____ in a good and safe condition to be used as proposed. Building occupied as follows: basement _____, 1st floor _____, 2d floor _____, 3d floor _____, 4th floor _____, 5th floor _____, 6th floor _____, 7th floor _____, 8th floor _____, 9th floor _____, 10th floor _____

What is the nature of the ground _____

What kind of sand was used in the mortar? _____

If building is VACANT, state how the same was occupied? _____

Is the PRESENT building to be connected with any ADJOINING building? _____ If so, state dimensions and material of adjoining building, viz.: Material _____; feet front _____ feet rear _____; feet deep _____; feet in height _____; number of stories _____; how occupied? _____

(The Inspector must here state what defects, if any, are in the walls.)

(The Inspector must state the thickness of wall _____ in each and every story.)

Inspector.

**CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS**

ALTERED BUILDING
NEW YORK
BOROUGH OF MANHATTAN

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPLICATE

ALT. No. 1639 19.52 BLOCK 452 LOT 25

LOCATION 334 East 11th Street, S.S. 150' West of First Ave.
House Number, Street, Distance from Nearest Corner and Borough

ZONING: USE DIST. Res. HEIGHT DIST. 1 1/2 AREA DIST. B

Initial fee payment—Amount \$ _____ 1st Receipt No. _____

Date _____ Cashier _____

2nd payment of fee to be collected before a permit is issued—Amount \$ _____

Verified by _____ Date _____

2nd Receipt No. _____ Date _____ Cashier _____

EXAMINED AND RECOMMENDED NOV 29 1955
FOR APPROVAL ON 11-29 1955

Paul W. Pugh *MSills PE*
Examiner.

APPROVED DEC 18 1955 1955

[Signature]
Borough Superintendent.

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) Brick Non F.P.
- (2) Any other buildings on lot or permit granted for one? No
Is building on front or rear of lot? Front
- (3) Use and Occupancy. Stores & Class A Multiple Dwg. C.L.T.
(NOTE—If a multiple dwelling, authorization of owner must be filed)
A new C of O (will) (will not) be required.

NEW C. OF O. REQUIRED

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Storage & Boiler Rm							Storage & Boiler Room
1st.	2	6	2 stores 2 Apts.	#75 #40			6	2	4	2 stores 2 Apts.
2nd.	4	12	4 Apts.					4	10	Apts.
3rd.	4	12	"					4	10	"
4th.	4	12	"					4	10	"
5th	4	12	"					4	10	"

12

ORIGINAL

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

PERMIT No. 51 19 54 N. B. ALT. ELEV. SIGN } Application No. 1639 19 52

LOCATION 334 East 11th Street, S.S., 150' W. of First Ave., Man. BLOCK 452 LOT 25

FEES PAID FOR

NOTE—Trees in streets fronting on site are under jurisdiction of Department of Parks. They must be protected and written notification made to that Department at least 48 hours prior to commencement of work.

New York City January 8th 19 54

To the Borough Superintendent:

Application is hereby made for a PERMIT to perform the Entire work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: U.S. Fid. & Gty. Co. #Z-524327 Exp. 11-4-54

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

No certificate of occupancy will be issued unless the construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent. An affidavit shall be filed indicating such supervision, as required by Section 2.1.3.7 of the Building Code.

Name and address of person designated for this supervision is as follows:

Name Vincent Stravato Address 176 - 1st Avenue, N.Y.C. STATE AND CITY OF NEW YORK } ss.: Vincent Stravato for Reliance General Contr. Co. COUNTY OF NEW YORK Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 176 - 1st Avenue in the Borough of Man. in the City of N.Y., in the County of N.Y. in the State of N.Y., that he is Agent for Contractor for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man., City of New York aforesaid, and known and designated as Number 334 East 11th St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Rose Papa - Owner (Name of Owner or Lessee)

and that Reliance General Contr. Co. is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Vincent Stravato

Sworn to before me, this 8th day of January 1954

RUTH DORRMANN Commissioner of Deeds Kings County, Clerk's No. 22 April 22, 1954

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON JAN 8 - 1954

Approved 19 Examiner Borough Superintendent

CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS

ALTERED BUILDING

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

ALT. No. 1639 1952 BLOCK 452 LOT 25

LOCATION #334 East 11th. St., South side 150' West of First Ave.
House Number, Street, Distance from Nearest Corner and Borough

ZONING: USE DIST. Res. HEIGHT DIST. 1 1/2 AREA DIST. B

Initial fee payment—Amount \$ 5- 1st Receipt No. 48358
Date OCT 23 1953 Cashier [Signature]

2nd payment of fee to be collected before a permit is issued—Amount \$ ~~12.00~~ 7.00 (12.00 - 5.00)

Verified by Wills P. E. Sanders Date JAN 16 1954 1/8/54

2nd Receipt No. 56248 Date 1-8-54 Cashier [Signature]

EXAMINED AND RECOMMENDED FOR APPROVAL ON JAN 16 1953
Wills P. E. Sanders Examiner.

APPROVED JAN 16 1953 19 [Signature] Borough Superintendent.

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) Brick Non F.P.
- (2) Any other buildings on lot or permit granted for one? NO
Is building on front or rear of lot? Front
- (3) Use and Occupancy. Stores & Class A Multiple Dwelling
(NOTE—If a multiple dwelling, authorization of owner must be filed)
A new C of O (will) (will not) be required. ART. 7. n.d.l. C.O.D. LAW T.R.H.B.M.B.R.T.

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Storage & Boiler Rm							Storage & Boiler Rm.
1st.	2	6	2 stores 2 Families	75 440			6	2	54	2 stores 2 Families
2nd.	4	12	4 "					2	10	2 Families
3rd.	4	12	4 "					2	10	2 "
4th.	4	12	4 "					2	10	2 "
5th.	4	12	4 "					2	10	2 "

A filing fee of 5.00 is req'd for issuance. 9/15/55 Sanders

67291-9-8 rs Greenberg

11.00 (12.00 - 5.00) Sanders 12/17/53

7.00 add fee 9.12.17.54 Sanders

NEW C. OF O. REQUIRED

11955 MAY 17 1956 Greenberg

(4) State generally in what manner the Building will be altered:

Propose to block up doors to present toilets from public halls & arrange for one apartment in front and one apartment in rear on 2nd. to 5th. stories, as shown on plans. Remove interior rooms where shown on 2nd. to 5th. floors. ~~where~~

(5) Size of Existing Building:

At street level	25	feet front	72	feet deep	25	feet rear
At typical floor level	25	feet front	72	feet deep	25	feet rear
Height ¹	5	stories	55	feet		

(6) If volume of Building is to be changed, give the following information:

At street level		feet front		feet deep		feet rear
At typical floor level		feet front		feet deep		feet rear
Height ¹		stories		feet		

Area² of Building as Altered: At street level Total floor area² sq. ft.
Total Height³ Additional Cubic Contents⁴ 5000 cu. ft.

(7) Estimated Cost of Alteration:⁵ \$1500 ~~2,500~~ M. S. ~~4000~~ Ind. Plbg

Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? Yes If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following: No enlargement or load increase
Character of soil Bearing capacity

(10) State what disposition will be made of waste and sewage
(Public sewer, Private sewer, Cesspool, etc.) Present public sewer

(11) Does this Application include Dropped Curb? No
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁶

Drop Curb ft. @ \$ per ft. Splay ft. @ \$ per ft.

Exact distance from nearest corner to Curb Cut: feet.

Deposit: \$ Fee: \$ Total: \$

Paid 19 . Document No. . Cashier

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required? Length feet.

Will any other miscellaneous temporary structures be required?

Fee Required . Fee Paid 19 . Document No. . Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
6. Space for plot diagram is located on Affidavit Form.
7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.