

DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF BUILDINGS.

1.7

1. State how many buildings to be erected, one

2. How occupied; if for dwelling, state the number of families, dwelling for ten families

3. What is the Street or Avenue, and the number thereof, No. 38 Bath Street

B
A
L
28

4. Size of lot, No. of feet front, 37'0"; No. of feet rear, 37'0"; No. of feet deep, 24'3"

5. Size of building, No. of feet front, 37'0"; No. of feet rear, 37'0"; No. of feet deep, 24'3"

No. of stories in height, five; No. of feet in height, from curb level to highest point, 53'0"

6. What will be the building cost (exclusive of the lot), \$ 9000.00

7. What will be the depth of foundation walls, from curb level or surface of ground, ten feet.

8. Will foundation be laid on earth, rock, timber, or piles, earth

9. What will be the base, stone or concrete, stone; if base stones, give size, and how laid, 6" x 40" x 40" blocks laid edge to edge; if concrete, give thickness, _____

10. What will be the sizes of piers, _____

11. What will be the sizes of the base of piers, _____

12. What will be the thickness of foundation walls, 24" and of what materials

constructed, stone laid in lime, sharp sand & cement mortar

13. What will be the thickness of upper walls in 1st story, 12" x 16" inches; 2d story, 12" x 16" inches;

3d story, 12" x 16" inches; from thence to top, 12" x 12" inches; and of what materials to be

constructed, brick laid in lime & sharp sand mortar

14. Whether Independent or Party-walls; if Party-walls, give thickness thereof, _____ inches,

15. With what material walls to be capped, stone; _____

16. What will be the materials of front, brick; if of stone, what kind, _____;

give thickness of front ashlar, 4", and thickness of backing thereof, 12" x 8"

17. Will the roof be Flat, Peak, or Mansard, flat

18. What will be the materials of roofing, tin

19. What will be the means of access to roof, ladder & stairs

20. What will be the materials of cornices, galvanized iron

21. If there are to be skylights in roof, give size of same, and of what materials constructed, no

22. Is the building to be provided with iron shutters or blinds, no

23. Give size and material of floorbeams, 1st tier, spruce 3 x 10; 2d tier, spruce 3

x 10; 3d tier, spruce 3 x 10; 4th tier, spruce 3 x 10; 5th tier,

spruce 3 x 10; 6th tier, _____; roof tier, spruce 3

x 9. State distance from centres on 1st tier, 16 inches; 2d tier, 16 inches; 3d tier,

16 inches; 4th tier, 16 inches; 5th tier, 16 inches; 6th tier, _____ inches;

roof tier, 20 inches. laid on framed main walls

24. If floors are to be supported by columns and girders, give the following information: Size and material of

girders under 1st floor, spruce 8 x 8; under upper floors, _____

Size and material of column under 1st floor, _____

5" dia iron chestnut posts under upper floors, _____

25. What will be the distance of wooden girders, beams, or timbers, from all flues, *12"*
26. If any hoistways, state how protected, *no*
27. Will headers and trimmers be hung in stirrup-irons, *no*
28. State if any hot-air, steam, or other furnaces, *no*
29. If the front, rear or side walls are to be supported in whole or in part, by iron girders or lintels, give definite particulars, *no*
30. If girders are to be supported by brick piers and columns, state the size of piers and columns, *no*
31. Will a fire-escape be provided, *yes*

IF THE BUILDING IS TO BE OCCUPIED AS A TENEMENT HOUSE, GIVE THE FOLLOWING PARTICULARS:

32. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a Store or for other business purposes, state the fact, *two families on each floor, 10 families in the building*
33. What will be the heights of ceilings on 1st story, *10'* feet; 2d story, *10'* feet; 3d story, *9'6"* feet; 4th story, *9'6"* feet; 5th story, *9'0"* feet; 6th story, *no* feet.
34. State if a fire-escape is to be provided, and what kind, *balconies & stairs of iron on outside sidewalk. Ladders extending over and between in one window in each apartment, 26 ft*
35. If any wood houses, state where located, and of what materials, *of wood, in cellar*
36. How is the building to be ventilated, *Windows*
37. How are the hall partitions to be constructed and of what materials, *wood, to be set up the building proper*
38. How are the stairways to be constructed, and of what materials, *wood, 15 ft long of case, 20 ft long at head of stairs to be lined with floor, 12 ft long at head of stairs*
39. How are the floors and ceilings of the cellar and first story to be constructed, *cellar ceiling finished, lath & plastered*
40. If there is any building already erected on the front or rear of the lot, give size of the same, state how occupied (if for a tenement, state by how many families), and how many feet of space there will be between the building proposed to be erected, and the one already erected, *no*
41. Will all materials and workmanship be in accordance with the requirements of the law, *yes*
42. If any walls already built are to be used as party-walls, fill up the application below.

APPLICATION TO USE WALLS ALREADY BUILT.

The undersigned gives notice that.....intends to use the.....wall of building
.....as party-wall in the erection of the building described
above, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall
.....built of.....,inches thick; the upper wall.....built of.....,
inches thick,.....feet in height,.....feet deep,.....

Owner *Frederic Hays* Address *24 No. corner E. 12th St.*
Architect *Miss Bechtel* Address *122 Broadway corner Grant St.*
Mason Address
Carpenter Address

REPORT UPON APPLICATION.

Department of Buildings,

New York, 187

To the Superintendent of Buildings:

I respectfully report, that I have examined the wall named in the above application, and find the foundation wall to be built of.....inches thick; the upper wall.....built of....., inches thick,.....feet deep,.....feet in height, and.....in a good and safe condition to be used as proposed

REMARKS: of Buildings.

REPORT OF INSPECTOR.

New York, *June 1* 1877

To the Superintendent of Buildings:

Work was commenced on the within described building on the *19* day of *May* 1877, and completed on the *25* day of *June* 1877, and has been done in accordance with the plans and specifications, except as noted below.

Respectfully submitted,

Timothy A. West
Inspector.

REMARKS:

This building has been finished in accordance to plan
.....
.....

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

2725-20

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT sufficient for all. Plans must be filed on tracing Linen or Cloth.

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK

Received SEP 8 - 1920
FOR THE BOROUGH
OF MANHATTAN

Demmen

ALT. APPLICATION No. 2728 1920 192

LOCATION 238 Sixth Street BLOCK 461 LOT 28.

When properly signed by the Superintendent of Buildings of the Borough of Manhattan, this application becomes a PERMIT as required by the Building Code of The City of New York, to perform such work as is described in the foregoing statement and the attached plans and specifications which are a part hereof.

EXAMINED AND RECOMMENDED FOR APPROVAL ON Sept. 28 '20 1920

[Signature]
Examiner

APPROVED 192

Superintendent of Buildings, Borough of Manhattan

New York City, Sept 8/20. 192

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Bureau of Buildings for the Borough of Manhattan, all provisions of the Building Code of The City of New York, and with every other provision of law relating to this subject in effect at this date.

STATE, COUNTY AND CITY OF NEW YORK } ss. Otto Reissmann
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 47 4th Ave.
in the Borough of Manhattan
in the City of New York, in the County of New York
in the State of New York, that he is the architect for the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 238 Sixth Street

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by **William Levine**

[Name of Owner or Lessee]

and that

Otto Reissmann

duly authorized by the aforesaid

owner

to make application

for the approval of such detailed statement of specifications and plans (and amendments thereto) in **his** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **William Levine** **101 Second Ave.**

Lessee _____

Architect **Otto Reissmann** **47 4th Ave.**

Superintendent **owner**

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the **south** side of **Sixth Street**

distant **0** feet **west** from the corner formed by the intersection of **Sixth Street** and **Second Ave.**

running thence **westerly 105** feet; thence **southerly 24'3"** feet;

thence **easterly 105** feet; thence **notherly 24'3"** feet

to the point or place of beginning,—being designated on the map as Block No. **46I** Lot No. **28**

(SIGN HERE) *Otto Reissmann* Applicant

Sworn to before me this 8th day of September 1920

[Signature]

Dimensions and Lot and Block number agree with Land Map. *[Signature]* Date Sept 8th 1920 Tax Dept. *[Signature]*

COMMISSIONER OF DEEDS, CITY OF NEW YORK
CERT. FILED IN N. Y. CO. REC. OFFICERS CO. 44
BY COMMISSIONER EXPIRES APR 5/4/22

ALTERATION PERMIT
BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK

NOTE: All elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City



BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE.
 "SPECIFICATIONS—SHEET A" [Form 152] must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" [Form 158] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

BUREAU OF BUILDINGS
 OF THE CITY OF NEW YORK
 Received SEP 8 - 1920
 FOR THE BOROUGH
 OF MANHATTAN

ALT. APPLICATION No. 2728 ¹⁹²⁰ 192

LOCATION 238 Sixth Street

Examined 192 Examiner.

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED **one**
 Any other building on lot or permit granted for one? **yes 5 story tenement**
- (2) ESTIMATED COST OF ALTERATION: \$ **4000:-**
- (3) OCCUPANCY (in detail): **tenement**
 Of present building
 Of building as altered **stores offices and tenement.**
- (4) SIZE OF EXISTING BUILDING:

At street level	37'8"	feet front	24'3"	feet deep
At typical floor level	37'8"	feet front	24'3"	feet deep
Height	5	stories	50	feet
- (5) SIZE OF BUILDING AS ALTERED:

At street level		feet front		feet deep
At typical floor level	as above	feet front	as above.	feet deep
Height		stories		feet
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: **ordinary**
[Frame, Ordinary or Fireproof]
- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Present front wall in first story to be removed, upper wall to be supported by 3. 15" 46lbs. pr. ft. I. beams set on 8" X 12" X 3/4" cast iron columns set on 10" X 20" X 24" granite blocks on present 20" stone foundation

Present middel piers in second story front wall to be removed upper wall supported by 3. 12" 28,5 lbs. pr. ft. I. beams set on 12" X 16" X 1/2" cast iron templates set on present 16" brick front wall.

Show windows erected flush with building line . First story show windows to have metal covered frames.

Partitions in first and second story removed and erected as shown on plans.

Store floor 120 40'



BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in **TRIPLICATE**, and **ONE** copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, **ONE AFFIDAVIT** is sufficient for all. Plans must be filed on tracing Linen on Cloth.

ALT. APPLICATION No. 1347 192 **8**

LOCATION 238 East 6th Street BLOCK 461 LOT 28

New York City, June 20, 1928

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the **ALTERATION** of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON July 2, 1928

J. Drapkin
Examiner

APPROVED _____ 192

Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND }
CITY OF NEW YORK } ss.: HERMAN WOLFF
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number **30 East 23rd Street**
in the Borough of **Manhattan**
in the City of **New York**, in the County of **New York**
in the State of **New York**, that he is **the Architect for**

WILLIAM LEVINE

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number **238 East 6th Street** :

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith,

and all subsequent amendments thereto—is duly authorized by **WILLIAM LEVINE, Owner,**
[Name of Owner or Lessee]

and that **HERMAN WOLFF**

duly authorized by the aforesaid **Owner** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **his** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **WILLIAM LEVINE** 101 Second Avenue N Y C

Lessee

Architect **HERMAN WOLFF** 30 East 23rd Street N Y C

Superintendent

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the S W corner ~~of~~ Second Avenue and East 6th Street distant 0 feet from the corner formed by the intersection of S S of East 6th Street and W S of Second Avenue running thence Southerly 24'-3" feet; thence Westerly 105'-0" feet; thence Northerly 24'-3" feet; thence Easterly 105'-0" feet

to the point or place of beginning, being designated on the map as Block No. 461 Lot No. 28
(SIGN HERE) *Herman Wolff* Applicant

Dimensions and Lot and Block numbers agree with Land Map.

Sworn to before me, this 20 day of June 1925
[Signature]
CLERK OF THE BOARD OF BUILDINGS
N. Y. CO. CLERK
DON. [Signature]

(Signature) _____
Date _____ Tax Dept.
(Title)

**ALTERATION
APPLICATION**
**BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK**

NOTE: ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. **1347** 192 8 BLOCK **461** LOT **28**

LOCATION **238 East 6th Street:**

DISTRICT (under building zone resolution) Use **Business** Height **1 1/2** Area **B**

Examined **7/2/28.** 192 *J. Diapkin* Examiner.

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED **One**
 Any other building on lot or permit granted for one? **yes, present corner building**
- (2) ESTIMATED COST OF ALTERATION: \$ **5,000.00**
- (3) OCCUPANCY (in detail): **1st floor--stores**
 Of present building **2nd to 5th floors--Tenement**

Of building as altered **s a m e**

- (4) SIZE OF EXISTING BUILDING:
 At street level **37'-6"** feet front **24'-3"** feet deep
 At typical floor level **37'-6"** feet front **24'-3"** feet deep
 Height **Five** stories **53'-0"** feet
- (5) SIZE OF BUILDING AS ALTERED:
 At street level **s a m e** feet front **s a m e** feet deep
 At typical floor level **s a m e** feet front **s a m e** feet deep
 Height **s a m e** stories **s a m e** feet
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: **Ordinary**
 [Frame, Ordinary or Fireproof]
- (7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):


- (8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Propose to re-arrange partitions forming apartments on Second to Fifth floors and install new brick vent shaft supported on steel columns and girders as shown on plans.

TOTAL WALL AREA: 2600' ²
SIGN AREA: 45' ²
NO OTHER SIGN

NON-FLASHING BUSINESS SIGN

1 1/2" x 1/2" flat iron hangers secured to wall by 4" x 1/2" Exp. B.



Grade Level

101-2ND AVE

176

Original

DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF BUILDINGS.

2

1. State how many buildings to be erected, One
2. How occupied; if for dwelling, state the number of families, by Store in 1st story and dwelling for four families over the same
3. What is the Street, or Avenue, and the number thereof, S. W. Cor. 2nd Ave & 6th Str.
4. Size of lot, No. of feet front, 24'3"; No. of feet rear, 24'3"; No. of feet deep, 68'0"
5. Size of building, No. of feet front, 24'3"; No. of feet rear, 24'3"; No. of feet deep, 68'0" & 61'0"
6. No. of stories in height, five; No. of feet in height, from curb level to highest point, 53'0"
6. ~~What will each building cost (exclusive of the lot), \$~~ 15000⁰⁰/₁₀₀
7. What will be the depth of foundation walls, from curb level or surface of ground, 10'0" feet,
8. Will foundation be laid on earth, rock, timber, or piles, earth
9. What will be the base, stone or concrete, stone; if base stones, give size, and how laid, 8'6" x 4'6" & 10" thick laid edge to edge under all the walls; concrete, give thickness, _____
10. What will be the size of piers, 24" x 26" & 16" x 12" (w)
11. What will be the size of the base of piers, 4'0" x 4'6" & 10" thick
12. What will be the thickness of foundation walls, 24" & 20" and of what materials constructed, brick, laid in lime, sharp sand & cement mortar
13. What will be the thickness of upper walls in 1st story, 12 & 16 inches; 2d story, 12 & 16 inches; 3d story, 12 & 16 inches; from thence to top, 12 & 16 inches; and of what materials to be constructed, brick laid in lime & sharp sand mortar, coping walls to be carried 3/4" above roof line
14. Whether Independent or Party-walls; if party-walls, give thickness thereof, independent inches,
15. With what material walls to be coped, 3" x 10" stone
16. What will be the materials of front, brick; if of stone, what kind, _____ give thickness of front ashler, 4", and thickness of backing thereof 8" & 12" split brick
17. Will the roof be Flat, Peak, or Mansard, flat
18. What will be the materials of roofing, tin
19. What will be the means of access to roof, bulkhead & stairs
20. What will be the materials of cornices, galvanized iron
21. If there are to be skylights in roof, give size of same, and of what materials constructed, The one over S. to be 3'6" x 7'0" of wood; one 4'0" x 8'0" on the bulkhead & one 4'0" x 3'6" on the highback of wood
22. Is the building to be provided with iron shutters or blinds, no
23. Give size and material of floorbeams, 1st tier spruce 3" x 10"; 2d tier, Georgia Pine 3" x 14"; 3d tier, spruce 3" x 10"; 4th tier, spruce 3" x 10"; 5th tier, spruce 3" x 10"; 6th tier, _____; roof tier, spruce 3" x 9" State distance from centres on 1st tier, 16 inches; 2d tier, 16 inches; 3d tier, 16 inches; 4th tier, 16 inches; 5th tier, 16 inches; 6th tier, _____ inches; roof tier, 20 inches.
24. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor spruce 8" x 8"; under upper floors, _____ Size and material of columns under 1st floor, 5" diam. round posts under upper floors

25. What will be the distance of wooden girders, beams, or timbers, from all flues,

26. If any hoistways, state how protected

27. Will headers and trimmers be hung in stirrup-irons,

28. State if any hot air, steam, or other furnaces.

29. If the front, rear are to be su

"X" " X 12" 1 m

16

round

bricks

s, give definite

two 16" heavy columns
16" diameter columns
columns by a 16" x 24"
set by Law. The
columns support
roof, placed in
two plates.

30. If girders are to be supported by brick piers and columns, state the size of piers and columns

31. Will a fire escape be provided,

IF THE BUILDING IS TO BE OCCUPIED AS A TENEMENT HOUSE, GIVE THE FOLLOWING PARTICULARS :

32. State how many families are to occupy each floor, and the whole n house ; also, if any part is to be used as Store or for other business purposes, state the fact,

two and
6 floor.

33. What will be the heights of ceilings on 1st story, 12'0" feet ; 2d story, 10'0" feet ; 3d story 9'6" feet ; 4th story, 5th story 9'0" feet ; 6th story,

34. State if a fire-escape is to be and what kind,

the same to

35. If any wood houses, state where located, and of what materials,

made of

36. How is the building to be ventilated,

doors etc.

to be constructed, and of what materials,

to be set as

38. How are the stairways to be constructed, and of what materials, round

39. How are the floors and ceilings of the cellar and first story to be constructed,

by plaster

40. If there is any building already erected on the front or rear of the lot, give size of the same, state how occupied (if for a tenement, state by how many families), and how many feet of space there will be between the building proposed to be erected, and the one already erected, n.u.

41. Will all materials and workmanship be in accordance with the requirements of the law,

Yes

42. If any walls already built are to be used as party-walls, fill up the application below.

APPLICATION TO USE WALLS ALREADY BUILT,

The undersigned gives notice that he intends to use the easterly wall of building No. 238 South Str as party-wall in the erection of the building described above, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall is built of stone, 24 inches thick; the upper wall is built of brick 12 inches thick, 55 1/2 feet in height, 24 3/4 feet deep,

Owner: Frederick Pfluger Address: S. W. Cor 6th Str & 2nd
Architect: Julius B. Kelly Address: 54 Bond Str. Cor Bond
Mason _____ Address _____
Carpenter _____ Address _____

REPORT UPON APPLICATION.

Department of Buildings.

New York, March 6th 1880

To the Superintendent of Buildings:

I respectfully report, that I have examined the wall named in the above application, and find the foundation wall to be built of stone, 20 inches thick; the upper wall is built of brick, 12 inches thick, 24 3/4 feet deep, 55 1/2 feet in height, and is in a good and safe condition to be used as proposed.

Andrew O'Connell, Chief of Bureau of D. A.
of Buildings.

REMARKS:

REPORT OF INSPECTOR.

New York, Oct 1st 1880

To the Superintendent of Buildings:

Work was commenced on the within described building on the 12 day of May 1880 and completed on the 28 day of Sept 1880, and has been done in accordance with the plans and specifications, except as noted below.

Respectfully submitted,

H Lafarge
Inspector.

REMARKS: