

# APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and I herewith submit Plans and Drawings of such proposed alterations; and I do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here)

*Wm Stauffer*

NEW YORK, March 3 1886

1. State how many buildings to be altered, one
2. What is the street or avenue and the number thereof, 93 2<sup>d</sup> Avenue
3. How much will the alteration cost, \$ 5000.00

### GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. feet front, 24 <sup>4</sup>/<sub>12</sub>; feet rear, 24 <sup>4</sup>/<sub>12</sub>; feet deep, ~~100~~
2. Size of building, No. of feet front, 24 <sup>4</sup>/<sub>12</sub>; feet rear, 24 <sup>4</sup>/<sub>12</sub>; feet deep, 57; No. of stories in height, 4 & basements; No. of feet in height, from curb level to highest point of beams, 55' 0"
3. Material of building, Stone & brick; material of front, Brick
4. Whether roof is peak, flat, or mansard, flat
5. Depth of foundation walls, 10 feet; thickness of foundation walls, 24"; materials of foundation walls, Stone
6. Thickness of upper walls, 12 inches. Material of upper walls, brick
7. Whether independent or party walls, Party
8. How the building is occupied, as Tenement

### IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised? \_\_\_\_\_
2. How high will the building be when raised? \_\_\_\_\_
3. Will the roof be flat, peak, or mansard? \_\_\_\_\_
4. What will be the thickness of wall of additional stories? \_\_\_\_\_ story, \_\_\_\_\_ inches; \_\_\_\_\_ story, \_\_\_\_\_ inches.
5. Give size and material of floor beams of additional stories; \_\_\_\_\_ 1st tier, \_\_\_\_\_, \_\_\_\_\_ x \_\_\_\_\_; \_\_\_\_\_ 2d tier, \_\_\_\_\_, \_\_\_\_\_ x \_\_\_\_\_ Distance from centres on \_\_\_\_\_ tier, \_\_\_\_\_ inches; \_\_\_\_\_ tier \_\_\_\_\_ inches.
6. How will the building be occupied? \_\_\_\_\_

### IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

1. Size of extension, No. feet front, 17 <sup>6</sup>/<sub>12</sub>; feet rear, 17 <sup>6</sup>/<sub>12</sub>; feet deep, 13; No. of stories in height, 5; No. of feet in height, 55.
2. What will be the material of foundation walls of extension, Stone & properly bonded What will be the depth, 10 feet. What will be the thickness, 24 inches.
3. Will foundation be laid on earth, rock, timber or piles, Earth



IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? *Stone* <sup>3x3x8" thick</sup> If base stones, give size, and how laid *edge to edge & well bedded* concrete, give thickness.
5. What will be the sizes of piers? \_\_\_\_\_
6. What will be the thickness of upper walls in 1st story, *12* inches; 2d story, *12* inches; 3d story, *12* inches; from thence to top, *12* inches; and of what materials to be constructed, *hard brick & clean sharp sand & Rockland lime*
7. Whether independent or party walls; if party walls, give thickness thereof, *Indpt* inches.
8. With what material will walls be coped? *blue stone*
9. What will be the materials of front? *brick* If of stone, what kind \_\_\_\_\_  
Give thickness of front ashlar, \_\_\_\_\_, and thickness of backing thereof, \_\_\_\_\_
10. Will the roof be flat, peak, or mansard? *flat*
11. What will be the materials of roofing? *Tin*
12. Give size and material of floor beams, 1st tier, \_\_\_\_\_, *3 x 10*; 2d tier, \_\_\_\_\_  
*3 x 12*; 3d tier, \_\_\_\_\_, *3 x 12*; 4th tier, \_\_\_\_\_, *3 x 12*; 5th tier, \_\_\_\_\_  
\_\_\_\_\_, *3 x 12*; 6th tier, \_\_\_\_\_, \_\_\_\_\_; roof tier, \_\_\_\_\_  
*3 x 10*. State distance from centres on 1st tier, *16* inches; 2d tier, *16* inches; 3d tier, *16* inches; 4th tier, *16* inches; 5th tier, *16* inches; 6th tier, \_\_\_\_\_ inches; roof tier, *20* inches.
13. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, \_\_\_\_\_, \_\_\_\_\_ x \_\_\_\_\_ under upper floors, \_\_\_\_\_  
\_\_\_\_\_ Size and material of columns under 1st floor, \_\_\_\_\_  
\_\_\_\_\_ under upper floors, \_\_\_\_\_
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars. *one part of the southerly wall of upper 3 stories of new extension to be supported by 3 12" iron beams which will rest on a cut granite cap stone 12" x 12" x 2' lg. as shown on drawing*
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.

16. How will the extension be connected with present or main building? *by 2 doors on each of the upper 3 stories & one door on each of the lower floors.*
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor. *one*

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED:

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN

WHAT MANNER:

*On the upper three stories in the rear of the main present building 2 present windows will be taken out & brick wall below window sill cut down to the floor, & be changed into a doorway leading into the new extensions. There will be fire escapes to receive 2 windows one from main building in rear & one from the new extension as shown on ground plan of 1<sup>st</sup> story & upper 3 stories.*

# TENEMENT HOUSE DEPARTMENT

OF  
THE CITY OF NEW YORK.

MANHATTAN OFFICE,  
44 EAST 23D ST.,  
W. Cor. 4th Ave.

BRONX OFFICE,  
Nos. 2806-8 THIRD AVENUE,  
Near 148th St.

Tenement House Department  
Received

BROOKLYN OFFICE,  
No. 44 COURT STREET,  
Cor. Joralemon St.

PLAN No. SLIP ALT. 387 190

FILED MAR 9 - 1908 190

## APPLICATION FOR SLIGHT ALTERATIONS AND REPAIRS.

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the tenement House herein described. The applicant agrees to comply with all provisions of law and ordinances in the alteration of said building, whether specified herein or not.

(Sign here) Max Muller  
Address 115 W. 11th St

Applications must be filed in triplicate and such plans and sections in duplicate as may be required to clearly indicate the proposed alteration. After approval by the Tenement House Department one set of drawings and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department.

All amendments to plans and applications must be made on a separate blank provided for that purpose and where changes materially affecting the original application are proposed separate drawings showing such changes must be filed.

Borough Manhattan Date March 1908

- No. of tenement houses to be altered 1
- Location W. 11th St. Cor. 7th St. 5th Fl.
- Owner Max Muller Address 115 W. 11th St
- Architect Max Muller Address 115 W. 11th St
- Estimated cost of alterations or repairs \$100.
- Size of each lot? 24 ft front; 100 deep.
- Size of each building? 24 ft front; 40 deep.
- Material of building? Brick
- Is the building that is to be altered on the front or rear of the lot? front
- How occupied at present? basement No. of families? 5  
Basement 1 1st Fl. 1 2d Fl. 1 3d Fl. 1 4th Fl. 1 5th Fl. 1 6th Fl. 1
- How occupied after alterations are completed? basement No. of families? 5  
Basement 1 1st Fl. 1 2d Fl. 1 3d Fl. 1 4th Fl. 1 5th Fl. 1 6th Fl. 1
- Is there a basement? Yes Is there a cellar? No
- Number of stories above cellar or basement? 4 Height of cellar or basement ceiling above curb? 7 ft



14. Will the building or any part thereof, or any part of the premises, be occupied during the proposed alteration? Yes.

If the building is to be occupied during alterations give the following information:

A. Will the front, rear, or side walls or any portion thereof be removed? Part of front

State in detail in what manner and for what purpose. Basement wall removed

B. Will a proper and sufficient means of egress from the building to street, to yard, and to fire escape be maintained at all times during the progress of the alteration? Yes.

C. Are the fire escape balconies, stairs or ladders, or any portion of same to be altered or removed? Give details. Yes.

D. Will the entrance hall, stairs, stair halls, public halls or access to roof be altered? Yes.  
State in what respects \_\_\_\_\_

E. Are the general water closet accommodations to be altered? State in what respects Yes.

F. Will the occupants of the building be fully provided with proper water closet accommodations during the progress of the alterations? Yes.

G. Will there be an adequate and sufficient supply of water on all floors at all hours of the day? Yes.

H. Will there be a light kept burning in the public hallway near the stairs upon the entrance story upon the second story above the entrance story from sunset to sunrise? State character of light. Yes.

No alterations or repairs except the following are proposed to be made to the said tenement house:

Part of front basement wall removed + new stone window is to be built. Door in side removed + built up with brick. Fire escape front side so that fire escape is to go up top of floor. There are 4 steps in 4 + built over of them. Newer in front. Staircase to remain. Work shown above. But in new 4 brick up side of front wall. Built the rest of the wall to match. Put new 3' over side corner to be same. 2nd floor plaster + carpeting to be removed.

Signature of Applicant \_\_\_\_\_

Address \_\_\_\_\_

State and City of New York, }  
County of \_\_\_\_\_ } ss.:

being duly sworn, deposes and says that no alterations or repairs except those above set forth will be made to tenement house herein described and that all provisions of law applicable thereto will be complied with in alteration or repair of the said tenement house, whether specified herein or not. Deponent further says all statements contained in this application and the accompanying plans are true.

Sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_ 190\_\_\_\_\_

*[Signatures]*

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

3

# Office of the Borough President of the Borough of Manhattan,

In The City of New York.

**B43**  
**L 32**

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

*Clear*

*830*

RECEIVED  
THE CITY OF NEW YORK  
BUREAU OF BUILDINGS  
MAY 1 1908

Plan No. 2330 / 1908

## APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Max Mailby Aisch

The City of New York, Borough of Manhattan, May 1<sup>st</sup> 1908

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 93 Second Ave
- How was the building occupied? tenement  
How is the building to be occupied? tenement
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? \_\_\_\_\_ Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 24' 8" feet front; 24' 8" feet rear; 100 feet deep.
- Size of building which it is proposed to alter or repair? 21' 8" feet front; 17' feet rear; 75 feet deep. Number of stories in height? 4 Height from curb level to highest point? 55 ft
- Depth of foundation walls below curb level? 11 ft Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party 24 inches.
- Material of upper walls? brick If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front 16 inches; rear 16 inches; side 16 inches; party 16 inches.  
1st story: " 16 " " 12 " " 12 " " 12 "  
2d story: " 16 " " 12 " " 12 " " 12 "  
3d story: " 14 " " 12 " " 12 " " 12 "  
4th story: " 16 " " 12 " " 12 " " 12 "  
5th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? \_\_\_\_\_

*Handwritten signature/initials*



If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47.

47

Frontwall in basement as shown will be taken out and wall above carried by two 15" steel beams 40 lbs pr ft., rear wall in basement will be taken out and wall above carried by two 12" U steel beams 32 lbs pr ft., chimney breast where shown will be cut off, new store front will be built to be flush with building line and to have galv. iron cornice, new area wall will be built in front., front area will be dug out.

If altered internally, give definite particulars, and state how the building will be occupied :

48.

48

Partitions in basement will be removed where shown,, windows will be cut into partitions in upper floors, new galv iron skylight will be placed in roof of stairhall, all as shown on plans.

*stairs beams are 3"x10" spaced 16" center*

49. How much will the alteration cost?

*4,500*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-						

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How will cellar be occupied?

How made water-tight?

57. Will shafts be opened or covered with louvre skylights full size of shafts?

Size of each shaft?

Dimensions of windows for living rooms? \_\_\_\_\_

59. Of what materials will hall partitions be constructed? \_\_\_\_\_

60. Of what materials will hall floors be constructed? \_\_\_\_\_

61. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_

62. Of what material will stairways be constructed? \_\_\_\_\_

Give sizes of stair well holes? \_\_\_\_\_

63. If any other building on lot, give size ; front \_\_\_\_\_ ; rear \_\_\_\_\_ ; deep \_\_\_\_\_ ;  
stories high \_\_\_\_\_ ; how occupied \_\_\_\_\_ ; on front or rear  
of lot \_\_\_\_\_ ; material \_\_\_\_\_ .

How much space between it and proposed building? \_\_\_\_\_

64. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_

65. Number and location of water closets: Cellar \_\_\_\_\_ ; 1st floor \_\_\_\_\_ ; 2d floor \_\_\_\_\_ ;  
3d floor \_\_\_\_\_ ; 4th floor \_\_\_\_\_ ; 5th floor \_\_\_\_\_ ; 6th floor \_\_\_\_\_ ;

66. This building will safely sustain per superficial foot upon the 1st floor \_\_\_\_\_ lbs. ; upon 2d floor  
\_\_\_\_\_ lbs. ; upon 3d floor \_\_\_\_\_ lbs. ; upon 4th floor \_\_\_\_\_ lbs. ; upon 5th floor  
\_\_\_\_\_ lbs. ; upon 6th floor \_\_\_\_\_ lbs. ; upon 7th floor \_\_\_\_\_ lbs. ; upon 8th floor  
\_\_\_\_\_ lbs.

Owner, Max Mutmer Address, 32 W. 129<sup>th</sup> St.

Architect, Max Heller " 115 Nassau St.

Superintendent, owner " \_\_\_\_\_

Mason, } M. Murphy " 115 Norfolk St.

Carpenter, \_\_\_\_\_ " \_\_\_\_\_



*Original*

# TENEMENT HOUSE DEPARTMENT


OF

## THE CITY OF NEW YORK

MANHATTAN OFFICE,  
MUNICIPAL BUILDING,  
Centre and Chambers Streets.

BRONX OFFICE,  
No. 391 EAST 149th STREET.

BROOKLYN OFFICE,  
No. 203 FULTON STREET.



PLAN No. SLIP ALT. 218 1916 FILED MAR 14 1916 191

### APPLICATION FOR SLIGHT ALTERATIONS AND REPAIRS

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the tenement house herein described. THE APPLICANT AGREES TO COMPLY WITH ALL PROVISIONS OF LAW AND ORDINANCES IN THE ALTERATION OF SAID BUILDING, WHETHER SPECIFIED HEREIN OR NOT.

(Sign here) Jacob Fisher  
Address 75 Chambers

NOTE.—The above signature to be that of the owner or of the person authorized by him to make application.

**WARNING.**—The approval of plans, procured by misrepresentation of facts or conditions, mis-statements in applications, or through improper action by any officer or employee of this Department, does not legalize an illegal construction, arrangement or condition.

## INSTRUCTIONS.

**VERY IMPORTANT THAT SAME BE CAREFULLY READ.**

Three sets of Applications and two sets of Drawings must be filed.

All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be both prints, and the proposed new work must be clearly distinguished from the old work by dotted lines or by other conventional methods.

After approval by the Tenement House Department, one set of plans and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department.

The dimensions and boundaries of each lot must be clearly marked on plans, as must the clear measurements of all courts, yards, shafts, rooms, stairs and halls, the location of all fire-escapes, and the use to which each room and the several portions of the cellar are to be put. With each application, not personally signed by the owner, must be filed a written statement (see page 2) authorizing the person signing this application to make such application. Thereafter no person other than the owner whose signature appears in the papers, or the person authorized by him as above explained, will be recognized by the Department. A new owner or a new architect may be substituted during the progress of the work only after filing a new authorization, as per page 3.

When necessary the Department may require a block plan, on sheet 8 1/4 x 13 1/2 in. (on linen tracing cloth or cloth print), showing dimensions and boundaries of each lot, distance of same from adjacent streets, the size of the building, with general dimensions, including dimensions of all courts, yards, areas, shafts and offsets from the same.

Disapproved amendments are rejected in their entirety. A subsequent amendment, filed to meet the objections, must also contain all items proposed in the original amendment not specifically disapproved.

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes in the sizes of lots, buildings, courts, rooms, or halls are made, separate drawings showing such changes must be filed, if approved by the Department. Amendments must be typewritten. All changes made in drawings or applications, after the date of original filing, must be made in red ink, and each change or correction dated and initiated or signed by the person making the change. Corrected drawings will be required if changes made, in the opinion of the Department, make same necessary.

NOTE.—Where it is proposed to convert or alter to the purposes of a tenement house a building not a tenement house, the application used for the erection of a new tenement house must be filed in the Department and must be completely filled out.

Borough of Manhattan Date March 13, 1916

No. of tenement houses to be altered one

Location 93 Sevens Ave.

Owner Max Mutnick Address 61 Crosby St.

Architect Jacob Fisher Address 75 Chambers

Estimated cost of alterations or repairs \$300

Size of each lot? 24'3" front; 100'6" deep.

Size of building on front of lot? 24'3" front; 75'6" deep.

Size of building on rear of lot? — front; — deep.

Material of building? Brick

Is the building that is to be altered on the front or rear of the lot? front

Are there any other buildings on the lot? No For what purpose will it be used? —



11. How occupied at present? Tenement No. of apartments? 4  
 Cellar..... Basement..... 1st Fl. 1 2d Fl. 1 3d Fl. 1  
 4th Fl. 1 5th Fl. 1 6th Fl. 1
12. How occupied after alterations are completed? Tenement No. of apartments? 4  
 Cellar..... Basement..... 1st Fl. 1 2d Fl. 1 3d Fl. 1  
 4th Fl. 1 5th Fl. 1 6th Fl. 1
13. Will the total number of living rooms be diminished? no State by how many
14. Is there a basement? yes Is there a cellar? yes Is there a sub-cellar? no
15. Number of stories above cellar or basement? 4 Height of cellar or basement ceiling above curb? 4'6" - 6'4" 27 1/2 x 16
16. Has the building been erected since April 10, 1901? no
17. Will the building or any part thereof, or any part of the premises, be occupied during the progress of the proposed alteration? yes

If the building is to be occupied during alterations give the following information:

- A. Will the front, rear, or side walls or any portion thereof be removed? no  
 State in detail in what manner and for what purpose
- B. Will a proper and sufficient means of egress from the building to street, to yard, and to fire escapes be maintained at all times during the progress of the alteration? yes
- C. Are the fire escape balconies, stairs or ladders, or any portion of same to be altered or removed? Give details no
- D. Will the entrance hall, stairs, stair halls, public halls or access to roof be altered? no  
 State in what respects
- E. Are the general water closet accommodations to be altered? State in what respects no
- F. Will the occupants of the building be fully provided with proper water closet accommodations during the progress of the alterations? yes
- G. Will there be an adequate and sufficient supply of water on all floors at all hours of the day and night? yes
- H. Will there be a light kept burning in the public hallway near the stairs upon the entrance story, and upon the second story above the entrance story, from sunset to sunrise? State character of light yes

No alterations or repairs except the following are proposed to be made to the said tenement house:—

(Where plumbing is to be altered Form 121a must be filled out and filed.)

Install five dental cuspidors and two wash basins on first floor.

Signature of applicant

Address

John P. [Signature]  
25 [Address]

# TENEMENT HOUSE DEPARTMENT

OF

## THE CITY OF NEW YORK

MANHATTAN AND RICHMOND OFFICE

BRONX OFFICE

BROOKLYN AND QUEENS OFFICE

MUNICIPAL BUILDING,  
Centre and Chambers Streets,  
Borough of Manhattan.

559-61 EAST TREMONT AVENUE  
Borough of The Bronx.

No. 503 FULTON STREET,  
Borough of Brooklyn.

PLAN No. ALT. 384 1920

FILED

19

### APPLICATION FOR ALTERATIONS.

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the **Tenement House** herein described. THE APPLICANT AGREES TO COMPLY WITH ALL PROVISIONS OF LAW AND ORDINANCES IN THE ALTERATION OF SAID BUILDING, WHETHER SPECIFIED HEREIN OR NOT.

(Sign here)

*Chas M Straub*

(Address)

147 Fourth Ave., Manh.

NOTE.—The above signature to be that of the owner or of the person authorized by him to make application.

**WARNING.**—The approval of plans, procured by misrepresentation of facts or conditions, mis-statements in applications, or through improper action by any officer or employee of this Department, does not legalize an illegal construction, arrangement or condition.

### INSTRUCTIONS.

VERY IMPORTANT THAT SAME BE CAREFULLY READ.

Three sets of Applications and two sets of Drawings must be filed.

All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be cloth prints, and the proposed new work must be clearly distinguished from the old work by dotted lines or by other conventional methods.

After approval by the Tenement House Department, one set of plans and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department.

The dimensions and boundaries of each lot must be clearly marked on plans, as must the clear measurements of all courts, yards, shafts, rooms, stairs and halls, the location of all fire escapes, and the use to which each room and the several portions of the cellar are to be put. With each application, not personally signed by the owner, must be filed a written statement (see page 5), authorizing the person signing this application to make such application. Thereafter no person other than the owner whose signature appears in the papers, or the person authorized by him as above explained, will be recognized by the Department. A new owner or a new architect may be substituted during the progress of the work only after filing a new authorization, as per page 5.

Disapproved amendments are rejected in their entirety. A subsequent amendment, filed to meet the objections, must also contain all items proposed in the original amendment not specifically disapproved.

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes affecting the sizes of lots, buildings, courts, rooms or halls are made, separate drawings showing such changes must be filed, if required by the Department. Amendments must be typewritten. All changes made in drawings or applications, after the date of original filing, must be made in red ink, and each change or correction dated and initialed or signed by the person making the same. Corrected drawings will be required if changes made, in the opinion of the Department, make same necessary.

NOTE.—Where it is proposed to convert or alter to the purposes of a tenement house a building not a tenement house, the form of application used for the erection of a new tenement house must be filed in the Department and must be completely filled out. Application for "three family converted dwellings" must be made on form 270.

Borough of Manhattan

Date JUN 1 1920

19

- ✓ 1. No. of tenement houses to be altered one
- ✓ 2. Location 93 Second Ave
- ✓ 3. Owner Erie Gottlieb Address 93 Second Ave
- ✓ 4. Architect Chas. M. Straub Address 147 Fourth Ave, Manh.
- ✓ 5. Estimated cost of alterations or repairs \$ 450.-
- ✓ 6. Size of each lot? 24'3" front; 100' deep.
- ✓ 7. Size of building on front of lot? 24'3" front; 46'2" deep.
- ✓ 8. Size of present extension building on rear of lot? 17'7 3/8" front; 30' 1/2" deep.
- ✓ 9. Material of building? brick
10. Is the building that is to be altered on the front or rear of the lot? front
11. Is there any other building on the lot? no For what purpose will it be used?