

Copy

DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF BUILDINGS.

1. State how many buildings to be erected, One
2. How occupied; if for dwelling, state the number of families. 10 resp. 20. Families  
and 1st Basement Storey
3. What is the Street or Avenue, and the number thereof, No. 211. 5<sup>th</sup> Street
4. Size of lot, No. of feet front, 25; No. of feet rear, 25; No. of feet deep, 97
5. Size of building, No. of feet front, 25; No. of feet rear, 25.6"; No. of feet deep, 60  
No. of stories in height, 5; No. of feet in height, from curb level to highest point, 62
6. What will each building cost (exclusive of the lot), \$ 9,000 =
7. What will be the depth of foundation walls, from curb level or surface of ground, 10 feet.
8. Will foundation be laid on earth, rock, timber, or piles, Earth
9. What will be the base, stone or concrete, Stone; if base stones, give size, and how laid, 3x4  
8" thick laid on and lengthwise; if concrete, give thickness, \_\_\_\_\_
10. What will be the sizes of piers, \_\_\_\_\_
11. What will be the sizes of the base of piers, \_\_\_\_\_
12. What will be the thickness of foundation walls, 3 mo. feet and of what materials  
constructed, Made of Blue Building Stone laid in good hydraulic cement, ground lime and  
sharp grit clean sand mortar
13. What will be the thickness of upper walls in 1st story, 16" x 12 inches; 2d story, 12 inches;  
3d story, 12 inches; from thence to top, 12 inches; and of what materials to be  
constructed, of good quality of hand burnt C.R. bricks, laid in good Mortar lime & sharp grit sand
14. Whether Independent or Party-walls; if Party-walls, give thickness thereof, 12 inches, Eastern  
Side wall will be independent, western side main party wall 12" thick, and the Eastern side made of joining bricks  
to be used as party wall
15. With what material walls to be coped, Blue Stone, wall to be carried up 24" above line of roof
16. What will be the materials of front, Brick; if of stone, what kind, \_\_\_\_\_;  
give thickness of front ashlar, \_\_\_\_\_, and thickness of backing thereof, \_\_\_\_\_
17. Will the roof be Flat, Peak, or Mansard, Flat
18. What will be the materials of roofing, Iron
19. What will be the means of access to roof, Stair and Bulkhead
20. What will be the materials of cornices, Galvanized Sheet iron
21. If there are to be skylights in roof, give size of same, and of what materials constructed, a 4' x 8' Skylight  
to be on top of Bulkhead made of wood and Glass
22. Is the building to be provided with iron shutters or blinds, \_\_\_\_\_
23. Give size and material of floorbeams, 1st tier, 3 x 12; 2d tier, \_\_\_\_\_  
3 x 10; 3d tier, \_\_\_\_\_; 4th tier, 3 x 10; 5th tier, 3 x 10;  
\_\_\_\_\_ 6th tier, \_\_\_\_\_; roof tier, \_\_\_\_\_
24. If floors are to be supported by columns and girders, give the following information: Size and material of  
girders under 1st floor, 2 Spine Beams 8" x 9"; under upper floors, \_\_\_\_\_  
Size and material of columns under 1st floor, \_\_\_\_\_  
7" diam wood posts under upper floors, \_\_\_\_\_

25. What will be the distance of wooden girders, beams, or timbers, from all flues, 12 Inches
26. If any hoistways, state how protected, \_\_\_\_\_
27. Will headers and trimmers be hung in stirrup-irons, Yes
28. State if any hot-air, steam, or other furnaces, \_\_\_\_\_
29. If the front, rear or side walls are to be supported in whole or in part, by iron girders or lintels, give definite particulars, The front above Basement to be supported by two T lintels of Cast. iron lawfully tested and three brick pillars 12" square above
- 
30. If girders are to be supported by brick piers and columns, state the size of piers and columns, Lintels to be supported by one 12" x 16" Col. three 8" x 16" Cast iron col. Columns
31. Will a fire-escape be provided, No

**IF THE BUILDING IS TO BE OCCUPIED AS A TENEMENT HOUSE, GIVE THE FOLLOWING PARTICULARS:**

32. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a Store or for other business purposes, state the fact, 2. 4 families on each floor and on 10. resp. 20 families, also 2 Basement stores with smalling behind
33. What will be the heights of ceilings on 1st story, 10 feet; 2d story, 10 feet; 3d story, 9 1/2 feet; 4th story, 9 1/2 feet; 5th story, 9 feet; 6th story, \_\_\_\_\_ feet
34. State if a fire-escape is to be provided, and what kind, Made of Iron wide Iron Balconies, Stationary Iron stairs and Iron railings also fire detector and alarm in the Hall stairs and Cellar
35. If any wood houses, state where located, and of what materials, In Cellar made of Hemlock Boards
36. How is the building to be ventilated, By Fanlights over all inner doors, and Ventilator in Bulkhead
37. How are the hall partitions to be constructed and of what materials, of brick & covered in with brickwork, (set in behind stores)
38. How are the stairways to be constructed, and of what materials, of wood, 2 offset of inside Cellar stairs and inside of door at head of stairs to be lined with fire proof materials
39. How are the floors and ceilings of the cellar and first story to be constructed, 2. 4. 3. tier of beams to be rafters, Cellar ceiling to have two good coats of plastering
40. If there is any building already erected on the front or rear of the lot, give size of the same, state how occupied (if for a tenement, state by how many families), and how many feet of space there will be between the building proposed to be erected, and the one already erected, Present building on premises to be taken down entirely
41. Will all materials and workmanship be in accordance with the requirements of the law, Yes
42. If any walls already built are to be used as party-walls, fill up the application below. \_\_\_\_\_

APPLICATION TO USE WALLS ALREADY BUILT.

The undersigned gives notice that He intends to use the Party Wall wall of building No. 209, 5<sup>th</sup> Street as party-wall in the erection of the building described above, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall is built of Stone, 21 inches thick; the upper wall is built of Brick, 12 inches thick, abt. 60 feet in height, 52 feet deep,

Owner Sam. Elliot Address 209, 5<sup>th</sup> Street  
 Architect F. J. Elliott Address 50, First Avenue  
 Mason J. J. Morrison Address \_\_\_\_\_  
 Carpenter \_\_\_\_\_ Address \_\_\_\_\_

REPORT UPON APPLICATION.

Department of Buildings,

New York, May 8 1877

To the Superintendent of Buildings:

I respectfully report, that I have examined the wall named in the above application, and find the foundation wall to be built of Stone, 20 inches thick; the upper wall is built of Brick, 12 inches thick, 52 feet deep, 60 feet in height, and is in a good and safe condition to be used as proposed. Said wall was not built for party wall not projecting on lot adjoining

S. M. Simpson  
 Inspector of Buildings.

REMARKS:

May 11<sup>th</sup> 1877. on re-examination I find the above party wall is 16 inches thick up to 1<sup>st</sup> story floor, or about 6 feet above curb level from thence to top 12 inches, or about 52 feet

REPORT OF INSPECTOR.

New York, August 31 1877

To the Superintendent of Buildings:

Work was commenced on the within described building on the 14 day of May 1877, and completed on the 31 day of August 1877, and has been done in accordance with the plans and specifications, except as noted below.

Respectfully submitted,

Samuel West  
 Inspector.


REMARKS:

This building has been finished in accordance to law

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.



Plan No. 1331/1909

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) O. Reissmann

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, June 4, 1909.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- 1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) North side of 5th St. 155 ft. east of Third Av. #211.
3. How was the building occupied? Tenement
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x ; height How occupied? Give distance between same and proposed building feet.
5. Size of lot? 25 feet front; 25 feet rear; 97 feet deep.
6. Size of building which it is proposed to alter or repair? 25 feet front; 20 feet rear; 59'3" feet deep. Number of stories in height? 5 + basement Height from curb level to highest point?
7. Depth of foundation walls below curb level? 8 ft. Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party inches.
8. Material of upper walls? brick If ashlar, give kind and thickness
9. Thickness of upper walls: Basement: front 16 inches; rear 16 inches; side 16 inches; party inches. 1st story: 16 2d story: 12 3d story: 12 4th story: 12 5th story: 12 6th story:
10. Is roof flat, peak or mansard?

Handwritten signature or initials on the right side of the page.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47.

---

---

---

---

---

---

---

---

---

---

If altered internally, give definite particulars, and state how the building will be occupied :

48. Propose to build air-shaft of 3" terra cotta blocks set in 4" x 4" x 3/8" angle iron with 3" x 3" braces. Shaft to be set on 2-10" 25 lbs. <sup>per ft.</sup> steel beams resting with one end on blue stone templates in side wall and the other end on 10" 25 lbs. per ft. steel uprights, braced between second tier of beams by 4" 6 lbs. per ft. steel beams bolted to uprights and anchored in side wall. Bonded brick pier in cellar to support uprights 16" x 16" with 16" x 16" x 8" blue stone stones and 12" x 28" x 28" concrete footing. Partitions removed & replaced. Windows in cross partition. Build M. b. compartments. All as shown on plan.

49. How much will the alteration cost?

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-						

53. How basement to be occupied? \_\_\_\_\_  
 How made water-tight? \_\_\_\_\_

54. Will cellar or basement ceiling be plastered? \_\_\_\_\_ How? \_\_\_\_\_

55. How will cellar stairs be enclosed? \_\_\_\_\_

56. How will cellar be occupied? \_\_\_\_\_  
 How made water-tight? \_\_\_\_\_

57. Will shafts be opened or covered with louvre skylights full size of shafts? \_\_\_\_\_  
 \_\_\_\_\_  
 Size of each shaft? \_\_\_\_\_

Dimensions of windows for living rooms? \_\_\_\_\_

59. Of what materials will hall partitions be constructed? \_\_\_\_\_

60. Of what materials will hall floors be constructed? \_\_\_\_\_

61. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_

62. Of what material will stairways be constructed? \_\_\_\_\_

Give sizes of stair well holes? \_\_\_\_\_

63. If any other building on lot, give size; front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_; stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear of lot \_\_\_\_\_; material \_\_\_\_\_.

How much space between it and proposed building? \_\_\_\_\_

64. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_

65. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor \_\_\_\_\_; 2d floor \_\_\_\_\_; 3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_; 6th floor \_\_\_\_\_;

66. This building will safely sustain per superficial foot upon the 1st floor \_\_\_\_\_ lbs.; upon 2d floor \_\_\_\_\_ lbs.; upon 3d floor \_\_\_\_\_ lbs.; upon 4th floor \_\_\_\_\_ lbs.; upon 5th floor \_\_\_\_\_ lbs.; upon 6th floor \_\_\_\_\_ lbs.; upon 7th floor \_\_\_\_\_ lbs.; upon 8th floor \_\_\_\_\_ lbs.

Owner, John Elter, Address, 124 East 87<sup>th</sup> St.

Architect, Keissmann. " 30 First St.

Superintendent, owner, " \_\_\_\_\_

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter, \_\_\_\_\_ " \_\_\_\_\_

*ORIGINAL*

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
New York 7

BROOKLYN  
Municipal Bldg.,  
Brooklyn 1

BRONX  
1932 Arthur Avenue  
Bronx 57

QUEENS  
120-55 Queens Blvd.,  
Kew Gardens 24, L. I.

RICHMOND  
Boro Hall,  
St. George 1, S. I.

BLOCK 461 LOT 51

STATEMENT "A"

DEPARTMENT OF BUILDINGS

1145

RECEIVED SEP - 5 1962

Alt.

P. & D.

CITY OF NEW YORK  
BOROUGH MANHATTAN

LOCATION 211 East 5th St., N/s 155' east of Cooper Sq., Manh.  
House Number Street Distance from Nearest Corner Borough

TO THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C26-177.0.)

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26.187.0.)

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0.)

EXAMINED AND RECOMMENDED 11/8/62  
FOR APPROVAL ON 11-8-62, 19 *J. G. A. Egothino*  
APPROVED NOV 15 1962, 19 *Thomas V. ...*  
Examiner  
Borough Superintendent

Joseph Schecter

has offices (Typewrite Name)

states that he ~~resides~~ at 1219 Yonkers Ave.

in the Borough of \_\_\_\_\_; in the City of Yonkers;

in the State of New York; that he is making this application for the approval of \_\_\_\_\_

entire

(Architectural, Structural, Mechanical, Etc.) plans and specifications herewith submitted and made part hereof.

Applicant further states that he has personally supervised the preparation of such \_\_\_\_\_

entire

(Architectural, Structural, Mechanical, Etc.) plans and that to

the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all applicable provisions of the charter, the administrative code, the multiple dwelling law, the labor law, the general city law, the zoning resolution, the rules of the board and all other laws governing building construction, except as specifically noted otherwise.

Applicant further states that he is duly authorized by Miltrose Realty Corp.

(Name of Owner)

who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the said owner's behalf.

Applicant further states that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure, are as follows:

Owner's name Miltrose Realty Corp. Address 520 East 11th St.

(If a corporation, give full name and address of at least two officers.)

Mike Kuperberg Pres. 520 East 11th St.

Sady Kuperberg Sec.-Treas. do

Lessee \_\_\_\_\_ Address \_\_\_\_\_

\_\_\_\_\_ Address \_\_\_\_\_

Architect Joseph Schecter Address 1219 Yonkers Ave., Yonkers

Engineer \_\_\_\_\_ Address \_\_\_\_\_

Superintendent \_\_\_\_\_ Address \_\_\_\_\_

NOTICE—This statement must be TYPEWRITTEN and filed in QUADRUPPLICATE.

*(Handwritten mark)*

That the said land and premises above referred to are situated, bounded and described as follows:

(NOTE—See diagram below)

BEGINNING at a point on the north side of East 5th St.  
distant 155 feet east from the corner formed by the intersection of  
East 5th St. and Cooper Sq.

running thence north 25 97 feet; thence east 25 feet;  
(Direction) (Direction)

thence south 97 feet; thence west 25 feet;  
(Direction) (Direction)

to the point or place of beginning, being designated on the map as

Block No. 461 Lot No. 51

(SIGN HERE)

*Joseph Schecter*



Applicant

AUTHORIZATION OF OWNER: I hereby state that I have authorized the applicant to file this application for the work specified herein.

*Frank K... ..*  
(Signature of Owner or Officer of Corp.)

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

Above Block and Lot Verified.....19.....

Department of

House Number..... Dated.....19..... Bureau of

PLOT DIAGRAM must be drawn to indicated scale, showing the correct street lines from the city plan; the plot to be built upon in relation to the street lines and the portion of the lot to be occupied by the building; the legal grades and the existing grades, properly identified, of streets at nearest points from the proposed buildings in each direction; the House numbers and the Block and Lot numbers. Obtain this data from Bureau of Sewers and Highways and the Tax Department or consult Plan Desk in each Borough as to where data is available. Show dimensions of lot, building, courts and yards.

Status of Street: private— ; public highway— ; other


The legal width of..... is.....ft.; sidewalk width should be.....ft.

The legal width of..... is.....ft.; sidewalk width should be.....ft.

The street lines as shown in the diagram are substantially correct. Proposed changes in street lines and grades, if any, are indicated in red. The legal grades and the existing grades are indicated on the diagram thus: Legal Grade, 25.00. Existing, 24.00.

Dated.....19..... Bureau of

### DIAGRAM





**THE CITY OF NEW YORK**  
**DEPARTMENT OF BUILDINGS**

**MANHATTAN**  
 Municipal Bldg.,  
 New York 7

**BROOKLYN**  
 Municipal Bldg.,  
 Brooklyn 1

**BRONX**  
 1932 Arthur Ave.,  
 New York 57

**QUEENS**  
 120-55 Queens Blvd.,  
 Kew Gardens 24, L. I.

**RICHMOND**  
 Boro Hall,  
 St. George 1, S. I.

**NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE**

BLOCK.....461..... LOT.....51.....  
 ZONING: USE DIST.....R 7-2.....  
 HEIGHT DIST.....  
 AREA DIST.....

**ALTERED BUILDING**

P.D. DEPARTMENT OF BUILDINGS

1145  
 RECEIVED SEP - 5 1962

CITY OF NEW YORK  
 BOROUGH MANHATTAN  
 DO NOT WRITE IN THIS SPACE

LOCATION 211 East 5th Street N/s 155' east of Cooper Sq., Manh.  
 House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED  
 FOR APPROVAL ON 11-8-62 19

APPROVED NOV 15 1962 19

*J.P. Lennart*  
 Examiner.  
*Thomas V. [Signature]*  
 Borough Superintendent.

Initial fee payment SEP-5-62 3 06109 5 100 5 88 1200

2nd payment of fee to be collected before a permit is issued—Amount \$ (55-15) \$ 40.00

Verified by *W. Schlegel* Date FEB 28 1963

**SPECIFICATIONS**

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) **Class 3**
- (2) Any other buildings on lot or permit granted for one? **NO**  
 Is building on front or rear of lot? **front**
- (3) Use and Occupancy. **OLT class A and stores**  
 (NOTE—If a multiple dwelling, authorization of owner must be filed)  
 A new C of O ~~(will)~~ (will not) be required. *J.P.S.*

11-8-62 *J.P.S.*  
*O.L. [Signature]*

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	Use	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	Use
					MALE	FEMALE	TOTAL			
C			boiler & storage							no change
B			stores							no change
1	4	10	apts.							"
2	4	10	"							"
3	4	10	"							"
4	4	10	"							"
5	4	10	"							"
										NO CERTIFICATE OF OCCUPANCY TO BE ISSUED ON THIS APPLICATION

(4) State generally in what manner the Building will be altered:

**New toilets as per plans filed herewith.**

(5) Size of Existing Building:

At street level	25	feet front	60	feet deep	25	feet rear
At typical floor level	25	feet front	60	feet deep	25	feet rear
Height <sup>1</sup>	C, B & 5	stories	55	feet		

(6) If volume of Building is to be changed, give the following information:

At street level		feet front		feet deep		feet rear
At typical floor level		feet front		feet deep		feet rear
Height <sup>1</sup>		stories		feet		

Area <sup>2</sup> of Building as Altered: At street level		Total floor area <sup>2</sup>	sq. ft.
Total Height <sup>3</sup>		Additional Cubic Contents <sup>4</sup>	cu. ft.

(7) Estimated Cost of Alteration:<sup>5</sup> ~~\$2000.~~ - \$5,000 as per affidavit 2/28/63 hg  
Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? **yes** If Yes, State Violation Numbers **housing**

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil	Bearing capacity
-------------------	------------------

(10) State what disposition will be made of waste and sewage **exist.**  
(Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb? **no**  
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.<sup>6</sup>)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:			feet.	
Deposit: \$	Fee: \$	Total: \$		
Paid	19	Document No.		Cashier

(12) Temporary Structures between Street Line and Curb: **none**  
Will a Sidewalk Shed be required? **Length** feet.  
Will any other miscellaneous temporary structures be required?  
Fee Required . Fee Paid **19** . Document No. . Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.

6. Space for plot diagram is located on Affidavit Form.

7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.

8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

**Bribery is a Crime:** A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.