

L 13

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 845

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, April 17 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered One
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)
210 E. 14th Str.
3. How was the building occupied? Boarding House
How is the building to be occupied? Store, Office & one family
4. Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? None Size _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
5. Size of lot? 17'-0" feet front; 17'-0" feet rear; 103'-0" feet deep.
6. Size of building which it is proposed to alter or repair? 17'-0" feet front; 17'-0" feet rear; 60'-0" feet deep. Number of stories in height? Cellar & 5 Height from curb level to highest point? 58'-0" Stories
7. Depth of foundation walls below curb level? 9'-0" Material of foundation walls? Blue Stone Thickness of foundation walls? front 24" inches; rear 20" inches; side _____ inches; party 20" inches.
8. Material of upper walls? Brick If ashlar, give kind and thickness Brown Stone 4" thick
9. Thickness of upper walls:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " 12 " " 12 " " " " " 12 "
2d story: " 12 " " 12 " " " " " 12 "
3d story: " 12 " " 12 " " " " " 12 "
4th story: " 12 " " 12 " " " " " 12 "
5th story: " 12 " " 12 " " " " " 12 "
6th story: " _____ " " _____ " " " " " _____ "
10. Is roof flat, peak or mansard? Flat

Basement: front..... inches; rear..... inches; side..... inches; party..... inches.
 1st story: " " " " " " " " " "
 2d story: " " " " " " " " " "
 3d story: " " " " " " " " " "
 4th story: " " " " " " " " " "

15. Is present building provided with a fire escape? No

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? Rear

17. Size of proposed extension, feet front 17'-0"; feet rear 17'-0"; feet deep 38'-0" & 15'-0"
 number of stories in height? One & two stories number of feet in height? 25'-0" & 12'-0"

18. Material of foundation walls? Brick; depth 10'-0" feet;
 material of base course Concrete; thickness of base course 12"
 thickness of foundation walls, front..... inches; side 16" inches;
 rear..... inches; party..... inches.

19. Will foundation be on rock, sand, earth or piles? Earth

20. What will be the size of piers in cellar?.....; distance on centres?.....;
 size of base of piers?.....; thickness of cap stones?.....; of bond
 stones?.....

21. Material of upper walls? Brick; material of front?.....

22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front..... inches; rear 12 inches; side 12 inches; party..... inches.
 2d story: " " " 12 " " 12 " " " "
 3d story: " " " " " " " " " "
 4th story: " " " " " " " " " "
 5th story: " " " " " " " " " "
 6th story: " " " " " " " " " "

23. With what will walls be coped? Blue Stone

24. Will roof be flat, peak, or mansard? Flat; material Pin

25. Give size and material of floor and roof beams

1st tier, material Spruce; size 3" X 10"; distance on centres 16'
 2d tier, " Spruce " 3" X 10" " " 16'
 3d tier, " " " " " " " " " "
 4th tier, " " " " " " " " " "
 5th tier, " " " " " " " " " "
 Roof tier, " Spruce " 3" X 9" " " 16'
 Give thickness of headers 6" of trimmers 6"

26. Give material of girders..... of columns.....

Under 1st tier, size of girders.....; size of columns.....
 " 2d " " "; " "
 " 3d " " "; " "
 " 4th " " "; " "
 " 5th " " "; " "
 " Roof tier, " "; " "

Plans of 1.

JAMES G. WALLACE, President of the Board of Buildings and Commissioner of Buildings for the Boroughs of Manhattan and The Bronx. Office, No. 220 Fourth Avenue, S. W. cor. 18th Street, Borough of Manhattan.

JOHN GUILFOYLE, Commissioner of Buildings for the Borough of Brooklyn. Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL, Commissioner of Buildings for the Boroughs of Queens and Richmond. Office, Richmond Building, New Brighton, Staten Island, Borough of Richmond. Branch Office, Town Hall, Jamaica, Long Island, Borough of Queens.

PLAN No. 815 (New Buildings) ALTERATIONS 1905

Location 210 E-14th. Borough of RL

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Department.

- 1. Foundation walls. Depth below curb level 10 material Brick thickness, front 12 inches; rear 10 inches; side 20 inches; party 20 inches.
2. Upper walls. Material Brick & Stone; thickness as follows: Basement: front 20 inches; rear 20 inches; side 20 inches; party 20 inches. 1st story: 14 16 16 16. 2d story: 12 12 12 12. 3d story: 12 12 12 12. 4th story: 12 12 12 12. 5th story: 12 12 12 12. 6th story:
3. Nature of ground
4. Quality of sand used in mortar
5. What walls are built as party walls?
6. What fire escapes are provided? None
7. Is building fireproof?
8. If building is vacant, state how the same was occupied. Store & furnished room
9. Is the present building to be connected with any adjoining building?
10. How is present building occupied? Basement Kitchen; 1st floor Store & furnished room; 2d floor furnished room; 4th floor; 5th floor; 6th; 7th; 8th; 9th
11. Height of building—feet; stories
12. Size of building—feet front; feet rear; feet deep
13. Size of lot—; ; ;
14. Are fireproof shutters provided? What kind?

Dated, April 24th 1905 Wm J. McKeon Inspector.

2345-12
11

L 13

DEPARTMENT OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

2345

Plan No. _____

14 APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

Emily R. [Signature]
Aug 28th 1912

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, _____

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered Two
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof)
210-212 East 14th Street S. S. 134'-0" East 5th Avenue - City.
- How was the building occupied? #212 Tenement - #210 Dwelling.
How is the building to be occupied? #212 Tenement - #210 Dwelling.
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 17'-0" feet front; 17'-0" feet rear; 102'-3" feet deep. Bldg. 210
24'-0" feet front; 24'-0" feet rear; 17'-0" feet deep. " 212
- Size of building which it is proposed to alter or repair? 24'-0" feet front; 24'-0" feet rear; 60'-0" feet deep. Number of stories in height? cellar + 5 stories - 210
cellar Basement + 4 stories - 212
Height from curb level to highest point? " 212-53'-0" Bldg. #210-10'-0"
212-11'-6" Material of foundation walls?
- Depth of foundation walls below curb level? Blue Stone & Brick Thickness of foundation walls? front 24" inches; rear 24" inches; side _____ inches; party 20" inches.
- Material of upper walls? Brick If ashlar, give kind and thickness None
- Thickness of upper walls:
Bldg. 212 Basement: front 12 inches; rear 12 inches; side _____ inches party 12 inches.
1st story: " 12 " " 12 " " " " " " 12 "
2d story: " 12 " " 12 " " " " " " 12 "
3d story: " 12 " " 12 " " " " " " 12 "
4th story: " 12 " " 12 " " " " " " 12 "
Bldg. 210 5th story: " 12 " " 12 " " " " " " 12 "
6th story: " _____ " " _____ " " " " " _____ "
- Is roof flat, peak or mansard? Flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. Present show-windows on 1st story of Bldg. #210 are to be reset and to be run flush with bldg. line as shown. All wooden parts of show-window except the part where the glass sets in will be covered with metal.
- Present area coping, gratings etc. and new trap doors for new cellar stairs are to be set flush with sidewalk.
- I propose to cut new-door opening in

If altered internally, give definite particulars, and state how the building will be occupied:

48. party wall in cellar as shown on plans and place over same three 4" St. beams @ 1/2 doz. per ft.
- New door to be used as entrance for store in cellar of Bldg. #210.
- In cellar of Bldg. #210 I propose to remove present partitions shown on plans in dotted lines & erect new stud partitions same to be lath, plastered 3 coats.
49. How much will the alteration cost? \$500.00
(100)
- Note: This alteration is being made as required by Bureau of Highways (Division of Sidewalks).*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-	-	-				

53. How basement to be occupied? _____
How made water-tight? _____
54. Will cellar or basement ceiling be plastered? _____ How? _____
55. How will cellar stairs be enclosed? _____
56. How will cellar be occupied? _____
How made water-tight? _____
57. Will shafts be open or covered with louvre skylights full size of shafts? _____
Size of each shaft? _____

Regulation President of the Board
IN THE CITY OF NEW YORK

Manual

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street

PLAN NO. 2345 { NEW BUILDINGS } 1912
ALTERATIONS

Location 210-212 E 14 St

Sup

BOROUGH OF MANHATTAN.

In all cases inspectors will furnish the following information without regard to the information given in the Application and Plans on file in the Bureau.

1. Foundation walls. Depth below curb level _____ material _____
thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 2. Upper walls. Material _____; thickness as follows:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " " " " " " " " " "
2d story: " " " " " " " " " "
3d story: " " " " " " " " " "
4th story: " " " " " " " " " "
5th story: " " " " " " " " " "
6th story: " " " " " " " " " "
 3. Nature of ground _____
 4. Quality of sand used in mortar _____
 5. What walls are built as party walls? _____
 6. What fire escapes are provided? _____
 - ✓ 7. Is building fireproof? *Yes*
 - ✓ 8. If building is vacant, state how the same was occupied Stores office + 10
 9. Is the present building to be connected with any adjoining building? _____
If so, state dimensions and material of adjoining building, viz.:
Material _____; feet front _____; feet rear _____
feet deep _____; feet in height _____; number of stories _____
how occupied _____
 - ✓ 10. How is present building occupied? Basement Store; 1st floor Store;
2d floor Office; 3d floor Store; 4th floor Office; 5th floor Office;
6th floor _____; 7th floor _____; 8th floor _____; 9th floor _____
 - ✓ 11. Height of building: feet 52; stories 5
 12. Size of building: feet front _____; feet rear _____; feet deep _____
 13. Size of lot: " " _____; " " _____; " " _____
 14. Are fireproof shutters provided? _____ What kind? _____
- Dated, Sept 6 1912 W. J. G. [Signature] Inspector.

(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Propose to erect new iron stairs from 5th story to roof and provide a Bulkhead on roof as indicated on plans.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(8) FOUNDATIONS: Character of Soil (State one of the materials as described in Building Code, Section 231, Subdivision 2)

Material of Foundation Walls

Thickness of Walls

Depth Below Curb

(9) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(10) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(11) FOUNDATIONS: Character of Soil (State one of the materials as described in Building Code, Section 231, Subdivision 2)

Material of Foundation Walls

Thickness of Walls

Depth Below Curb

(12) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(13) PARTY WALLS: Any to be used?

Thickness of Walls

(14) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(15) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(16) OUTSIDE WINDOW FRAMES AND SASH: Material

EXAMINED AND RECOMMENDED
FOR APPROVAL ON _____

193 _____

Examiner

APPROVED _____ 193

Commissioner of Buildings, Borough of _____