

ORIGINAL

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

# Department of Buildings of The City of New York.

**THOMAS J. BRADY,**  
President of the Board of Buildings and  
Commissioner of Buildings for the Bor-  
oughs of Manhattan and The Bronx.  
Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,  
Borough of Manhattan.

**JOHN GUILFROYLE,**  
Commissioner of Buildings for  
the Borough of Brooklyn.  
Office, Borough Hall, Borough of Brooklyn.

**DANIEL CAMPBELL,**  
Commissioner of Buildings for the Bor-  
oughs of Queens and Richmond.  
Office, Richmond Building, New Brighton, Staten Island,  
Borough of Richmond.  
Branch Office, Town Hall, Jamaica, Long Island,  
Borough of Queens.

Plan No. 77

## APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Commissioner of Buildings of The City of New York, for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the Building Code shall be complied with in the erection of said building whether specified herein or not.

(Sign here) Sass & Smallman

THE CITY OF NEW YORK,

BOROUGH OF Manhattan Feb. 20 1902

- State how many buildings to be erected Four
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of E. 14<sup>th</sup> St. 139 ft. W. of 2<sup>nd</sup> Ave. # 226 to 238 E. 14<sup>th</sup> St.
- Will the building be erected on the front or rear of lot? Front
- How to be occupied? Stores & Dwellings If for dwelling, state the number of families in each house 22
- Size of lot? 46'-4 1/2" feet front; 46'-4 1/2" feet rear; 103'-3" feet deep. Give diagram of same.
- Size of building? 46'-4 1/2" feet front; 33'-4 1/2" feet rear; 90'-9" feet deep. Size of extension? \_\_\_\_\_ feet front; \_\_\_\_\_ feet rear; \_\_\_\_\_ feet deep. Number of stories in height: main building? 6 Extension? \_\_\_\_\_ Height from curb level to highest point: main building? 67 feet. Extension? \_\_\_\_\_ feet.
- What is the character of the ground: rock, clay, sand, etc.? Natural ground
- Will the foundation be laid on earth, rock, timber or piles? Earth
- Will there be a cellar? yes
- What will be the base, stone or concrete? Concrete If base stones, give size and thickness, and how laid. If concrete, give thickness 12" thick
- What will be the depth of foundation walls below curb level or surface of ground? 10 ft.
- Of what will foundation walls be built? Brick
- Give thickness of foundation walls: front, \_\_\_\_\_ inches; sides, 20 inches; rear, 20 inches; party, 20 inches.
- Will interior supports be brick partition walls or piers, iron columns or wooden posts? Brick walls Give size of same 12" x 16"
- If piers, give thickness of cap stones or plates \_\_\_\_\_ bond stones or plates \_\_\_\_\_

469  
21, 23, 25, 27  
226  
22  
274  
22

16. Give base course, width and thickness \_\_\_\_\_

17. Will any part of front, side or rear wall, be supported on piers in cellar? \_\_\_\_\_

Give size: front  $1'8'' \times 2'-0''$ ,  $2'-0'' \times 2'-0''$  &  $2'-0'' \times 2'-4''$  size of base course  $3'-8'' \times 4'-0''$ ,  $4'-0'' \times 4'-0''$  &  $4'-0'' \times 4'-4''$

rear \_\_\_\_\_ " " "

side \_\_\_\_\_ " " "

Size of cap stones  $20'' \times 24'' \times 12''$ ,  $16'' \times 20'' \times 12''$ ,  $20'' \times 20'' \times 12''$  &  $24'' \times 24'' \times 12''$  size of bond stones  $4'$  thick & full size of piers

18. Of what materials will the upper walls be constructed? Brick

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.

1st story: " \_\_\_\_\_ " \_\_\_\_\_ " 16 " \_\_\_\_\_ " 16 " \_\_\_\_\_ " 16 " \_\_\_\_\_

2d story: " 16 " \_\_\_\_\_ " 16 " \_\_\_\_\_ " 16 " \_\_\_\_\_ " 16 " \_\_\_\_\_

3d story: " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_

4th story: " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_

5th story: " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_

6th story: " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_ " 12 " \_\_\_\_\_

7th story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_

19. What will be the materials of the front? Brick If of stone, what kind? \_\_\_\_\_ If ashlar, give thickness \_\_\_\_\_

20. Will flues be lined with pipe or have 8 inches of brick around the same? Burnt clay pipe

21. Will any exterior or interior wall be supported on iron or steel girders?

Front, size 3-15" Steel I<sup>s</sup> ✓; weight or thickness 60 lbs. per ft.

Side, " \_\_\_\_\_ " \_\_\_\_\_

Rear, " \_\_\_\_\_ " \_\_\_\_\_

Interior, "3-6" Steel I<sup>s</sup> ✓ " \_\_\_\_\_ " 12 lbs. per ft. } under front

Front, "2-6" " " ✓ " \_\_\_\_\_ " 12 " " " } partition wall

Side, "4 girders of 2-10" I<sup>s</sup> ✓ " \_\_\_\_\_ " 25 " " " } supporting girder under

Rear, "5 " " 2-9" I<sup>s</sup> ✓ " \_\_\_\_\_ " 21 " " " } front partition wall

Interior, "3-10" steel I<sup>s</sup> ✓ " \_\_\_\_\_ " 25 " " " } supporting chimneys above  
3-8" " " ✓ " \_\_\_\_\_ " 9 3/4 " " " } 1st story

22. Give size of columns, posts or girders to support floors.

Cellar, material \_\_\_\_\_; size \_\_\_\_\_; distance on centres \_\_\_\_\_

1st story, "Cast Iron " 8" x 12" x 1 1/2", 12" x 16" x 1 1/2" & 16" x 16" x 1 1/2" " \_\_\_\_\_

2d story, " \_\_\_\_\_ " \_\_\_\_\_

3d story, " \_\_\_\_\_ " \_\_\_\_\_

4th story, " \_\_\_\_\_ " \_\_\_\_\_

5th story, " \_\_\_\_\_ " \_\_\_\_\_

23. Give material, size and distance on centres of floor beams.

1st tier, material Steel; size 6-12 lbs & 7-15 lbs ✓ distance on centres 3'-9" - 4'-0" ✓

2d tier, "Spruce " 3" x 8" ✓ " \_\_\_\_\_ " 12 x 16 } 3 x 8" beams to be

3d tier, "Spruce " 3 x 8 & 4 x 8 ✓ " \_\_\_\_\_ " 12 x 16 } act. 12" centres

4th tier, "Spruce " 3 x 8 & 4 x 8 ✓ " \_\_\_\_\_ " 12 x 16 } when span exceeds

5th tier, "Spruce " 3 x 8 & 4 x 8 ✓ " \_\_\_\_\_ " 12 x 16 } 18'-6" and 4" x 8"

6th tier, "Spruce " 3 x 8 & 4 x 8 ✓ " \_\_\_\_\_ " 12 x 16 } beams to be used

7th tier, " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " 12 x 16 } when span exceeds

8th tier, " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " 2'-6"

Roof tier, "Spruce " 3" x 8" ✓ " \_\_\_\_\_ " 16' x 20'

24. Specify construction of floor filling. Bonded Brick Arches in public halls & 1st story only

25. Is the building to be fire proof? Public Halls only
26. Of what material will partitions be built? Public hall to be enclosed with brick walls, other partitions to be of 2x4 hemlock & spruce joists 16" on centers.
27. What will be the material of roofing? Cair Will roof be flat, peak or mansard? Flat
28. What will be the material of dumb waiter shafts? Angle iron filled with brick & F.P. blocks
29. What will be the material of elevator shafts? \_\_\_\_\_
30. What will be the material of bay windows? Brick
31. What kind of fire escape will be provided? Iron balconies with regular steps
32. Give size of vent shafts to water closet apartments. Open courts; and of what material constructed Brick
33. Will access to roof be by scuttle or bulkhead? Bulkhead If by bulkhead, how constructed? Brick
34. With what material will walls be coped? Tile or Blue stone
35. How will building be heated? Steam
36. Is there any building already erected on lot? no If so, and the same is to remain, state how occupied? \_\_\_\_\_ Size \_\_\_\_\_ Number of feet between buildings? \_\_\_\_\_
37. Are any buildings to be taken down? none; how many? \_\_\_\_\_
38. What is the estimated cost of each building, exclusive of lot? \$ 45,000 <sup>EV</sup>/<sub>100</sub>  
 What is the estimated cost of all the buildings, exclusive of lots? \$ 180,000 <sup>EV</sup>/<sub>100</sub>

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars :

39. State what per centum of lot is to be occupied? \_\_\_\_\_
40. How many feet open space will remain between building and rear line of lot? \_\_\_\_\_
41. Is any part of building to be used as a store or for any other business purpose, if so, state for what? \_\_\_\_\_

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
42. How many families will occupy each? - -									
43. Height of ceilings? - - - -									
44. Number of living rooms opening on shafts and courts?									
45. Number of living rooms opening on street and yard?									

46. How basement to be occupied? \_\_\_\_\_ Height of basement ceiling above sidewalk? \_\_\_\_\_  
 How lighted and ventilated? \_\_\_\_\_  
 How made water-tight? \_\_\_\_\_
47. Will cellar or basement ceiling be plastered? \_\_\_\_\_ How? \_\_\_\_\_
48. How will cellar stairs be enclosed? \_\_\_\_\_
49. How cellar to be occupied? \_\_\_\_\_ Height of cellar ceiling above sidewalk? \_\_\_\_\_  
 How lighted and ventilated? \_\_\_\_\_  
 How made water-tight? \_\_\_\_\_
50. Give number of light and vent shafts \_\_\_\_\_  
 State materials to be used in their construction \_\_\_\_\_

51. Will shafts be open or covered with louvre skylights full size of shafts? \_\_\_\_\_  
 \_\_\_\_\_  
 Size of each shaft? \_\_\_\_\_ *allow* \_\_\_\_\_  
 \_\_\_\_\_
52. Dimensions of windows for living rooms? \_\_\_\_\_
53. What doors will have fan lights? \_\_\_\_\_  
 Dimensions of same? \_\_\_\_\_
54. Of what materials will hall partitions be constructed? \_\_\_\_\_  
 \_\_\_\_\_
55. Of what materials will hall floors be constructed? \_\_\_\_\_  
 \_\_\_\_\_
56. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_
57. How will halls be lighted and ventilated? \_\_\_\_\_
58. Of what material will stairways be constructed? \_\_\_\_\_  
 \_\_\_\_\_
59. If any other building on lot, give size: front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_;  
 stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear  
 of lot \_\_\_\_\_; material \_\_\_\_\_  
 How much space between it and proposed building? \_\_\_\_\_
60. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_  
 \_\_\_\_\_
61. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor \_\_\_\_\_; 2d floor \_\_\_\_\_;  
 3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_; 6th floor \_\_\_\_\_;  
 7th floor \_\_\_\_\_
62. Total area of shafts over 25 square feet? \_\_\_\_\_ Of courts? \_\_\_\_\_

Owner, *Merberg Bros.* Address, *232 E 10<sup>th</sup> St*  
 Architect, *Sass & Smallheiser* " *23 Park Row*  
 Superintendent, *Quinn* " \_\_\_\_\_  
 Mason, \_\_\_\_\_ " \_\_\_\_\_  
 Carpenter, \_\_\_\_\_ " \_\_\_\_\_

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF \_\_\_\_\_ 190

The undersigned gives notice that \_\_\_\_\_ intend to use the \_\_\_\_\_ wall of building  
 \_\_\_\_\_  
 as party wall in the erection of the building hereinbefore described, and respectfully requests that the  
 same be examined and a permit granted therefor. The foundation wall \_\_\_\_\_ built of \_\_\_\_\_  
 \_\_\_\_\_ inches thick, \_\_\_\_\_ feet below curb; the upper wall \_\_\_\_\_ built of \_\_\_\_\_,  
 \_\_\_\_\_ inches thick, \_\_\_\_\_ feet deep, \_\_\_\_\_ feet in height.

(Sign here) \_\_\_\_\_

ORIGINAL

Tenement House Department  
of the City of New York.

Form 1, 1902.

TENEMENT HOUSE DEPARTMENT

OF

THE CITY OF NEW YORK.

Manhattan Office :  
No. 61 IRVING PLACE,  
S. W. Cor. 18th Street.

Brooklyn Office :  
TEMPLE BAR BUILDING,  
No. 44 Court Street,  
Cor. Joralemon Street.

Plan No. 10 190 2 Filed February 10 190 2

APPLICATION FOR ERECTION OF NEW TENEMENT HOUSE.

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the Tenement House herein described. The applicant agrees to comply with all provisions of law and ordinances in the erection of said building whether specified herein or not.

(Sign here)

Wess + Smallhires, Archts

Address

23 Park Row

Applications must be filed in TRIPLICATE and drawings in DUPLICATE.

NOTE.—In making application for the approval of plans for a new tenement house the following drawings must be furnished: Plans of all floors, including cellar and basement, an elevation showing heights of stories, and, if necessary, transverse and longitudinal sections. All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be cloth prints. After approval by the Tenement House Department one set of plans and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department. The dimensions and boundaries of each lot must be clearly marked on plans, as must the measurements of all courts, yards, vent-shafts, rooms and halls, as well as the use to which each room is to be put. With each application must be filed a written statement signed by the owner of the proposed building, authorizing the person signing this application to make such application. There must also be filed with this application a diagram or survey of the property, on linen tracing cloth, showing the width and depth of the lot and its location and distance from adjacent streets.

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes affecting sizes of lots, buildings, courts, rooms, or halls are made, separate drawings showing such changes must be filed.

NOTE—Where it is proposed to convert or alter to the purposes of a tenement house a building not used for such purpose, the form of application used for the erection of a new tenement-house must be filed in the Department and must be completely filled out.

THE CITY OF NEW YORK,

BOROUGH OF Manhattan ..... Date Feb. 6 ..... 190 2.

1. State how many tenement houses to be erected. Four
2. What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name

5. Person superintending construction of building. *Owner* .....  
 (Whether Owner or Architect)  
 Address *232 E. 10<sup>th</sup> St.* .....
6. Estimated cost of each building, exclusive of the lot, \$ *45000<sup>00</sup>* .....
7. Estimated cost of all buildings, exclusive of the lot, \$ *180000<sup>00</sup>* .....
8. Will the building be erected on the front or rear of lot? *front* .....
9. How to be occupied? *Stores & Free use* .. State the number of families in each house *2-2* .....
10. Size of each lot? *46* feet *4 1/2* inches front; *46* feet *4 1/2* inches rear; *103* feet *3* inches deep. ....
11. Size of each building? *46* feet *4 1/2* inches front; *33* feet *4 1/2* inches rear; *90* feet *3* inches deep. ....
- Size of each extension? . . . . feet . . . . inches front; . . . . feet . . . . inches rear; . . . . feet . . . . inches deep.
12. Material of building *brick* .....
13. Number of stories above cellar or basement of main building? *6* .....
14. Number of stories above cellar or basement of extension? .....
15. Will there be a basement? *no* .. Will there be a cellar? *yes* .....
16. Height of building through centre of facade from curb-level to highest point of roof beams? (Sec. 52) *67* feet. Height of extension . . . . feet  
 State height and area of all roof bulkheads *8 ft. high; 120 sq. ft.*
17. State width of widest street on which building is to be located? (Sec. 52) (measured from building line to building line) *100 ft.* .....
18. Is building to be on a corner lot, or on an interior lot? (Sec. 5) *interior* .....
19. What per centum of lot will be occupied (when measurements are taken at the ground level)? (Sec. 51) *68.5%* .....
20. What will be the depth of the yard from extreme rear of building to rear lot line? (Secs. 53, 54, 55, 56) *13'-0"* .....
21. Give sizes of unoccupied space in schedule below (Secs. 51-64, incl.):

NOTE.—Under the provisions of sections 51 to 64 of the Tenement House Act (chapter 334 of the Laws of 1901), the size of all open spaces is regulated by the height of the building. Under the provisions of these sections the following *minimum* sizes are prescribed for buildings not over the heights shown in table:

	AMOUNT OF INCREASE FOR EACH 12 FT. OF HEIGHT.	BUILDINGS 24-36 FEET IN HEIGHT.	BUILDINGS 36-48 FEET IN HEIGHT.	BUILDINGS 48-60 FEET IN HEIGHT.	BUILDINGS 60-72 FEET IN HEIGHT.	BUILDINGS 72-84 FEET IN HEIGHT.	BUILDINGS 84-96 FEET IN HEIGHT.
Outer courts, on lot line, width. . . .	6 in.	5 ft.	5 ft. 6 in.	6 ft.	6 ft. 6 in.	7 ft.	7 ft. 6 in.
Outer courts, between wings, width.	1 ft.	10 ft.	11 ft. \	12 ft.	13 ft.	14 ft.	15 ft.



24. Describe intakes or ducts for each inner court (Sec. 63) .....  
 ..... Give size of each. ....  
 Give area of each .....
25. State dimensions of windows for rooms (Sec. 68). *12 sq. ft. + over* .....
26. Will living rooms be provided with fan-lights over doors? *yes* .....
27. State dimensions of windows for bath-rooms and water-closet compartments (Sec. 69). *3 sq. ft. + over* .....
28. Will any part of the public halls be shut off from any other part of the public halls by doors? ..... *no* ..... If so, state how such portions will be lighted and ventilated (Sec. 72) .....
29. State size of ventilating skylight over main stairs (Sec. 83). *4'0" x 6'0"* .....  
 Area of glazed surface? *25 sq. ft.* ..... Is it provided with fixed louvres and also ridge ventilators? *yes* .....
30. Will cellar or basement be occupied for living purposes; and state whether it is the cellar or the basement that is to be occupied? (Sec. 91). *no* .....
- .....  
 Give height of such occupied rooms from finished floor to finished ceiling. ....  
 ..... Give height of ceiling of such rooms above the surface of the street or ground adjoining; and state whether it is the street or the yard.
31. How will the cellar or lowest floor be made damp-proof? (Sec. 92). *concrete + cement* .....
- .....  
 What is the character of the ground or soil? *sand* .....
- .....  
 How will the walls of the cellar or lowest floor be made damp-proof? *tar + asphalt* .....
32. How will the cellar ceiling be constructed? If not fireproof, will it be plastered? (Sec. 101) *fireproof + plastered* .....
33. How many water-closets, baths and other plumbing fixtures will be provided? (Sec. 95.)

	Cellar	Basement	1st Story	2d Story	3d Story	4th Story	5th Story	6th Story	7th Story	8th Story	9th Story	Total
Water-closets (how many)	4	—	4	4	4	4	4	4				28
Urinals, "			2	4	4	4	4	4				22
Wash-basins, "			2	4	4	4	4	4				22
Bath-tubs, "			2	4	4	4	4	4				22
Shower-baths, "			2	4	4	4	4	4				22
Wash-tubs, "			2	4	4	4	4	4				22
Sinks, "	4	—	6	4	4	4	4	4				30

34. Is the street on which building is proposed to be erected now provided with a public sewer? *yes* ..... If not, what disposition will be made of waste and sewage? .....
35. If water-closets or bath-rooms are ventilated by means of a vent-shaft, give dimensions of same (Sec. 85) ..... feet wide by ..... feet long. Will vent-shafts be entirely open at the top? ..... Describe intake for vent-shaft. .... Give size of same. ....



TENEMENT HOUSE DEPARTMENT OF THE CITY OF NEW YORK.

MANHATTAN.  
Office: No. 61 Irving Place,  
S. W. Cor. 18th Street,  
BOROUGH OF MANHATTAN.

Tenement House Department  
of the City of New York.

BROOKLYN, QUEENS AND RICHMOND  
Office: Temple Bar Building,  
44 Court Street,  
BOROUGH OF BROOKLYN.

Received APR. 22 1902

Borough of Manhattan

The City of New York, April 22 1902

Amendment to Plans and Application No. 10 U.B. 1902

Location 226-238 E. 14th St

5 The buildings will be arranged as shown on amended plans filed herewith, and the schedule of unoccupied space, computed at level of 2<sup>nd</sup> tier, will be as follows:-

Outer Court # 1,	6'-6" x 66'-11" =	434'-138" ✓
" " # 2,	6'-6" x 67'-3" =	437'-18" ✓
" "Offset # 1,	3'-0" x 7'-0" =	21'-0" ✓
" " " # 2,	2'-6" x 6'-0" =	15'-0" ✓
Rear Yard,	46'-4 1/2" x 13'-0" =	602'-126" ✓
Total unoccupied space =		1510'-138" ✓
Size of Lot =	46'-4 1/2" x 103'-3" =	4788'-31" ✓
" " Bldg.	46'-4 1/2" x 90'-3" =	3277'-37" ✓
Per. cent of Lot occupied		68.4% ✓

Number of Rooms, Apartments etc. will be as follows:-

No. of Rooms	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	Total
	9	20	20	20	20	20	109
" " W.C. (cellar compartments)	2	0	0	0	0	0	4
" " rooms only outer courts	6	13	13	13	13	13	71

Other rooms etc. as in original application.

Number of fixtures, etc. will be as follows

W. C.	cellar	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	Total
	2	4	4	4	4	4	4	26
Sinks	5	6	4	4	4	4	4	31

Other fixtures as in original application.

The roof of ~~extra~~ store extensions in courts will be level with 2<sup>nd</sup> floor, + skylights will be 2'-0" high to ridge, no louvers.

Other stairs + platforms + stair halls will be at least 3'-0" wide in the clear.

less + small size

36. How will water-closet compartments be lighted and ventilated? (Sec. 95)  
Give source of light. *windows to court; Gas*

37. How will floors of water-closet compartments be made water-proof? (Sec. 95)  
*slate or tile* Will there be a base 6 inches high of water-proof material around same, and state of what material?  
*yes; slate or marble*

38. Describe location and character of water supply for each apartment (Sec. 94).  
*sinks etc. in each apartment*  
Will there be a roof tank? *yes*

39. What part of the building will be used as a store, or for any business purpose?  
(Sec. 110). *front part of 1st story + cellar*

40. Remarks

Received July 10 1902

TENEMENT HOUSE DEPARTMENT OF THE CITY OF NEW YORK.

PLAN No. 10 of 1902.


Benjamin Weisberg  
 says: That he resides at Number 232 E. 10<sup>th</sup> Street  
 in the Borough of Manhattan  
 in the City of New York, in the County of New York,  
 in the State of New York, that he is <sup>owner</sup> the owners in fee of all that certain  
 lot, piece or parcel of land, situate, lying and being in the Borough of Manhattan  
 in the City of New York, aforesaid, and known and designated as Number 226-238  
E. 14<sup>th</sup> Street, and hereinafter more particularly described;  
 that the work proposed to be done upon the said premises, in accordance with the accompanying  
 detailed statement in writing of the specifications and plans of such proposed work, to wit: Plan  
 No. 10 of 1902, is duly authorized to be performed by  
said owner  
 and that Jess + Smallheiser, architects, are  
 duly authorized by him to make application in compliance with Chapters 344 and 466 of the Laws  
 of 1901, for the approval of such detailed statement of specifications and plans in his behalf.

The said land and premises above referred to, are situate at, bounded and described as follows, viz.:


BEGINNING at a point on the southerly side of E. 14<sup>th</sup> Street, distant 139 feet  
westerly from the corner formed by the intersection of  
Second Ave Street and E. 14<sup>th</sup> Street  
 running thence southerly 103'-3" feet;  
 thence westerly 185'-6" feet;  
 thence northerly 103'-3" feet;  
 thence easterly 185'-6" feet  
 to the point or place of beginning.

[SIGNED] Benjamin Weisberg

THIRD AVENUE



14<sup>TH</sup> STREET



2

ig  
of  
ie

*Examiner  
Chiry*

ment House Department  
of the City of New York,  
dated *Sept. 10, 1902*

Plan No. **1902**

..... SHEETS FILED  
NO.....

SECOND AVENUE