#### ENEMENT HOUSE DEPARTMENT OF THE CITY OF NEW YORK,

61 IRVING PLACE, S. W. CORNER 18TH STREET,

July 31st, 1.902 NEW YORK CITY.

To all Owners and Architects who have Filed Plans in the Tonement House Department for New Tenement Houses.

Your attention is called to Esction 122 of the Tonement House Act, which provides that no building constructed after April 10, 1901, whill be occupied in whole or in part for human habitation until the issuance of a certificate by the Tenement House Department and by the Bureau of Buildings that the said building conforms in all respects to the requirements of the Tenement House Act.

This Department has found recently a number of cases in which to owners of new tenement houses have apparently been unfamiliar with this provision of law and have placed tenants in their buildings without such certificates. An inspection of the premises has shown that the buildings were contrary to law and it has become necessary in some cases for the owners to turn out all of their tenants and make the mildings conform to the law, thus incurring expense and trouble which they might have avoided.

As soon as a building is completed, and not before, the owner should make application to the Tenement House Department for a certificate, (a proper form will be furnished by the Department,) and should not place any tenants, not even the janitor, in the building until such cortificate has been granted.

This Department will act promptly upon all such requests for certificates, and will not delay beyond the time necessary to make a thorough and careful examination of the premises.

The Department cannot lawfully grant a certificate unless the building is built in accordance with law in every respect.

If a tenement house is occupied without the certificate of the Tenement House Department it is provided in the Tenement House Act, Section 123, that -

"During such unlawful occupation any bond or note secured by a mortgage upon said building, or the lot upon which it stands, have be declared due at the option of the mortgagee. No rent shall be recoverable by the owner or lessee of such premises for said period, and no astion or special procedding shall be maintained therefor, or for possession of said premises for non-payment of such rent. The department of water supply shall not permit water to be furnished in any such tenement house, and said premises shall be deemed unfit for human habitation, and the Tenement House Department water to be deemed unfit for human habitation, and the Tenement House Department water to be recordingly. ment shall cause them to be vacated accordingly."

Yours respectfully,

Roseite de Joses Tenement House Commissioner.

226-238 E. 14th Street.

N.B. Plan 10/02.

## TENEMENT HOUSE DEPARTMENT OF THE CITY OF NEW Y

MANHATTAN. Office: No. 61 Irving Place, S. W. Cor. 18th Street, BOROUGH OF MANHATTAN.

BROOKLYN, QUEENS AND RICHMOND, Office: Temple Bar Building, 44 Court Street, BOROUGH OF BROOKLYN.

Borough of Manhattan.

The City of New York, March 15th, 190 2.

XXDUENOBURGO

1100

Jocation.

Hon. Robert W. de Forest,

Tenement House Commissioner,

I have examined the amendments to #77, N.B., 1902, (Tenement House Department No.10, 1902,) submitted to the Bureau of Buildings, Borough of Manhattan, and find that the said amendments to wit.,-

court walls will be built in cement HE 1.

and lim

for dumb waiter shafts will be not "Te 2.

less th

ns dividing rear apartments will be of #I 3.

4" thic

- ening on courts will be of wire glass set in fireproof frames as required by Sect. 16 of the Tenement House Act."
- "Doors opening from stair halls will be fireproof and self-5. closing as required by Sect. 9 of the Tenement House Act.
- "Beams less than 8" high will have 8" bearing on walls;" 6. beams over 8" will have 12" bearing on walls."
- "Templates of 12" x 12" x 2-1/2" blue stone will be provided under all beam ends resting on brick walls. "
- "Toof tank will contain 3,000 gallons, and beams supporting 8. same will be 15" - 42 lbs. per ft."

do not come within the jurisdiction of this Department.

Respectful t.t.

Chief.

Department of Buildings of The City of New Y **Вамивы** Самоваці **Јони Сицьолга** THOMAS J. BRADY, President of the Board of Buildings and Commission of Buildings for the Boroughs of Que Buildings for the Borthe Borough and The Bronz. rough of Rich th Avenue, S. W. cor. 18th Street, ch Office. Borough of Queens. Borough of Manhattan The City of New York, March, 10, 1902. Amendment to Application No. 77. N. B, 190 2. Location 226-238 E. 14th St. Easterly and westerly court walls will be built in cement and lime mortar. Terra cotta block filling for dumb waiter shafts will be not less than 3" thick. Fire-proof block partitions dividing rear apartments will be of 4" thick terra cotta blocks. Windows on stair hall opening on courts will be of wire glass set in fire-proof frames as required by Sect. 1% of the Tenement House Act. Doors opening from stair halls will be fire-proof and selfclosing as required by Sect. 19 of the Tenment House Act. Beams less than 8" high will have 8" bearing on walls; beams over 8" will have 12" bearing on walls. Templates of 12" x 12" x 21" blue stone will be provided under all beam ends resting on brick walls. Roof tank will contain 3,000 gallons, and beams supporting same will be 15" - 42 lbs. per ft. 1st Smallking I have theroughly examined the drawings relating thereto and find Dated .. March 18 This is to correct that the within detailed statement of specifications and a come of Burthis relating thereto, have been submitted to the for the Borough of Manhattan Coulpared 2/19/02 revoll. Venas OBarming V

# BUREAU OF BUILDINGS OF THE CITY OF NEW YORK.

Borough of Manhattan.
To Inspector The City of New York, Wy
Application has been made for a Certificate to occupy the Tenement House No.
276 to 240 C. 14th
as provided for by Section 122 of the Tenement House Act.
Please thoroughly examine above premises and report on blank below as to condition of building.
Request for Certificate 190  Plan No. 190  THE CITY OF NEW YORK, 7 2 2 1902
To the Superintendent of Buildings for the Borough of Manhattan.
Sir:- J. Lar Laty.
holding the position of Inspector in the Bureau of Buildings for the Borough of Manhattan,
respectfully report: That on the 21 May of Wavenberr 1902.
I personally examined and carefully inspected the premises and tenement house known as No.
and found that:
The building Lad band constructed in
The building Lad band constructed in accordance with the plans and sprafications as approved by the Superintendent of his dings
I would recommend that a certificate be granted.
DA Tarlatu. Inspector

QRIGINAL.

New Lews

#### TENEMENT HOUSE DEPARTMENT

THE CITY OF NEW YORK

MANHATTAN OFFICE. No. 44 EAST 23d STREET, S. W. Cor. 4th Avenue.

No. 391 EAST 149th STREET.

BRONX OFFICE, Tenement House Department Received BROOKLYN OFFICE, No. 503 FULTON STREET,

JUL 26 1912

PLAN No. SLIP ALT.

191 7 FILED

191

APPLICATION FOR SLIGHT ALTERATIONS AND REPAIRS. APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the THE APPLICANT AGREES TO COMPLY WITH ALL Tenement House herein described. PROVISIONS OF LAW AND ORDINANCES IN THE ALTERATION OF SAID BUILDING WHETHER SPECIFIED HEREIN OR NOT.

Note.—The above signature to be that of the owner or of the person authorized by him to make application.

The approval of plans, procured by misrepresentation of facts or conditions, mis-statements in applications, or through improper action by any officer or employee of this Department, does not legalize an Illegal construction, arrangement or condition.

### INSTRUCTIONS.

#### VERY IMPORTANT THAT SAME BE CAREFULLY READ.

Three sets of Applications and two sets of Drawings must be filed.

All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be cloth prints, and the proposed new work must be clearly distinguished from the old work by dotted lines or by other conventional

All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be cloth prints, and the proposed new work must be clearly distinguished from the old work by dotted lines or by other conventional methods.

After approval by the Tenement House Department, one set of plans and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department.

The dimensions and boundaries of each lot must be clearly marked on plans, as must the clear measurements of all courts, yards, shafts, rooms, stairs and halls, the location of all fire-escapes, and the use to which each room and the several portions of the cellar are to be put. With each application, no personally signed by the owner, must be filed a written statement (see page 3), authorizing the person signing this application to make such application. Thereafter no person other than the owner whose signature appears in the papers, or the person authorized by him as above explained, will be recognized by the Department. A new owner or a new architect may be substituted during the progress of the work only after filing a new authorization, as per page 3.

When necessary the Department may require a block plan, on sheet 8½x13½ in. (on linen tracing cloth or cloth print), giving dimensions and boundaries of each lot, distance of same from adjacent streets, the size of the building, with general dimensions, including dimensions of all courts, yards, areas, shafts and offsets from the same.

Disapproved amendments are rejected in their entirety. A subsequent amendment, filed to meet the objections, must also contain all items proposed in the original amendment not specifically disapproved.

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes affecting the sizes of lots, buildings, courts, rooms, or halls are made, separate drawings showing such changes must be filed, if required by the Department. Amendments must be typewri

	Borough of Manhattan Date July 24 1912
	No. of tenement houses to be altered
2.	Location 234-236-238-240 East 14th Street.
	Owner Louis Meiber Address 5 West 111 St.
4.	Architect Januarhery & Leachtay Address 7 Wast 22 Street
5.	Estimated cost of alterations or repairs 1000
6.	Size of each lot! 46-4/2 X 103-3" front; 103-3" deep.
7.	Size of building on front of lot? 46-4/2 x90-3 front; 90-3 deep.
	Size of building on rear of lot?deep.
8.	Material of building? Snick & Stone
9.	Is the building that is to be altered on the front or rear of the lot? Front
	Is there any other building on the lot? For what purpose will it be used?

1
11. How occupied at present? Lenement & Trees No. of families? 22
Cellar Basement 1st Fl. 2 2d Fl. 3d Fl.
4th Fl. # 5th Fl. # 6th Fl. #
12. How occupied after alterations are completed? Some No. of families? 2 =
Cellar Basement 1st Fl. 2 2d Fl. 3d Fl.
4th Fl. 4 5th Fl. 4 6th Fl. 4
13. Is there a basement? Is there a cellar?
14. Number of stories above cellar or basement? Lin (6) Height of cellar or basement
above curb?
15. Has the building been erected since April 10, 1901?
16. Will the building or any part thereof, or any part of the premises, be occupied during the progre
proposed alteration ?
If the building is to be occupied during alterations give the following information:
A. Will the front, rear, or side walls or any portion thereof be removed?
State in detail in what manner and for what purpose
B. Will a proper and sufficient means of egress from the building to street, to yard, and to fire e
maintained at all times during the progress of the alteration?
c. Are the fire escape balconies, stairs or ladders, or any portion of same to be altered or remove
details
State in what respects.  The Are the general water closet accommodations to be altered? State in what respects
F. Will the occupants of the building be fully provided with proper water closet accommodations of the alterations?
G. Will there be an adequate and sufficient supply of water on all floors at all hours of the day a
H. Will there be a light kept burning in the public hallway near the stairs upon the entrance story
the second story above the entrance story, from sunset to sunrise? State character of light
No alterations or repairs except the following are proposed to be made to the said tenemen-
Camove freent forejactions tone doorway rom
fores show windows and reset some flush
Usly line. Present front area aging, grain
10x Auch with A Sewalh. Mour com
old rounce removed new steps is
E. Trance as shown on Alas
Signature of applicant from the fee
Address 7 we 521

# ITE BUKLAU OF BUILDINGS OF THE CITY OF NEW YURK

FOR THE BOROUGH OF MANHATTAN

PO ALD TO ALD
PLAN No. 2192 of 191 NEW BEILDINGS 1912
STATE AND CITY OF NEW YORK,)
COUNTY OF NEW YORK.
Herman Generter of Gronentery & Herek
being duly sworn, deposes and says: That he resides at Number / Mest 222
in the Borough of Manfattan
in the City of New York , in the County of New York
in the State of Kentyfork, that be is Louis Neiberg
owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made
a part hereof, situate, lying and being in the Borough of manfattan
in The City of New York aforesaid, and known and designated as Number 234/40 & 14 Nh
S.S. 1390 W. of 2 rd areane., and hereinafter more particularly described;
that the work proposed to be done upon the said premises, in accordance with the accompanying detailed
statement in writing of the specifications and plans of such proposed work, is duly authorized to be
performed by Jaid Owner
- Henry & la outlest touches and
and that Auran Governey alvert duckag are
duly authorized by Jack Currie
to make application for the approval of such detailed statement of specifications and plans
in he behalf.
Deponent further says that the full names and residences, street and number, of the owner or
owners of the said land, and also of every person interested in said building or proposed building, structure
or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any
representative capacity, are as follows:
Lovio Keitery No.5 Hest 11/ St
as Cioner
Jours Kertery  as Currer  was yenester taltest teneticy No. 7 West 22 21
as architects.
No
as
No
^as

BEGINNING at a point on the Jour		side of 6	ust 14	2 4
		139 6	••	fee
Heste	from the	corner formed	by the inter	section o
South west lov of	2 reare	and 14	Sh	- 1747 - 1747-1444
running thence	Neste	Jy 92'	9 ''	feet
ncei	Jour	1 103'6	, "	feet
	East	92'9		
nce	Kout	103/3		fee
nce	Lato #	= 25/27	******************	166
the point or place of beginning.	Block	469.		
104		v/. (		
orn to before me, this	4	Heman)	houle	ebes
day of My grot 1912			1	$\overline{}$
Int-			/	
J. N. Neller	7			
Notary Public Cour.	of Deed C	o <del>unty.</del>		
	140	C.	• .	
		4 10-		
Section 1 1 1 1	9.			
The state of the s		EGG TO SEE THE SEE		
and the second s				
a de la compansión de l				
		v.		
		riv.		

מימיי

Fови No. 2—1911.	28 n-2-11 (B) 20,000	27
	Applicant must indicate the Building Line	
	Lines clearly and distinctly on the Drawings	
Office of the	Borough President of the Borough of Manhattan,	
B 469	Borough President of the Borough of Manhattan, In The City of New York.  U OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.	2-
THE BUREA	U OF BUILDINGS FOR THE BOROUGH OF MANHATTAN	
	Office, No. 220 FOURTH AVENUE,	20
210	S. W. Corner 18th Street.	
Plan No.	WHAT POL	
A CONTRACTOR	LICATION TO ALTER, REPAIR, ETC.	
	royal of the detailed statement of the specifications and plans herewith submitted	
	rs of the building herein described. All provisions of the Law shall be complied	
with in the alteration or	epair of said building, whether specified herein or not.	
	(Sign here) Herman growing & Albert Le	ruck
	THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, aug 16, 1912	

## LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1	Ĺ.	State how many buildings to be altered 5 wo
		Source now mixing buildings so be selected.
4	3;	What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet
		from the nearest street or avenue, and the name thereof)
	2	23 4, 236, 23 8, 2 40, East 14 th U.
	,	234, 236, S.S. 185-1/2 W. of Second avenue 238/240 S. S. of 134'0" W. of Second a
į,	3.	How was the building occupied? apr & stores.
		How is the building to be occupied?
4	<b>1</b> .	Is the building on front or rear of lot? Front Is there any other building erected on lot or
		permit granted for one? Size ; height How
		occupied? Give distance between same and
		proposed buildingfeet.
Ę	ŏ.	Size of lot? 46 4/2 feet front; 76-4/2 feet rear; 103-3" feet deep.
6	3.	Size of building which it is proposed to alter or repair? 16-1/2 feet front; 46-1/2 feet rear;
		90-0 feet deep. Number of stories in height? 6 Height from curb level to
		highest point? 67-0"
7	7.	Depth of foundation walls below curb level? 10'0 and over Material of foundation walls?
		Stone Thickness of foundation walls? front 24 inches;
		rear 24 inches; side 24 inches; party 24 inches.
8	3.	Material of upper walls? Brick If ashlar, give kind and thickness
		Total and michigan
ç	). •	Thickness of upper walls:
		Basement: frontinches; rearinches; sideinches partyinches.
		1st story: " There " " 16 " " 16 " " 16 "
		2d story: " 12 " " 12 " " 12 " "
		3d story: " /2 " " /2 " " /2 "
		4th story: " 12 " " 12 " " 12 " " 12 " " 12 "
		12
10		
ΙŲ	<i>.</i> .	Is roof flat, peak or mansard?

and state in what manner: If altered internally, give definite particulars, and state how the building will be occupied: How much will the alteration cost? If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: 50. Is any part of building to be used as a store or for any other business purpose, if so, state for what? Cellar How many families will occupy each? 51. Height of ceilings? <u>5º.</u> 53. How basement to be occupied !\_ How made water-tight?\_\_\_\_ Will cellar or basement ceiling be plastered?\_\_\_ \_ How ?\_ How will cellar stairs be enclosed?\_ 55. How will cellar be occupied? How made water-tight ?\_\_\_ Will shafts be open or covered with louvre skylights full size of shafts?\_\_\_\_ Size of each shaft?\_\_

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,