B-165 L50/51-103-2 PAVE.

"D STREET

HOUSE NO. AND STREET


HOUSE NO. AND STREET


51 10307=(laridaa R	L 50 EV 5027-00* ER 966-03*	(Alternative Malanta and Annual Annua			DDI IC	ATIONS	
MR 4964-08		12-4102 MG	ER 9506-03			A	PPLIC	ATIONS	
V 200-05 A V 200-05 A V 200-05 A	V	on 4541-35 3	II. 4084-03 ER 8179-02 ER 3384-04	(IND	NO.	YEAR	FILED	COMPLETED	DRAWINGS
7: 1:131-13 7: 1:139-13		83A+2375-36	MR 8638-04 TO 10917-01 MR 4176-02	10.	514	1904		Ĭ.	Iwile:
and NINE -	151		B. 465	- 1.f.	2678	1913			
3297-304 5° 7-017	AR 687-05 V 746-05* AR 4244-05	7. A. C. A. S. C. A.	2)	19.	357	1918			
1949-01 176-02 276-6	ER 10768-05 SR 10136-12 7 4739-13*			3.	772	1954		4	
(14 - 35° (142-43 (140-43	F 358-18* EUA 394-18* UR 3021-19		vi #:						
: 14-24 	ioa 2281-27 Bh 2874-27		** 5	(del					
99.04* 5CU*	MSA 2744-28 SR 4341-33 MGA 1702-34								
	EN 1128-99 BS, 0006-96 March 126								
गान्य करात्रेश तहस्यहरू	- Prosting on New Jupesse A	amin's rout anno Dopartment of Build	5កខ្លះ				**************************************		**************************************
			10				e-n-16- 1-11-v2-		
DEDADTA	CENT OF HOUSE	NG AND BUILDIN	IGS 11		(1-)	7 (Mary 1 (

GRIGINAL.

Form 1 -- 1902.

Office of the Borough President of the Borough of Manhattan,





Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of

Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not. Berustein & Beruste THE CITY OF KEW YORK, BOROUGH OF MANHATTAN 1. State how many buildings to be erected..... (State on what street or avenue; the side thereof, the number of feet from 2. What is the exact location thereof? be erected on the front or rear of lot?...? for dwelling, state the number of families in each Size of lot? 47-10 = feet front; 32-9- 1 feet rear; 125-0 feet deep. Give diagram of same. Size of building? #7-105 feet front; 25-107 \$8-57 ret rear; 12-0-7) ket deep. Number of stories in height: main building?..... Extension? Height from curb level to highest point: main building? 68-0, feet. Extension? ... feet. What is the character of the ground: rock, clay, sand, etc.? Sand Will the foundation be laid on earth, rock, timber or piles ? Zazth.... Will there be a cellar?..... What will be the base, stone or concrete? Oueself If base stones, give size and thickness, and What will be the depth of foundation walls below curb level or surface of ground?..../ O. -O"...... Of what will foundation walls be built? 19206. Give thickness of foundation walls: front, inches; sides, inches; rear, 2.0 "inches; party, 24 × 26" inches



J OF BUILDINGS

THE CITY OF NEW YORK, OUGH OF MANHATTAN.

led Statement of Specifications

OF BRICK BUILDINGS.

LOCATION.

Report.....javorably.

Inspector.

Borough of Manhattan,

This is to certify that the within detailed statement of specifications and a copy of the plans relating thereto have been submitted to the Superintendent of Buildings

for the Borough of Manhattan, and are hereby

Superintendent of Buildings for the Borough of Manhattan

	, (Dal		./
	Verw York	2. W.L	190.	ship
.P. ans.	or P & D	15-29 24 4-25 5-25	en est prope	Ct.
100	700	with	cer	2
Carl	$\cdots \cdots C n$	ief-Insp'r f	8	· Com
	esses Kasar essa e	'دے۔ د د د د د د د د د د د	F.E.	
6				
decer	ggarasa istori		or the state of the	

	CLASSIFICATION.																																										
*		/*			Ç	-	11.	1	1.			7.	Ź.	6	2	/	1.	1	Ž.	02 -	2.	//	,		67.	1			1	2	17					1			9			×	30
	•		6	//	100	2	-	Ä	-				1		1	7	e.	2	A. 10.		7.73	6		1.1			1	1			3						,	1				100	3
*	٠	٠	•	•	•		٠	٠	٠	٠	•	٠		٠					٠					•		•		?			6					6				•		2	
٠	•	٠					٠	٠		•	ř	٠	2				è	٠	÷			٠	٠		5	ō		·	,	٠		ø		(·			٠	,	٠			٠	3
*		•	•		90	٠	e		1	•	*	•	29			×	٠	*	*	×	*	*	.0		٠	×	٠	ř	e	*	٠		•	•	٠		٠) * (æ	٠		(*)	0
*		÷	•	٠	٠		٠	4	۰	•	٠	٠	•	٠	٠	٠	œ	٠	٠	•	٠	٠		(*)		٠	œ	٠) # (٠	•	*	٠	*	•		٠	٠		٠	٠	0
2		i i		•	*	٠		٠		ŝ	•			٠		٠		(*)		٠	•	٠	٠	٠	٠	٠	٠	•	€	•			٠				٠	٠	*		٠	٠	
	•	9	ě	٠		*	*	•	9	٠	٠		*	•	٠	٠	•	٠		0.51	*	•	•		×	٠	٠	9	e	*	×	٠	٠	•	٠			•	٠		٠	٠	100

1.1	Will interior supports be brick partition walls or piers, iron columns or wooden posts? Buest walls
14.	Will interior supports be brick partition wans or piers, iron columns or wooden posts?
	Give size of same
15.	If piers, give thickness of cap stones or platesbond stones or
	plates
16.	Give base course, width and thickness
17.	Will any part of front, side or rear wall be supported on piers in cellar?
	Give size: front /2x16-24x31\32x36. size of base course 20 tuen 7/2 wider all aroung
	геат " " "
	side " " " "
	Size of cap stones. 1. 2" X 2131 of Puls size of bond stones. 4" X Size of Puls
18.	Of what materials will the upper walls be constructed?
	What will be thickness of upper walls, exclusive of ashlar, if any?
	Basement: frontinches; rearinches; sideinches; partyinches
	1st story: " " " 16 " " 16 " " 8" "
	2d story: " 16. " " 16. " " 16. " " 18. " "
	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	5th story: "
	6th story: " " " " "
	7th story: " " " " " " " " " " " " " " " " " " "
£350£3	
19.	What will be the materials of the front?If of stone, what kind?
20.	Will flues be lined with pipe or have 8 inches of brick around the same?
21.	Will any wall be supported on iron or steel girders?
-1.	Front, material 15" \20" weight or thickness 60 \ 65
	Side, " " " " "
	Vi Alexandra vivas estados esta
	Interior.
	Will any wall be supported on iron or steel columns? Front, material C.I. size / 2 weight or thickness / 3
	Side, " " ***************************
3	Rear, " "
	Interior, " " " " " " " " " " " " " " " "
22.	Give material of girders
	Under 1st tier, size of girders; size of columns
	" 2d tier, " " " " "
	" 3d tier, " " " "
	" 4th tier, " " " "
	" 5th tier, " " " "
	" Roof tier, " "


The Bureau of Buildings for the Borough of Manhattan.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,190
To the Superintendent of Buildings for the Borough of Manhattan.
I respectfully report that I have thoroughly examined and measured the wall, etc., named in the foregoing
application, and found the foundation wall to be built ofinches thick,
feet below curb, the upper wall. built ofinches thick,
feet deep,fcet in height, and that the mortar in said wall. is
hard and good. The
in a good and safe condition to be used as proposed.
What is the nature of the ground?
What kind of sand was used in the mortar?
(The Inspector must here state what defects, if any, are in the walls.)
(The Inspector must state the thickness of walls in each and every story.)

Inspector.
REPORT OF INSPECTOR AS TO COMMENCEMENT OF WORK.
THE CITY OF NEW YORK,
Borough of Manhattan, March. 1.2. 1903
To the Superintendent of Buildings for the Borough of Manhattan.
Work was commenced on the within described building on the
offiely
Inspector.
FINAL REPORT OF INSPECTOR.
THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, Clarch 1 190 5
To the Superintendent of Buildings for the Borough of Manhattan. Work was completed on the within described building on the
of
and of size as per application, and all work upon said building has been done in accordance with the foregoing
detailed statement, except as noted below. Respectfully submitted,
Mm L. M-1 Leon Inspector
The sector of th
REMARKS.
TOPMI ALUINO.

,



THE DUREAU STATES OF THE CITY OF NEW YORK FOR THE BOROUGH OF MANHATTAN.

PLAN No
State and City of New York, ss.:
County of
Mutchell Brustrin
being duly sworn, deposes and says: That he resides at Number
in the Borough of Mauhattan
in The City of , in the County of CC
the blade of, that he is.
one of the architects for the
owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part
hereof, situate, lying and being in the Borough of
in The City of New York, aforesaid, and known and designated as Number. 157-155 Secondary
, and hereinafter more particularly described;
that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement
in writing of the specifications and plans of such proposed work, is duly authorized to be performed by
owner
and that hr is
duly authorized by
to make application for the approval of such detailed statement of specifications and plans in
behalf.
Deponent further says that the full names and residences, street and number, of the owner or owners of the
said land, and also of every person interested in said building or proposed building, structure, or proposed structure.
premises wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:
N. Lerus No 14 11 Mas. Com
Brusten & Brustin No 12 Grice ity Cl
NI al Suci
as executives

NoNo
as
No
asas

[OVER]

The said land and premises above referred to, are situate at, bounded and described as follows, viz.:
BEGINNING at a point on the Vest side of 2005
$ \int \dots \dots$
from the corner formed by the intersection of
210st and Sulars
thence. South 32' 91"
thence. Zast 1351
thence North 47'104" feet;
to the point or place of beginning.
day of June 190 & Mitclell Beneley
day of June 190 & Mitchell Benelen
TOTAL CONTRACTOR OF THE PARTY O
THE RESE FORK
Notary Public,

Superintendent of Buildings for the Borough of Manhattan.

THE BUREAU OF BUILDINGS

OF THE CITY OF NEW YORK

BOROUGH OF MANHATTAN

APPLICATION

FOR

Tenement House Certificate

Premises	151	-153 -	2nd A	renue.	į:
		101	_		
Certifica	te <i>N</i> o W W	0 17	is	ssued to	
S IV		ani	164	190	5
(/	.51	1.6	190 V	<i>'</i>
File wit	h Plan I	100 J	V. P) lux)
7		1	1	Ch	110
1 1	11/1/1	190 5			

BUREAU OF BUILDINGS



BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

ALT. APPLICATION No	OLLY OF NEW YORK
LOCATION 155 - 2nd Ave., - 4.	-{md Ame., - 100' & of loth At
	New York City
To the Superintendent of Buildings:	
ALTERATION of the building therein described,—with the time of issuance, this approval shall expire by limitation as pro and regulations of the Bureau of Buildings for the Borough of Manl and with every other provision of law relating to this subject in ef	
(Sign here) ()/oluas & chma	Applicant
becomes a PERMIT as required by the Building Codescribed in the foregoing statement and the attached permitted and Recommended for Approval on	
	Examiner
APPROVED191	Superintendent of Buildings, Borough of Manhattan
CITY OF NEW YORK SS.:	Clouds Schnarty (Applicant)
being duly sworn, deposes and says: That he resides a	
	in the Borough of Madruth n
in the City of	
	, in the County of $\mathbb{H}_{\bullet}\mathbb{X}_{\bullet}$
in the State of	, in the County of H.Y. , that he is tarchitect for
in the State of	
in the State of Abra' an Fold, owner in fee of all that certain lot, piece or parcel of land	, that he is tarchitect for
in the State of Abra' an Fold, owner in fee of all that certain lot, piece or parcel of land	, that he is tarchitect for d, shown on the diagram annexed hereto and made a part
in the State of Abraham Folf, owner in fee of all that certain lot, piece or parcel of land hereof, situate, lying and being in the Borough of Madesignated as Number 153-2nd Ave	, that he is tarchitect for d, shown on the diagram annexed hereto and made a part
in the State of Abrahan 1911, owner in fee of all that certain lot, piece or parcel of land hereof, situate, lying and being in the Borough of Madesignated as Number 153-2nd Ave and hereinafter more particularly described; that the wo	d, shown on the diagram annexed hereto and made a part anhattan, City of New York aforesaid, and known and

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by

Absolute Colf,

[Name of Owner or Thessee]

and that

he is

duly authorized by the aforesaid

said orner

to make application

for the approval of such detailed statement of specifications and plans (and amendments thereto) in behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

		Names A	ND Addresses		
Owner	Ahwersn Lolf,		105-	105 Ave., A	
***************************************	***************************************	***************************************		·····	
••••••					
••••••••••					
***************************************				e, 5	
***************************************		***************************************		*****************************	
Lessee					
Architect	Tobia	s Schwartz	, 540 I.	173rd St	
				cribed as follows, viz.:	BEGINNING
	the N s		2nd Avo		
distant	100' feet	S.	from the	corner formed by the	intersection of
	10th St.,	1	and , -	201d Are	
running thenc	e Vest 100		feet; thence	N. J.	feet
thence	7/0 11 431		feet; thence	ene de	
		3			fee
to the point or		being designated o	n the map as Block No.	. 4-6 Lot No.	4 6 5
Sworn to befor	o mo, moe)	A	, , , , , , , , , , , , , , , , , , ,	
day of	ANE O	191 3 }	Zolowas	Dolmo	rt
		Q	7		0
	- JAIN	nast /	12-10		
		SQ.	1		
	Z	U Z Z			
	0 ,	D I ATTA			
	TI	EAU OF BUILDINGS OROUGH OF MANHATTAN CITY OF NEW YORK	r.		
	4 ≥	B I MA			
	24 24	OF 1 OF OF N			
	<u>ы</u> ы	U C			(f
	T T	EAU OROUG CITY	-		

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE-This Application must be TYPEWRITTEN and filed in TRIPLICATE. "SPECIFICATIONS-SHEET A" [Form 152-1913] must be filed with EVERY Alteration Application. "SPECIFICATIONS-SHEET B" [Form 158-1913] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No.	2678 ₁₉₁ 3	AUG 14 1913 PROJECT OF MARIJATION
LOCATION 153 -2nd Ave.,	- W.S. 2nd Ave., - 100' S of	BORDICH OF MARMATTAN GITY OF NEW YORK 10th St
Examined	191	Examiner

	SPECIFIC	ATIONS—SHEE	$\frac{\Gamma}{A}$		
(1)	Number of Buildings to be Altered Any other building on lot or permit	l granted for one?	0		
(2)	ESTIMATED COST OF ALTERATION: \$	200.00			
(3)	Occupancy (in detail): Of present building	nts			
	Of building as altered				
(4)	Size of Existing Building: At street level 48 t At typical floor level 48 t Height 6	feet front feet front stories	87 87 65		t deep t deep t
(5)	Size of Building as Altered: At street level 48' At typical floor level 48' Height 6	feet front feet front stories	87 87 65		t deep t deep t
(6)	CHARACTER OF CONSTRUCTION OF PRESENT	Building:		[Frame, Ordinary or Fireproof]	
(7)	STATE GENERALLY IN WHAT MANNER THE BU	ILDING WILL BE ALTERED			
	r more shor window W. stor	e & construct s	er inter	dlush with build	ing

line. base of material wood metal covered, all as shown on plane no other alterations done or to effect the T.R.Rept.

(Sign here) Toluas Odwartz Applicant

Aug. 14, 13