

Plan No. 24

(Original)

Received AN 11 1891

**B
L
M**

435

APPLICATION FOR ERECTION OF BUILDINGS.

1

I, Charles Ruff hereby made to erect one building — as per subjoined detailed statement of specification for Erection of Buildings, and I herewith submit Plans and Drawings of such proposed building and I do hereby agree that the provisions of the Building Law will be complied with whether the same are specified herein or not.

NEW YORK, Jan. 5 1891 (Sign here) Charles Ruff
per Schneider & Hertler Archts

1. State how many buildings to be erected. one
2. How occupied? If for dwelling, state the number of families. dwelling 10 families & Janitor Rooms in Basement
3. What is the street or avenue and the number thereof? Give diagram of property. No 97 E. 7. Street
4. Size of lot. No. of feet front, 19; No. of feet rear, 19; No. of feet deep, 97'-6"
5. Size of building. No. of feet front, 19; No. of feet rear, 19; No. of feet deep, 84'-2"
No. of stories in height, 5; No. of feet in height from curb level to highest point of roof beams, 59'-6"
6. What will each building cost exclusive of the lot? \$ 20000
7. What will be the depth of foundation walls from curb level or surface of ground? 10 ft
8. Will foundation be laid on earth, sand, rock, timber or piles? earth
9. What will be the base, stone or concrete? stone If base stones, give size and thickness and how laid. 8" thick 2'-6 x 3'-0 laid edge to edge If concrete, give thickness. _____
10. What will be the sizes of piers? _____
11. What will be the sizes of the base of piers? _____
12. What will be the thickness of foundation walls? in front 20" in rear part 2'-0 Of what material constructed? in front part hard burnt brick & cement mortar in rear part quarry block stone & cement mortar
13. What will be the thickness of upper walls? Basement, _____ inches; 1st story, 16 inches; 2d story, 12 inches; 3d story, 12 inches; 4th story, 12 inches; 5th story, 12 inches; 6th story, _____ inches; 7th story, _____ inches, and from thence to top, _____ inches. Of what materials to be constructed? of hard burnt brick & sand mortar
14. State whether independent or party walls. independent
15. With what material will walls be coped? blue stone
16. What will be the materials of front? brick & stone If of stone, what kind? sand stone
Give thickness of ashlar. 4" Give thickness of backing in each story. 16" in 1st story
17. Will the roof be flat, peaked or mansard? flat
18. What will be the materials of roofing? tin
19. Give size and materials of floor beams. 1st tier, 3 x 10 spruce; 2d tier, 3 x 10; 3d tier, 3 x 10; 4th tier, 3 x 10; 5th tier, 3 x 10; 6th tier, _____; 7th tier, _____; 8th tier, _____; roof tier, 3 x 9
State distances from centres. 1st tier 16" inches; 2d tier, 16 inches; 3d tier, 16 inches; 4th tier, 16 inches; 5th tier, 16 inches; 6th tier, _____ inches; 7th tier, _____ inches; 8th tier, _____ inches; roof tier, 20 inches.
20. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, _____ under each of the upper floors, _____
Size and materials of columns under 1st floor, _____ under each of the upper floors, _____
21. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars. iron lintels will be placed over 1st story front windows
22. If girders are to be supported by brick piers and columns, state the sizes of piers and columns. _____
23. State by whom the construction of the building is to be superintended. Schneider & Hertler
N. Y. 27 1891

Traps



IF THE BUILDING IS TO BE OCCUPIED AS AN APARTMENT OR TENEMENT HOUSE,
GIVE THE FOLLOWING PARTICULARS.

1. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a store or for any other business purposes, state the fact, *Two families on each floor 10 families in all & Janitor Rooms in Basement*
 2. What will be the heights of ceilings? 1st story, *10-6* feet; 2d story, *9-6* feet; 3d story, *9-6* feet; 4th story, *9-6* feet; 5th story, *9-6* feet; 6th story, _____ feet; 7th story, _____ feet.
 3. How are the hall partitions to be constructed and of what materials? *of studs set plumb on sill & plates & plastered both sides. The water closet shaft will be constructed of 4" angle iron frame filled in with fire-proof material.*
- Owner *Charles Ruff* Address *228 E. 10 Street*
Architect *Spencer A. Hester* Address *48 Biblehouse*
Mason _____ Address _____
Carpenter _____ Address _____

IF A WALL OR PART OF A WALL ALREADY BUILT IS TO BE USED, FILL UP
THE FOLLOWING.

The undersigned give notice that _____ intend to use the _____ wall of building _____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____ inches thick, _____ feet below curb; the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

NOTE.—In making application for the erection of buildings the following drawings must be furnished: Plans of each and every story, front, rear and side elevations, and longitudinal and transverse sections. All plans must be drawn to a uniform scale and must be on tracing cloth, properly designated and colored.

THE BUILDING LAW REQUIRES:

- 1st—All stone walls must be properly bonded.
- 2d—All skylights having a superficial area of more than 9 square feet must be of iron and glass.
- 3d—All buildings over two stories or above 25 feet in height, *except dwellings, school houses, and churches*, on streets less than 30 feet wide, must have iron shutters on every window and opening above the 1st story. The front windows on streets over 30 feet wide are exempted.
- 4th—Outside fire escapes are required on all dwelling houses over two stories in height, occupied or built to be occupied by two or more families on any floor above the first, and on dwellings more than four stories in height, occupied by three or more families above the first floor, and on office buildings, hotels and lodging houses, factories, mills, workshops, hospitals, asylums and schools, all to be constructed as follows:

BALCONIES MUST NOT BE LESS THAN THREE FEET WIDE.

BRACKETS must not be less than $\frac{1}{2}$ x $\frac{1}{4}$ inches wrought iron, placed edgewise, or $\frac{1}{4}$ inch angle iron $\frac{1}{4}$ inch thick, well braced, and not more than three feet apart, and the braces or brackets must be not less than $\frac{3}{4}$ inch square wrought iron, and must extend two-thirds of the width of the respective brackets or balconies. In all cases the brackets must go through the wall, and be turned down three inches.

BRACKETS ON NEW BUILDINGS must be set as the walls are being built. When brackets are to be put on old houses, the part going through the wall shall not be less than one inch diameter, with screw nuts and washers not less than five inches square and $\frac{1}{2}$ inch thick.

TOP RAILS.—The top rail of balcony must be $\frac{1}{4}$ inch x $\frac{1}{2}$ inch wrought iron or $\frac{1}{2}$ inch angle iron $\frac{1}{4}$ inch thick, and in all cases must go through the walls, and be secured by nuts and 4 inch square washers, at least $\frac{1}{2}$ inch thick, and no top rail shall be connected at angles by the use of cast iron.

BOTTOM RAILS.—Bottom rails must be $\frac{1}{4}$ inch x $\frac{3}{4}$ inch wrought iron or $\frac{1}{4}$ inch angle iron $\frac{1}{4}$ inch thick, well leaded into the wall. In frame buildings the top rails must go through the studding and be secured on the inside by washers and nuts as above.

FILLING-IN BARS.—The filling-in bars must be not less than $\frac{1}{2}$ inch round or square wrought iron, placed not more than 6 inches from centres, and well riveted to the top and bottom rails.

STAIRS.—The stairs in all cases must be not less than 18 inches wide, and constructed of $\frac{1}{4}$ x $\frac{3}{4}$ inch wrought iron sides or strings. Steps may be of cast iron of the same width of strings, or $\frac{5}{8}$ inch round iron, double rungs, and well riveted to the strings. The stairs must be secured to a bracket on top and rest on and be secured to a bracket or extra cross bar at the bottom. All stairs must have a $\frac{3}{4}$ inch hand rail of wrought iron, well braced.

FLOORS.—The flooring of balconies must be of wrought iron $\frac{1}{4}$ x $\frac{3}{4}$ inch slats placed not over $\frac{1}{2}$ inches apart, and secured to iron battens $\frac{1}{4}$ x $\frac{3}{4}$ inch, not over three feet apart and riveted at the intersection. The openings for stairways in all balconies shall not be less than 20 inches wide and 33 inches long, and have no corners.

DROP LADDERS.—Drop ladders from lower balconies where required shall not be less than 14 inches wide, and shall be made of $\frac{1}{2}$ x $\frac{3}{4}$ inch sides and $\frac{5}{8}$ inch rungs of wrought iron. In no case shall a drop ladder be more than 12 feet in length. In no case shall the ends of balconies extend more than nine inches over the brackets.

SCUTTLE LADDERS.—Ladders to scuttles shall be constructed in all cases the same as the stairs or step-ladders from balconies of fire escapes.

THE HEIGHT OF RAILING around balconies shall not be less than two feet nine inches.

~~No~~ No Fire Escape will be approved by this Bureau if not in accordance with above specifications.

- 5th—All walls must be coped with stone or terra cotta. If coped with stone, the stone must not be less than $2\frac{1}{2}$ inches thick; and if with terra cotta, the terra cotta must be made with proper lap joints.
- 6th—Roofs must be covered with fire-proof material.
- 7th—All cornices must be fire-proof.
- 8th—All FURNACE FLUES OF DWELLING HOUSES shall have at least eight inch walls on each side. No furnace flues shall be of less size than eight inches square, or four inches wide and sixteen inches long, inside measure. If preferred, the furnace flues may be made of cast iron or fire-clay pipe of proper size built in the walls, with an air space of not less than one inch between said pipes, and four inches of brick wall on the outside.
All flues not built for furnace or boiler flues must be altered to conform to the above requirements before they are used as such.
- 9th—No iron beam, lintel, or girder, intended to span an opening over eight feet, intended to support a wall, shall be used for that purpose, *until tested and approved* as provided by law.

REPORT UPON APPLICATION.

Fire Department, City of New York,

BUREAU OF INSPECTION OF BUILDINGS.

New York, _____ 189

To the Superintendent of Buildings:

I respectfully report that I have thoroughly examined and measured the wall____,etc., named in the foregoing application, and found the foundation wall____to be built of____ inches thick,____feet below curb, the upper wall____built of____ inches thick,____ feet deep,____ feet in height, and that the mortar in said wall____ is____ hard and good, and that the wall____ built as party wall____ and____ in a good and safe condition.

What is the nature of the ground?_____

What kind of sand was used in the mortar?_____

(The Inspector must here state what defects, if any, are in the wall.)

(The " " state the thickness of wall in each and every story.)

Inspector.

FINAL REPORT OF INSPECTOR.

New York, October 1st 1891

To the Superintendent of Buildings:

Work was commenced on the within described building on the 20 day of July 1891 and completed on the 10 day of September 1891, and all the iron girders, beams and columns are properly set, and of size as per application, and all the work upon said building has been done in accordance with the foregoing detailed statement, except as noted below.

Respectfully submitted,

August Pinsted Inspector.

REMARKS.

Original
Form 1 1888
Fire Department, City of New York.

Bureau of Inspection of Buildings.
Detailed Statement of Specification
FOR
NEW BUILDINGS.

No. 27 Submitted Jan 12 1891
LOCATION.

1705
97 East 7th Street
Owner Charles Huff
Architect Schneider & Hertler
Builder

Received by 189
Returned by 189

Report favorable.

Referred to Inspector 9 Wick
Jan 20 1891

Returned Oct 5 1891
August B. Birnstiel
Inspector.

100 Exchange Place
New York, Jan 13 1891

This is to certify that I have examined the within detailed statement, together with the copy of the plans relating thereto, and find the same to be in accordance with the provisions of the laws relating to Buildings in the City of New York, that the same has been approved, and entered in the records of this Bureau.

Ernest McDonald
Superintendent of Buildings.

N. Y. Jan. 20. 1891

Approved:
Five new lintels
8" high over openings
of first story windows.
One side of casement
for janitor rooms
only as marked on plans.
Fire escapes will be constructed
as marked on plans.

Schneider & Hertler

Approved
Ernest McDonald
100 Exchange Place
Jan 20 1891

Jan. 13th, 1891
Escapes are not well placed
marked on plans -
Note dimensions of
new lintels requiring
of 1" over lintel
Dimensions of casements
marked on plans
Ernest McDonald

Serial # 8333 Hazard Dept
Dated, Dec 6 28th 1890

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN Municipal Bldg., Manhattan

BROOKLYN Municipal Bldg., Brooklyn

BRONX Bronx County Bldg., Grand Conc. & E. 161st St.

QUEENS 21-10 49th Avenue, L. I. City

RICHMOND Boro Hall St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

AFFIDAVIT

FORM A

APPLICATION No. 2133 19 BLOCK 435

PERMIT NO. 19 LOT 54

LOCATION 97 1/2 West 7th Street, N.Y.C.

FEES REQUIRED FOR

To THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C-26-177.0).

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C-26-187.0).

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C-26-161.0).

Work will be carried out in compliance with all the provisions of the Administrative Code of the City of New York and with the provisions of other laws and rules in effect on this date relating to the erection of said structure.

EXAMINED AND RECOMMENDED FOR APPROVAL ON [Signature] 1939 [Signature] 9-22-39 [Signature] Borough Superintendent

STATE AND CITY OF NEW YORK } ss.: COUNTY OF New York } Sidney Daub Typewrite Name

being duly sworn, deposes and says: That he resides at 63 Park Row, New York (Number and Street) in the City of New York in the Borough of Manhattan

in the State of New York, that he is making this application for the approval of plans and specifications herewith submitted and made a part hereof, for the building therein described. Deponent further says that he has personally supervised the preparation of the Architectural (Architectural, Structural or Mechanical)

plans and that to the best of his knowledge and belief, the structure, if built in accordance with such plans, will conform to the Administrative Code; the Rules and Regulations of the Board of Standards and Appeals; The Charter; The Multiple Dwelling Law; The Labor Law; The General City Law; The Building Zone Resolution or any other provisions of law applicable thereto, except as hereinafter otherwise noted.

Deponent further says that he is Registered Architect for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan City of New York, aforesaid, and known

and designated as Number 97 1/2 W. 7th St. and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work (if any) proposed to be done upon the same premises and specified in separate applications filed herewith and all subsequent amendments thereto—is duly authorized by Mr. Charles Simak (Name of Owner or Lessee who has Owner's consent)

and that Sidney Daub duly authorized by the aforesaid owner to make application for the approval of such detailed statements of specifications and plans (and amendments thereto) in his behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner Mr. Charles Simak - 320 East 6th Street, N.Y.C.

Lessee _____

Architect Sidney Daub - 63 Park Row, N.Y.

Superintendent _____

The said land and premises above referred to are situated, bounded and described as follows, viz.: BEGINNING at a point on the North side of East 7th Street

distant 142-4 feet East from the corner formed by the intersection of East 7th St. and First Avenue

running thence North 97-6 feet; thence E. 19-0 feet; South 97-6 feet; thence W. 19-0 feet

to the point or place of beginning, being designated on the map as Block No. 47 No. 54

(SIGN HERE) Sidney Daub APPLICANT

Sworn to before me, this 23rd day of August, 1939

JULE COHN
Commissioner of Deeds, City of New York
New York Co. CLK's No. 46, Reg. No. 1
Commission expires April 12, 1940



Notary Public or Commissioner of Deeds

NOTE.—If building is a Multiple Dwelling, the following authorization is required:

AUTHORIZATION OF OWNER

Charles Simak Deposits and says: That he resides at 320 East 6th Street Borough Manhattan City of NEW YORK State of New York; that he is the Owner of all that certain piece or lot of land situated in the Borough of Manhattan in the City of New York, and located on the North side of East 7th Street and known as No. 97 1/2 on said street; that the multiple dwelling proposed to be altered upon said premises will be constructed in accordance with the annexed specifications and plans submitted herewith for the approval of the Department of Housing and Buildings; that the work will be supervised by Licensed Architect, Professional Engineer or a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified; and that he is duly authorized by said owner.

Charles Simak to make application in said owner's behalf for the approval of such specifications and plans in compliance with Chapter 713 of the Laws of 1929.

NOTE.—This clause to be used only when the person executing this authorization is not the sole owner of the premises described herein.

He further says that the full names and residences, street and number, of the owner or owners of the said land, and of every person having an interest in said premises and projected multiple dwelling either as owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows:

Name and Relationship to premises	No.	Address
Name and Relationship to premises	No.	Address
Name and Relationship to premises	No.	Address

Charles Simak
Signature
320 E. 6th St.

No 235805

Pol. Y-124683

THE STATE INSURANCE FUND

(STANDARD FORM APPROVED BY THE INDUSTRIAL COMMISSIONER)

APPLICATION FOR CERTIFICATE OF WORKMEN'S COMPENSATION INSURANCE

The undersigned Employer desires to obtain a Certificate of Workmen's Compensation Insurance from THE STATE INSURANCE FUND as satisfactory proof required under the provisions of Section 57 of the Workmen's Compensation Law, to be filed with Dept. of Housing & Bldgs-NYC (Name of Department, Bureau, Corporation, Firm or Individual)

Address

A. Beginning on or about 8-17-39 (Date) the following operations, at the locations named

herein, will be performed by the employees of the assured:

Locations of Operations 97 1/2 E. 7th St., NYC

Description of Operations by Class Erection of 4 fl. of steel stairs & 1 fl. of railing, facias & posts within bldg. Estimated Payroll by Class

B. The following operations will be performed by employees of subcontractors:

Description of Operations none Name of Subcontractor

Date 8-14-39

(Name of employer)

(Signature and title of person signing this form)

NOTE: This application must be signed by the Employer if an individual, or if a copartnership by a member of the copartnership, or by an executive officer if a corporation.

CERTIFICATE OF WORKMEN'S COMPENSATION INSURANCE

That is to certify that The Grossman Steel Stair Corp. (Name of employer)

Address Leggett Ave. & Brunton St., Bronx, NY is insured with

THE STATE INSURANCE FUND under Policy No. Y-124683 covering the entire obligation of this Employer for Workmen's Compensation under the New York Workmen's Compensation Law with respect to the operations described in the foregoing application at the locations named therein.

This policy term covers the period from 6-12-39 to 6-12-40. If said policy is changed or cancelled during its term in such manner as to affect this Certificate, five (5) days' written notice of such change or cancellation will be given to the

Dept. of Housing & Bldgs-NYC

(Bureau, Department, Corporation, Firm or Individual)

Address in accordance with those requirements, this Certificate has been issued. Notice by registered mail so addressed shall be sufficient compliance with this provision. THE STATE INSURANCE FUND does not assume any liability in the event of failure to give such notice.

A. Beginning on or about 8-17-39 (Date) the following operations, at the locations named herein, will be performed by the employees of the assured:

Locations of Operations as above

Description of Operations by Class as above Estimated Payroll Class

B. The following operations will be performed by employees of subcontractors:

Description of Operations none Name of Subcontractor

Countersigned

THE STATE INSURANCE FUND

L. Chertoff

8-14-39 in 3 copies

Underwriter

Date

Louis Bupples

Assistant Director

A

THE STATE INSURANCE FUND Pol. Y 137550

M

(STANDARD FORM APPROVED BY THE INDUSTRIAL COMMISSIONER)

APPLICATION FOR CERTIFICATE OF WORKMEN'S COMPENSATION INSURANCE

The undersigned Employer desires to obtain a Certificate of Workmen's Compensation Insurance from THE STATE INSURANCE FUND as satisfactory proof required under the provisions of Section 57 of the Workmen's Compensation Law, to be filed with

Dept. of Housing & Bldgs, NYC (Name of Department, Bureau, Corporation, Firm or Individual)

Address

A. Beginning on or about 9/25/39 (Date), the following operations, at the locations named herein, will be performed by the employees of the assured:

Locations of Operations 97 1/2 E. 7th St., NYC

Table with 2 columns: Description of Operations by Class, Estimated Payroll by Class. Row 1: Tile Work. Row 2: Carpentry. Row 3: Plastering-removing bathroom partition in apt. on 1st floor front & installing new partition for the bathroom.

B. The following operations will be performed by employees of subcontractors:

Table with 2 columns: Description of Operations, Name of Subcontractor. Row 1: none.

Date 10/2/39

(Name of employer)

(Signature and title of person signing this form)

NOTE: This application must be signed by the Employer if an individual, or if a copartnership by a member of the copartnership, or by an executive officer if a corporation.

CERTIFICATE OF WORKMEN'S COMPENSATION INSURANCE

That is to certify that Michael Fedorko

Address 115 St. Marks Place, NYC is insured with

THE STATE INSURANCE FUND under Policy No. Y 137550 covering the entire obligation of this Employer for Workmen's Compensation under the New York Workmen's Compensation Law with respect to the operations described in the foregoing application at the locations named therein.

This policy term covers the period from 3/10/39 to 3/10/40. If said policy is changed or cancelled during its term in such manner as to affect this Certificate, five (5) days' written notice of such change or cancellation will be given to the Dept. of Housing & Bldgs, NYC

(Bureau, Department, Corporation, Firm or Individual)

Address, in accordance with those requirements, this Certificate has been issued. Notice by registered mail so addressed shall be sufficient compliance with this provision. THE STATE INSURANCE FUND does not assume any liability in the event of failure to give such notice.

A. Beginning on or about 9/25/39 (Date), the following operations, at the locations named herein, will be performed by the employees of the assured:

Locations of Operations as above

Table with 2 columns: Description of Operations by Class, Estimated Payroll Class. Row 1: as above.

B. The following operations will be performed by employees of subcontractors:

Table with 2 columns: Description of Operations, Name of Subcontractor. Row 1: none.

Countersigned:

THE STATE INSURANCE FUND

S. Chertoff 10/2/39 Underwriter

Date

Louis Buffler Assistant Director

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.

QUEENS
21-10 49th Avenue
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

ALTERED BUILDINGS

APPLICATION No. 1034 19 BLOCK 435 LOT 54

PERMIT No. _____ 19 SEC. _____ VOL. _____

LOCATION 97 1/2 East 7th Street, New York, N.Y.

DISTRICT (Under building zone resolution) USE Business HEIGHT 1 1/2 AREA 0

EXAMINED AND RECOMMENDED

FOR APPROVAL ON

Deft 22 1939 John Banett
Harvey Examiner

APPROVED 1034 19

Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? No
Is building on front or rear of lot? Front
- (2) ESTIMATED COST OF ALTERATION: \$ 100.00
- (3) OCCUPANCY (in detail): Old Law Tenement- Class A-M.D.

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			

If building is to be occupied other than dwelling with ordinary store on the first floor, give permit number under which it was erected or legally converted.

- (4) SIZE OF EXISTING BUILDING:

At typical floor level	19-0	feet front	80-0	feet deep
At street level	19-0	feet front	80-0	feet deep
Height	5	stories	52-0	feet
- (5) SIZE OF BUILDING AS ALTERED:

At street level	19-0	feet front	80-0	feet deep
At typical floor level	19-0	feet front	80-0	feet deep
Height	5	stories	52-0	feet
- (6) CHARACTER OF PRESENT BUILDING:

Fire	Fire-Protected
Non-fireproof	Metal
Fireproof	Heavy Timber

- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED: - At 1st floor front apartment- Remove the present bathroom and replace same at rear of the apartment.

All as noted on drawing filed herewith.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

- (8) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(9) FOOTINGS: Material

(10) FOUNDATION WALLS: Material

(11) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(12) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

- (13) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(14) FOOTINGS: Material

(15) FOUNDATION WALLS: Material

(16) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(17) PARTY WALLS: Any to be used?

Thickness of Walls

(18) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(19) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(20) OUTSIDE WINDOW FRAMES AND SASH: Material

(21) ANY ELECTRICAL WORK TO BE DONE?

Work commenced.....Date signed off.....19.....

I hereby Certify that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed.....Inspector.....