

ORIGINAL

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 448  
L 38

12 X

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 124

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

per. (Sign here) *Mary Berkowitz*  
*Hornburger & Straub*

THE CITY OF NEW YORK,  
BOROUGH OF MANHATTAN, *January 18th* 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered. *one*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof). *North side of East 6th St. 175'0" west of First Avenue. No. 335 East 6th St.*
3. How was the building occupied? *as Store and 18 family.*  
How is the building to be occupied? " " "
4. Is the building on front or rear of lot? *front* Is there any other building erected on lot or permit granted for one? *No* Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
5. Size of lot? *25'0"* feet front; *25'0"* feet rear; *90'10"* feet deep.
6. Size of building which it is proposed to alter or repair? *25'0"* feet front; *25'0"* feet rear; *76'0"* feet deep. Number of stories in height? *6* Height from curb level to highest point? *65'0"*
7. Depth of foundation walls below curb level? *8'0"* Material of foundation walls? *Stone* Thickness of foundation walls? front *20* inches; rear *20* inches; side *20* inches; party \_\_\_\_\_ inches.
8. Material of upper walls? *brick* If ashlar, give kind and thickness \_\_\_\_\_
9. Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " *12* " " *12* " " *12* " " " "  
2d story: " *12* " " *12* " " *12* " " " "  
3d story: " *12* " " *12* " " *12* " " " "  
4th story: " *12* " " *12* " " *12* " " " "  
5th story: " *12* " " *12* " " *12* " " " "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_
10. Is roof flat, peak or mansard? *flat*

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *These partitions to be altered and new partitions to be built in order to place 170  
 closets on 1st floor & 2 new water closets on each floor above as shown on plans. New shaft  
 to be built from below 2nd story floor up to 3rd above the roof, enclosed by fireproof  
 partitions of 3" angle irons & 3" terra cotta blocks, supported by 6" st. iron H. I. beams & 8" st. iron H. I. beams  
 & 16" x 20" bonded brick piers in cellar, & upright beams supporting shaft covered with 3" t.c.  
 Present light shafts on both sides of building to be taken out and opening on easterly side  
 to be properly filled in. New windows put in stud partitions as shown on plans.  
 The building will be occupied in the same manner as at present: Store & 18 flm.*

49. How much will the alteration cost? *\$ 2,000*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?  
 How made water-tight?
54. Will cellar or basement ceiling be plastered? How?
55. How will cellar stairs be enclosed?
56. How cellar to be occupied?  
 How made water-tight?
57. Will shafts be open or covered with louvre skylights full size of shafts?  
 Size of each shaft?

58. Dimensions of water-closet windows? .....
- Dimensions of windows for living rooms? .....
59. Of what materials will hall partitions be constructed? .....
- .....
60. Of what materials will hall floors be constructed? .....
- .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes? .....
63. If any other building on lot, give size; front .....; rear .....; deep .....; stories high .....; how occupied .....; on front or rear of lot .....; material .....
- How much space between it and proposed building? .....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....
- .....
65. Number and location of water closets: Cellar .....; 1st floor .....; 2d floor .....; 3d floor .....; 4th floor .....; 5th floor .....; 6th floor .....
66. This building will safely sustain per superficial foot upon the first floor ..... lbs.; upon 2d floor ..... lbs.; upon 3d floor ..... lbs.; upon 4th floor ..... lbs.; upon 5th floor ..... lbs.; upon 6th floor ..... lbs.; upon 7th floor ..... lbs.; upon 8th floor ..... lbs.

Owner, Mary Berkowitz Address, 409 Grand St

Architect, Hornburg & Shout " 122 Bowery

Superintendent, owner " .....

Mason, ..... " .....

Carpenter, ..... " .....