

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 451
L 41

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

RECEIVED OCT 6 1905
FOR THE BOROUGH OF MANHATTAN

Plan No. 2871

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Blissman

THE CITY OF NEW YORK.

BOROUGH OF MANHATTAN Oct. 6, 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) north side of 9th St. 100 ft. west of 1st. Ave. # 3401
3. How was the building occupied? Government
How is the building to be occupied? Government
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height How occupied? Give distance between same and proposed building feet.
5. Size of lot? 25 feet front; 25 feet rear; 100 feet deep.
6. Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 20 feet deep. Number of stories in height? 5 Height from curb level to highest point? 33 ft.
7. Depth of foundation walls below curb level? 8 ft. Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party inches.
8. Material of upper walls? brick If ashlar, give kind and thickness
9. Thickness of upper walls:
Basement: front inches; rear inches; side inches; party inches.
1st story: " 16 " " 16 " " 16 " " " " "
2d story: " 12 " " 12 " " 12 " " " "
3d story: " 12 " " 12 " " 12 " " " "
4th story: " 12 " " 12 " " 12 " " " "
5th story: " 12 " " 12 " " 12 " " " "
6th story: " " " " " " " " "
10. Is roof flat, peak or mansard? flat.

11. Size of present extension, if any? feet front; feet deep; feet high.
12. Thickness and material of foundation walls?
13. Material of upper walls? If ashlar, give kind and thickness
14. Thickness of upper walls:
 Basement: front inches; rear inches; side inches; party inches.
 1st story: " " " " " "
 2d story: " " " " " "
 3d story: " " " " " "
 4th story: " " " " " "
15. Is present building provided with a fire escape? *YIP*

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear?
17. Size of proposed extension, feet front; feet rear; feet deep; number of stories in height? number of feet in height?
18. Material of foundation walls?; depth feet; material of base course; thickness of base course; thickness of foundation walls, front inches; side inches; rear inches; party inches.
19. Will foundation be on rock, sand, earth or piles?
20. What will be the size of piers in cellar?; distance on centres?; size of base of piers?; thickness of cap stones?; of bond stones?
21. Material of upper walls?; material of front?
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front inches; rear inches; side inches; party inches.
 2d story: " " " " " "
 3d story: " " " " " "
 4th story: " " " " " "
 5th story: " " " " " "
 6th story: " " " " " "
23. With what will walls be coped?
24. Will roof be flat, peak, or mansard?; **material**
25. Give size and material of floor and roof beams
 1st tier, material; size; distance on centres
 2d tier, " " " "
 3d tier, " " " "
 4th tier, " " " "
 5th tier, " " " "
 Roof tier, " " " "
- Give thickness of headers of trimmers
26. Give material of girders of columns
 Under 1st tier, size of girders; size of columns
 " 2d " " "; " "
 " 3d " " "; " "
 " 4th " " "; " "
 " 5th " " "; " "
 " Roof tier, " " "; " "

27. If front, rear or side is to be supported on columns or girders, give
 girders, material..... ; front..... ; side..... ; rear.....
 size..... “ “ “
 columns, material..... “ “ “
 size..... “ “ “
28. If constructed of frame, give material..... ; size of sill..... ;
 plate..... ; enterties..... ; posts..... ; studs..... ;
 braces.....
29. If open on one side, give size of plate..... posts.....
30. How will extension be occupied?..... If for
 dwelling, give number of families on each floor.....
31. How will extension be connected with main building?.....
32. Give size of skylights..... ; material.....
33. Give material of cornices.....
34. Give material of light shafts..... ; size.....

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars.....

36. How many stories high will building be when raised?..... ; feet high.....
37. Will the roof be flat, peak or mansard?..... , material.....
38. Material of coping?.....
39. Give material of new walls..... thickness of..... story..... inches ;
 story..... inches ; story..... inches ; story
 inches ; story..... inches ; story..... inches ;
 story..... inches.
40. Material of floor beams?..... Size..... tier..... ;
 centres..... ; tier..... ; centres..... ; tier..... ;
 centres..... ; tier..... ; centres..... ; tier..... ;
 centres.....
41. Material of girders?..... Size under 1st tier..... ;
 2d tier..... ; 3d tier..... ; 4th tier..... ; 5th tier..... ;
 6th tier.....
42. Material of columns?..... Size under 1st tier..... 2d tier.....
 3d tier..... ; 4th tier..... ; 5th tier..... ; 6th tier.....
43. Size of piers in cellar..... ; distance on centres..... ; thickness of capstones
 to piers..... ; bond stones.....
44. If constructed of frame, give material of frame..... ; size of sills..... ;
 corner posts..... ; middle posts..... ; enterties..... ; plates..... ;
 braces..... ; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor?.....

46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Remove entire front wall of first story. Old. piers in cellar front & arches set cast iron columns anchored to wall & steel girders anchored to floor beams & columns. Cut out windows & doors in rear wall of upper stories using 24" x 6 lb. per ft steel beams over enlarged opening.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Old W.C. comp. on all floors. Old store fronts in first story. Cut window openings in, doors partitions.

Occupied as at present

49. How much will the alteration cost?

\$3500-

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

What materials will hall partitions be constructed?

- 60. Of what materials will hall floors be constructed?
- 61. How will hall ceilings and soffits of stairs be plastered?
- 62. Of what material will stairways be constructed?
Give sizes of stair well holes?
- 63. If any other building on lot, give size; front _____; rear _____; deep _____; stories high _____; how occupied _____; on front or rear of lot _____; material _____
How much space between it and proposed building?
- 64. How will floors and sides of water closets to the height of 16 inches be made waterproof?
- 65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____; 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____
- 66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.

Owner, J. Klein Address, 167 E. 105th St.
 Architect, J. Reissmann " 30 First St
 Superintendent, _____ " _____
 Mason, _____ " _____
 Carpenter, _____ " _____

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

PLAN NO.

2871

NEW BUILDINGS
ALTERATIONS

190

Location

341 E 9th St

BOROUGH OF MANHATTAN.

Give the masonry and material
of front wall incl. granite
mull

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

- 1. Foundation walls. Depth below curb level 9 material Brick
thickness, front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
- 2. Upper walls. Material Brick; thickness as follows:
Basement: front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
1st story: " 16 " " 16 " " 16 " " " "
2d story: " 12 " " 12 " " 12 " " " "
3d story: " 12 " " 12 " " 12 " " " "
4th story: " 12 " " 12 " " 12 " " " "
5th story: " 12 " " 12 " " 12 " " " "
6th story: " _____ " " _____ " " _____ " " _____

3. Nature of ground. Earth

4. Quality of sand used in mortar _____

5. ~~What walls are built as party wall?~~ ashlar Brown stone 14" thick

6. What fire escapes are provided? _____

7. Is building fireproof? _____

8. If building is vacant, state how the same was occupied. tenement of 10 families

9. Is the present building to be connected with any adjoining building? _____

If so, state dimensions and material of adjoining building, viz:—

Material _____; feet front _____, feet rear _____

feet deep _____; feet in height _____; number of stories _____

how occupied _____

10. How is present building occupied? Basement vacant; 1st floor vacant;

2d floor vacant; 3d floor vacant; 4th floor vacant; 5th floor vacant;

6th " _____; 7th " _____; 8th " _____; 9th " _____

11. Height of building—feet 57; stories 5

12. Size of building—feet front _____; feet rear _____; feet deep _____

13. Size of lot— " " _____; " " _____; " " _____

14. Are fireproof shutters provided? _____ What kind? _____

Dated, Oct - 10 1905

W. J. McKeon
Inspector.

of the Borough President of the Borough of Manhattan,
In The City of New York.

Handwritten signature

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

PLAN No. 1585 { ~~NEW BUILDINGS~~ } 190 9
ALTERATIONS

Location 341 East 9th Street

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

1. Foundation walls. Depth below curb level _____ material _____
thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.

2. Upper walls. Material _____; thickness as follows:

Basement:	✓	front	<u>24</u>	inches;	rear	<u>16</u>	inches;	side	_____	inches;	party	_____	inches.
1st story:	✓	"	<u>12</u>	"	✓	<u>12</u>	"	"	_____	"	"	_____	"
2d story:	✓	"	<u>12</u>	"	✓	<u>12</u>	"	"	_____	"	"	_____	"
3d story:	✓	"	<u>12</u>	"	✓	<u>12</u>	"	"	_____	"	"	_____	"
4th story:	✓	"	<u>12</u>	"	✓	<u>12</u>	"	"	_____	"	"	_____	"
5th story:	✓	"	<u>12</u>	"	✓	<u>12</u>	"	"	_____	"	"	_____	"
6th story:		"	_____	"	"	_____	"	"	_____	"	"	_____	"

3. Nature of ground _____

4. Quality of sand used in mortar _____

5. What walls are built as party walls? _____

6. What fire escapes are provided? _____

7. Is building fireproof? _____

✓ 8. If building is vacant, state how the same was occupied Stores & Warehouse

9. Is the present building to be connected with any adjoining building? _____

If so, state dimensions and material of adjoining building, viz. :-

Material _____; feet front _____, feet rear _____

feet deep _____; feet in height _____; number of stories _____

how occupied _____

✓ 10. How is present building occupied? Basement Storage; 1st floor Stores;

2d floor Warehouse; 3d floor Warehouse; 4th floor Warehouse; 5th floor Warehouse;

6th floor _____; 7th floor _____; 8th floor _____; 9th floor _____;

11. Height of building—feet _____; stories _____

12. Size of building—feet front _____; feet rear _____; feet deep _____

13. Size of lot— " " _____; " " _____; " " _____

14. Are fireproof shutters provided? _____ What kind? _____

Dated, Aug 21st 1909

Inspector's signature
Inspector.

3. P. M. Stores & Co.

BUREAU OF BUILDINGS

OF THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN

Location *344, East 9th St.*

SPECIAL REPORT.

Plan No. *1805* { *New Buildings* } *1902*
 { *Alterations* }

Aug 20th 190*2*

Henry C. Rice,

B 451
L 41

Applicant must indicate the Building Lines or Lines clearly and distinctly on the Drawing.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 1885

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Jaed Fisher

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, Aug. 10, 1909.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) E 9th Street, North Side, 125 ft. West of 1st Ave. No. 341
- How was the building occupied? Tenement
How is the building to be occupied? same
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25 feet front; 25 feet rear; 97 feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 50 feet deep. Number of stories in height? 5 Height from curb level to highest point? 50
- Depth of foundation walls below curb level? 8-0" Material of foundation walls? brick + rubble Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
1st story: " 12 " " 12 " " 12 " " " _____ "
2d story: " 12 " " 12 " " 12 " " " _____ "
3d story: " 12 " " 12 " " 12 " " " _____ "
4th story: " 12 " " 12 " " 12 " " " _____ "
5th story: " _____ " " _____ " " _____ " " _____ "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? _____ feet front ; _____ feet deep ; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls :
 Basement: front _____ inches ; rear _____ inches ; side _____ inches ; party _____ inches.
 1st story: " _____ " _____ " _____ " _____ " _____ " _____ "
 2d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ " _____ "
15. Is present building provided with a fire escape? *yes* _____

If to be extended on any side, give the following information :

16. Is extension to be on side, front or rear? _____
17. Size of proposed extension, feet front _____ ; feet rear _____ ; feet deep _____ ; number of stories in height? _____ number of feet in height? _____
18. Material of foundation walls? _____ ; depth _____ feet ; material of base course _____ ; thickness of base course _____ ; thickness of foundation walls, front _____ inches ; side _____ inches ; rear _____ inches ; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____ ; distance on centres? _____ ; size of base of piers? _____ ; thickness of cap stones? _____ ; of bond stones? _____
21. Material of upper walls? _____ ; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls :
 1st story: front _____ inches ; rear _____ inches ; side _____ inches ; party _____ inches.
 2d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ " _____ "
 5th story: " _____ " _____ " _____ " _____ " _____ " _____ "
 6th story: " _____ " _____ " _____ " _____ " _____ " _____ "
23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? _____ ; material _____
25. Give size and material of floor and roof beams
 1st tier, material _____ ; size _____ ; distance on centres _____
 2d tier, " _____ " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ " _____ "
 Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____ ; size of columns _____
 " 2d " " " _____ ; " " _____
 " 3d " " " _____ ; " " _____
 " 4th " " " _____ ; " " _____
 " 5th " " " _____ ; " " _____
 " Roof tier, " " _____ ; " " _____

27. If front, rear or side is to be supported on columns or girders, give :
- Girders, material _____ ; front _____ ; side _____ ; rear _____
size _____ " _____ " _____ " _____
- Columns, material _____ " _____ " _____ " _____
size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
plate _____ ; enterties _____ ; posts _____ ; studs _____ ;
braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? _____ If for
dwelling, give number of families on each floor _____
31. How will extension be connected with main building? _____
32. Give size of skylights _____ ; material _____
33. Give material of cornices _____
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars _____

36. How many stories high will building be when raised? _____ ; feet high _____
37. Will the roof be flat, peak or mansard? _____ ; material _____
38. Material of coping? _____
39. Give material of new walls _____ thickness of _____ story _____ inches ;
_____ story _____ inches ; _____ story _____ inches ; _____ story
_____ inches ; _____ story _____ inches ; _____ story _____ inches ;
_____ story _____ inches.
40. Material of floor beams? _____ Size _____ tier _____
centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
corner posts _____ ; middle posts _____ ; enterties _____ ; plates _____
braces _____ ; studs _____
45. How will building be occupied when altered? _____
If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. In front wall 1'-0" x 3'-0" window B.S.B. will be put
with 1" C.I. metal box with 2-6" lintels over same.

If altered internally, give definite particulars, and state how the building will be occupied :

48. New 1'-0" x 3'-0" window B.S.B. for new toilets will
be put in. new toilet compartments of 2' x 4' studs, 20" o.c.
lathed + plastered, new tank on roof 1000 gallons
on - 2- 10"-25# I'S as shown. New fire escapes
as shown on plan.

49. How much will the alteration cost? \$ 2,000

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?	-	-	-	-	-	-	-	-
52. Height of ceilings?	-	-	-	-	-	-	-	-

53. How basement to be occupied? present stairs
 How made water-tight? _____

54. Will cellar or basement ceiling be plastered? — How? _____

55. How will cellar stairs be enclosed? —

56. How will cellar be occupied? —
 How made water-tight? —

57. Will shafts be opened or covered with louvre skylights full size of shafts? —

Size of each shaft? _____

58. Dimensions of water closet windows? 1'-0" X 3'-0" between steps
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____
60. Of what materials will hall floors be constructed? _____
61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____
slate 1" thick
65. Number and location of water closets: Cellar _____; 1st floor 1 plus; 2d floor 2;
 3d floor 2; 4th floor 2; 5th floor 2; 6th floor _____;
66. This building will safely sustain per superficial foot upon the 1st floor 90 lbs.; upon 2d floor
90 lbs.; upon 3d floor 90 lbs.; upon 4th floor 90 lbs.; upon 5th floor
90 lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, L. M. Rosenthal Address, 87-89 Ave. A.
 Architect, Jacob Fisher " 296 E. 3rd St.
 Superintendent, owner " above.
 Mason, _____ " _____
 Carpenter, _____ " _____

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
Received FEB 10 1930
FOR THE BOROUGH
OF MANHATTAN

Manhattan

February 5th 30

Alt. 454/28

333 East 9th Street

Omit door ~~area~~ on East lot line wall and provide fire-
proof window as shown.

Janet Fisher

FEB 6 1930

THIS IS TO CERTIFY THAT THIS AMENDMENT
IS IN ACCORDANCE WITH THE
REQUIREMENTS OF THE
BUILDING CODE OF THE CITY OF NEW YORK.

Alt 1164²

MP

(10)

457-411

8A-2136-37-Bu

211

DEPARTMENT OF BUILDINGS

CITY OF NEW YORK

BOROUGH OF MANHATTAN

MANHATTAN Municipal Bldg., Manhattan	BROOKLYN Municipal Bldg., Brooklyn	BRONX Bronx County Bldg., Grand Concourse & E. 161st St. Bronx	QUEENS 21-19 44th Avenue, L. I. City	RICHMOND Boro Hall, St. George, S. I.
--	--	---	--	---

NOTICE—This application shall be typewritten and filed in triplicate for the erection or alteration of fire-escapes on Class A. and B. multiple dwellings only.

LOCATION 341 East 9th St. FIRE-ESCAPE APPLICATION NO. 211 1939

To the Commissioner of Buildings,
Borough of Manhattan

B, 451
L, 41

Date February 10, 1939

I hereby request permission to ~~erect~~ ^{erect} fire-escapes in compliance with a violation received from the T. H. D.
 Classification of Building Class A Mult Dwel. Height in Stories 5
 Location of Fire-escapes rear State method to be used for protection of public during the erection or alteration of fire-escapes Tarpaulins to be used
 Type of Fire-escapes to be erected or altered Type A

NOTE:—Specify means of egress from yard or court if fire-escapes are to be erected in a court or on the rear of the building

If the construction of fire-escapes is to be other than in accordance with Section 145 of the Multiple Dwelling Law and the Rules and Regulations of the Department, a special detail must be filed.

A true copy of the violation must be filed with this application.
 Owner of Building City Bank and Farmers Trust Co.
 Address 22 William St. N. Y. C.

ORIGINAL

Cost \$275.00 Proof of Workmen's Compensation must be filed before this application is approved.
 Policy No. State Insurance Fund # v-139433 Expires Oct. 21, 1939
 Liability Policy # P-8723688 (Zurich Accident & Liability Ins. Co.) Expires Jan. 5, 1940

Affidavit of Applicant Rigger Lic. # 312557

State and City of New York,
County of New York

Morris Rappaport d/b as Philco Iron Works Co. being duly sworn, deposes and says that he is duly authorized by the owner of the above building to make this application in his behalf, and that all provisions of the Multiple Dwelling Law and the Rules and Regulations of the Department of Buildings governing said installation will be complied with, whether specified herein or not. The statements made in this application are true.

Sworn to before me, this 28 day of Feb 1939 Signature M. Rappaport Philco Iron Works Co.
Address 279 East 150 St.

J. J. [Signature]
Commissioner of Deeds

When properly signed by the Commissioner of Buildings, this application becomes a PERMIT to ~~erect~~ ^{alter} the fire-escapes herein described, in the manner agreed upon and prescribed by law. If no work is performed hereunder within one year from the time of issuance, this permit shall expire and become void.

Recommended for Approval March 3rd 1939

APPROVED MAR 3 - 1939 1939

John Barrett
Examiner
[Signature]
Commissioner of Buildings
Borough Superintendent

WARNING:—Existing fire-escapes are not to be removed until such time as the new fire-escapes are delivered to the building upon which they are to be erected.

FINAL REPORT

To the Commissioner of Buildings,
Borough of
City of New York
Sir:

Date _____ 193__

I respectfully report that work was begun on the above described premises on the _____ day of _____ 193__ and completed on the _____ day of _____ 193__, and the erection of said fire-escapes conforms in all respects to the conditions of the above permit and to the provisions of the Multiple Dwelling Law and the Rules and Regulations of the Department of Buildings relative thereto.

Respectfully submitted,

Inspector

(Sketch may be made on reverse side)