

IF EXTENDED ON ANY SIDE,

Give the following information :

1. Size of extension, No. of feet front, ; feet rear, ; feet deep, ; No. of stories in height, ; No. of feet in height,
2. What will be the material of foundation walls of extension, What will be the depth, feet. What will be the thickness, inches.
3. What will be the material of upper walls of extension How thick will the upper walls be, inches.
4. Will the roof of extension be Flat, Peak, or Mansard,
5. What will be the material of roofing,
6. What will be the material of cornice and gutter,
7. Will iron shutters be provided, if required,
8. How will the extension be occupied,
9. How will the extension be connected with present or main building,

IF ALTERED INTERNALLY,

Give definite particulars, and state how the building will be occupied, and if for a dwelling, state by how many families.

It is a tenement house and will be occupied by about 4 families in all.

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT,

Give Definite particulars, and state in what manner.

24 feet of west wall taken down and rebuilt to same 12" thick. The present wall being only 8" thick

THE FOLLOWING INFORMATION IS ALSO REQUIRED.

1. If the building is to be occupied as a tenement building after the proposed alteration, will it be altered in every respect to conform with the provisions of Section 28 of the Building Law, *yes*
2. How much will the Alteration cost, \$ *about 500 dollars*
3. Will all materials and workmanship be in accordance with the provisions of the Law, *yes*

Owner *Mr. Browne* Address *407 East 12th St*
 Architect *J. L. Murther* Address *238 " 21st*
 Mason *J. L. Murther* Address *238 " 21st St*
 Carpenter _____ Address _____

2776

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B440
L56

3

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

2776

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not. *Chas. J. Weith*

(Sign here) *Maximilian Rosenberg*

The City of New York, Borough of Manhattan, October 18th 1906

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered two
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) North side of East 12th Street 100 ft East of 2nd Street Avenue. No 407 E. 12th Street.
- How was the building occupied? as Store & 14 Rooms Front & Rear.
How is the building to be occupied? as Store & 14 Rooms Front & Rear.
- Is the building on front or rear of lot? front & rear Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 24'-4" feet front; 25'-0" feet rear; 111'-0" ^{and} 118'-0" feet deep.
- Size of building which it is proposed to alter or repair? 50'-3" Front ^{24'-4"} 25'-0" feet front; 25'-0" ^{24'-4"} feet rear; 27'-8" Rear feet deep. Number of stories in height? 4 Height from curb level to highest point? 47'-0"
- Depth of foundation walls below curb level? 10 ft Material of foundation walls? Stone Thickness of foundation walls? front 20 inches rear 20 inches; side 20 inches; party _____ inches.
- Material of upper walls? Brick & frame If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " open 28" " " 8 " " 8-4 " " _____ "
2d story: " 8 " " 8 " " 8-4 " " _____ "
3d story: " 8 " " 8 " " 8-4 " " _____ "
4th story: " 8 " " 8 " " 8-4 " " _____ "
5th story: " _____ " " _____ " " _____ " " _____ "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Front wall in 1st story to be taken out, upper wall surface to be 12" thick concrete. 5 ft. high. setting on 12" x 12" cast iron base. 12" thick concrete in 2nd story on 20" x 24" bonded brick pier. 12" thick concrete in 3rd story on 12" concrete base. Present windows opening to be taken out and new windows opening out through wall in 1st story all as shown on plans.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Present window part of stairs in front building to be altered, and stairs partitioned on all floors to be altered for new water closet. New partition windows 12'0" x 5'0" between steps leads to 12'0" in on all floors. Present sinks in halls to be removed and new sinks and wash tubs to be placed within the Apartments. New skylights 4'0" x 5'0" to be put in roof over stairs, openings to be properly framed out, all as shown on plans. The building will be occupied in the same manner as at present. 2nd floor and 4th floor. Front. Rear.

49. How much will the alteration cost? \$ 3000.00

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied? _____

How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____

How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

58. Dimensions of water closet windows? _____
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, Edna J. Smith

Architect, Samuel H. Spangenberg

Superintendent, _____

Mason, _____

Carpenter, _____

Address, 194 Bowery

" 122 Bowery

" _____

" _____

" _____