

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B-406
L-43

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 688

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) James B. Baker
By H. G. Otto
THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, May 4th 1908.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered? One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 129 East 10th Street
North side of Street - 240' 0" West of 2nd Avenue.
- How was the building occupied? Dwelling
How is the building to be occupied? Dwelling
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size. . . . x ; height. . . .
How occupied? Give distance between same and proposed building. . . . feet.
- Size of lot? . . . 27' 0" . . . feet front; . . . 27' 0" . . . feet rear; . . . 100' 0" . . . feet deep.
- Size of building which it is proposed to alter or repair? . . . 27' 6" . . . feet front; . . . 27' 6" . . . feet rear; . . . 100' 0" . . . feet deep. Number of stories in height? Basement: 1.5 stories Height from curb level to highest point? 60' 0"
- Depth of foundation walls below curb level? 8' 0" Material of foundation walls? Stone
Thickness of foundation walls? front. . . . 20 . . . inches; rear. . . . 20 . . . inches; side. . . . 20 . . . inches; party. . . . 20 . . . inches.
- Material of upper walls? Brick If ashlar, give kind and thickness. . . . Brown
Stone Zimmering

9. Thickness of upper walls:

Basement: front... 16... inches; rear... 16... inches; side... 12... inches; party... 16... inches.
 1st story: " ... 12... " " ... 12... " " ... 12... " " ... 12... "
 2d story: " ... 12... " " ... 12... " " ... 12... " " ... 12... "
 3d story: " ... 12... " " ... 12... " " ... 12... " " ... 12... "
 4th story: " ... 12... " " ... 12... " " ... 12... " " ... 12... "
 5th story: " ... 12... " " ... 12... " " ... 12... " " ... 12... "
 6th story: " _____ " _____ " _____ " _____ " _____ "

10. Is roof flat, peak or mansard? ... Flat _____

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.

12. Thickness and material of foundation walls? _____

13. Material of upper walls? _____ If ashlar, give kind and thickness. _____

14. Thickness of upper walls:

Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " _____ " _____ " _____ " _____ "
 2d story: " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ "

15. Is present building provided with a fire escape? ... Yes _____

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? ... Rear _____

17. Size of proposed extension, feet front _____; feet rear 5' 0"; feet deep 5' 8"; number of stories in height? ... one _____; number of feet in height? ... 9' 0" _____

18. Material of foundation walls? ... Brick _____; depth ... 4' 0" _____ feet; material of base course ... Brick _____; thickness of base course ... 12" _____; thickness of foundation walls: front _____ inches; side ... 12... inches; rear ... 12... inches; party _____ inches.

19. Will foundation be on rock, sand, earth or piles? earth and 2-6" x 2 1/4 lb. steel beams

20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____

21. Material of upper walls? ... Brick _____; material of front? _____

22. Thickness, exclusive of ashlar, of upper walls:

1st story: front _____ inches; rear ... 12... inches; side ... 12... inches; party _____ inches.
 2d story: " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ "
 5th story: " _____ " _____ " _____ " _____ " _____ "
 6th story: " _____ " _____ " _____ " _____ " _____ "

23. With what will walls be coped? ~~.....~~

24. Will roof be flat, peak, or mansard? Flat; material Zin

25. Give size and material of floor and roof beams Spruce

1st tier, material; size; distance on centres

2d tier, " " " " " "

3d tier, " " " " " "

4th tier, " " " " " "

5th tier, " " " " " "

Roof tier, " Spruce " 3" x 8" " " 16" oc.

Give thickness of headers of trimmers

26. Give material of girders of columns

Under 1st tier, size of girders size of columns

" 2d " " " " " "

" 3d " " " " " "

" 4th " " " " " "

" 5th " " " " " "

" Roof tier, " " " " " "

27. If front, rear or side is to be supported on columns or girders, give:

Girders, material Steel; front; side 2-6" x 2 1/4"; rear

size " " " "

Columns, material " " " "

size " " " "

28. If constructed of frame; give material; size of sill

plate; enteries; posts; studs

braces

29. ~~If open on one side, give size of plate posts~~

30. How will extension be occupied? Servants Water Closet

If for dwelling, give number of families on each floor

31. How will extension be connected with main building?

32. Give size of skylights material

33. Give material of cornices

34. Give material of light shafts; size

If to be increased in height, give the following information:

35. ~~Will building be raised from foundation, or extended on top? Give particulars~~

36. How many stories high will building be when raised?; feet high

37. Will the roof be flat, peak or mansard?; material

38. ~~Material of coping?~~

39. Give material of new walls..... thickness of..... story..... inches;
 story..... inches; story..... inches; story..... inches;
 story..... inches; story..... inches; story..... inches;
 story..... inches.
40. Material of floor beams?..... Size..... tier..... ;
 centres..... ; tier..... ; centres..... ; tier..... ;
 centres..... ; tier..... ; centres..... ; tier..... ;
 centres.....
41. Material of girders?..... Size under 1st tier..... ; 2d tier..... ;
 3d tier..... ; 4th tier..... ; 5th tier..... ; 6th tier.....
42. Material of columns?..... Size under 1st tier..... ; 2d tier..... ;
 3d tier..... ; 4th tier..... ; 5th tier..... ; 6th tier.....
43. Size of piers in cellar..... ; distance on centres..... ; thickness of capstones
 to piers..... ; bond stones.....
44. If constructed of frame, give material of frame..... ; size of sills.....
 corner posts..... ; middle posts..... ; enteries..... ;
 plates..... ; braces..... ; studs.....
45. How will building be occupied when altered?
 If for dwelling, state number of families on each floor
46. With what kind of fire escape will building be provided?

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. It is intended to cut two new windows openings in the basement and one on the 3rd floor in the East wall and one new window on the 4th and 5th floor in the West wall. Build up near basement door into window and cut down below window for new doorway. build up the window openings in rear of 1st story - 2'6" from finish of floor. Close up one window on the 5th floor, all as shown on drawing in ^{solid} color. Also to rebuild all parapet walls and chimneys above roof line, and renovate exterior Brick work and present fire escape.

If altered Internally, give definite particulars, and state how the building will be occupied:

48. It is intended to remove the stud and plaster partitions shown by dotting and to add stud and plaster partitions shown by solid color. these will be built of 4" studs, wood lathed and plastered. also rebuild the stair case leading from basement to 1st story, also put on new roof and new galvanized iron skylights, gutters and leaders.

49. How much will the alteration cost? 10,000.00

If a Wall or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN,190

The undersigned gives notice that.....intend to use the.....wall of building
.....
as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be
examined and a permit granted therefor. The foundation wall.....built of.....inches thick,
.....feet below curb; the upper wall.....built of.....inches
thick,.....feet deep,.....feet in height.

(Sign here).....

REPORT UPON APPLICATION.

The Bureau of Buildings for The Borough of Manhattan.

THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN,190

To the Superintendent of Buildings for the Borough of Manhattan.

I respectfully report that I have thoroughly examined and measured the wall., etc., named in the foregoing
application, and found the foundation wall...to be built of.....inches thick,.....
feet below curb, the upper wall...built of.....inches thick,.....feet deep,
.....feet in height, and that the mortar in said wall...is.....hard and good, and
that the building.....in a good and safe condition to be altered as proposed. The.....
wall.....built as party wall...and.....in a good and safe condition to be used as proposed.
Building occupied as follows: basement.....; 1st floor.....; 2d floor.....;
3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....;
7th floor.....; 8th floor.....; 9th floor.....; 10th floor.....

What is the nature of the ground?.....

What kind of sand was used in the mortar?.....

If building is VACANT, state how the same WAS occupied.....

Is the PRESENT building to be connected with any ADJOINING building?..... If so, state dimensions
and material of adjoining building, viz.: Material.....; feet front.....; feet
rear.....; feet deep.....; feet in height.....; number of stories
.....; how occupied.....

(The Inspector must here state what defects, if any, are in the walls.)

(The Inspector must state the thickness of wall in each and every story.)

.....
.....
.....
.....

.....Inspector.

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose? If so, state for what

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each? - - - - -								
52. Height of ceilings? - - - - -								

53. How basement to be occupied?
 How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?
 How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?
 Size of each shaft?

58. Dimensions of water closet windows?
 Dimensions of windows for living rooms?

59. Of what materials will hall partitions be constructed?

60. Of what materials will hall floors be constructed?

61. How will hall ceilings and soffits of stairs be plastered?

62. Of what material will stairways be constructed?
 Give sizes of stair well holes.

63. If any other building on lot, give size: front; rear; deep;
 stories high; how occupied; on front or rear of lot;
 material

64. How will floors and sides of water closets to the height of 16 inches be made waterproof?

65. Number and location of water closets: Cellar; 1st floor; 2d floor;
 3d floor; 4th floor; 5th floor; 6th floor

Owner, *N. Y. C. Mission & Tract Society* Address, *22nd Street and 4th Ave. City*

Architect, *James B. Baker* " *116- 5th Ave. City*

Superintendent, "

Mason, "

Carpenter, "

Γ

THOMAS J. BRADY,President of the Board of Buildings and
Commissioner of Buildings for the Bor-
oughs of Manhattan and The Bronx.Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,
Borough of Manhattan.Commissioner of Buildings for
the Borough of Brooklyn.

Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,Commissioner of Buildings for the Bor-
oughs of Queens and Richmond.Office, Richmond Building, New Brighton, Staten Island,
Borough of Richmond.Branch Office, Town Hall, Jamaica, Long Island,
Borough of Queens.Borough of Manhattan

The City of New York,

RECEIVED MAY 26 1903
26th May 1903FOR THE BOROUGH
OF MANHATTAN

Amendment to Application No. 688 Alt.

Location 128 East 10th Street.

Bureau of Buildings of the City of New York:

Gentlemen:

Herewith please find complete set of drawings showing the revised layout of alterations and additions, also answer to objection, which I beg to file as an amendment to the above named application.

1. The two new window openings in the East basement wall will be omitted.
2. North and West walls of extension will extend 4'0" below grade and East wall will be supported on two 6" x 12 -25# steel beams over area to basement.
3. Plans as altered involve no increase in number of bedrooms.
4. The capacity of tank is 2000 gallons and supported on brick wall and by two 8" x 18# steel beams, and placed on adjacent building because the owner of that building is the same as that of No.129 East 10th Street (the old to be altered).
5. The existing fireescapes are of iron and located where shown on plans. It is intended to put in new iron floors and otherwise repair same.
6. Building is now and will be occupied as a Mission House.

Arched openings will be broken in party wall on each floor connecting No.129 and No.127 adjacent.


7. Openings connecting with adjoining building will have automatic self-closing fireproof doors.

Yours respectfully,

James B. Baker. Architect.
By H. G. O'Leary.

In action see other cards

I have thoroughly examined the
within specifications and also the
drawings relative thereto and find
the same ~~do~~ conform to the
same as to ~~construction~~
Dated ~~May 21st 1903~~



~~Obtained by the~~

5/28 3

[Faint, mostly illegible text follows, including a signature and date stamp.]

[Signature]
5/28/03

[Faint text and stamp]

Department of Buildings of The City of New York.

THOMAS J. BRADY,
President of the Board of Buildings and
Commissioner of Buildings for the Bor-
oughs of Manhattan and The Bronx.
Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,
Borough of Manhattan.

JOHN GUILFOYLE,
Commissioner of Buildings for
the Borough of Brooklyn.
Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,
Commissioner of Buildings for the Bor-
oughs of Queens and Richmond.
Office, Richmond Building, New Brighton, Staten Island,
Borough of Richmond.
Branch Office, Town Hall, Jamaica, Long Island,
Borough of Queens.

Borough of Manhattan

The City of New York, 19th May, 1903

Amendment to Application No. 688 Alt.

B, 1903

Location 128 East 10th Street.

Bureau of Buildings of the City of New York.

Gentlemen:

Herewith please find complete set of draw-
ings showing the revised layout of alterations and additions, also
answer to objections, which I beg to file as an amendment to the
above named application.

1. The two new window openings in the East basement wall will be
omitted.

2. North and west walls of extension will extend 4'0" below grade
and east wall will be supported on two 6" x 12-25# steel beams over
area to basement.

3. Plans as altered involve no increase in number of bedrooms.

4. The capacity of tank is 2000 gallons and supported on brick wall
and by two 8" x 18# steel beams, and placed on adjacent building
because the owner of that building is the same as that of No. 129 East
10th Street (the one to be altered).

existing fireescapes are of iron and located where shown on
It is intended to put in new iron floors and otherwise repair

6. Building is now and will be occupied as a Mission House.

Arched openings will be broken in party wall on each floor
connecting No. 129 with No. 127 adjoining.

5/22 Yours respectfully,

James B. Brady.
By H. Y. O'Brien

Architect.

HS

Department of Buildings of The City of New York.

JAMES G. WALLACE,
 President of the Board of Buildings and
 Commissioner of Buildings for the Bor-
 oughs of Manhattan and The Bronx.
 Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,
 Borough of Manhattan.

JOHN GUILFOYLE,
 Commissioner of Buildings for
 the Borough of Brooklyn.
 Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,
 Commissioner of Buildings for the Bor-
 oughs of Queens and Richmond.
 Office, Richmond Building, New Brighton, Staten Island,
 Borough of Richmond.
 Branch Office, Town Hall, Jamaica, Long Island,
 Borough of Queens.

PLAN No. 588 { NEW BUILDINGS } 1903
 { ALTERATIONS }

Location 124 West 10th Street
 Borough of Manhattan

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Department.

1. Foundation walls. Depth below curb level..... material.....
 thickness, front..... inches; rear..... inches; side..... inches; party..... inches.

2. Upper walls. Material.....; thickness as follows:
 Basement: front..... inches; rear..... inches; side..... inches; party..... inches.
 1st story: " " " " " " " " " "
 2d story: " " " " " " " " " "
 3d story: " " " " " " " " " "
 4th story: " " " " " " " " " "
 5th story: " " " " " " " " " "
 6th story: " " " " " " " " " "

3. Nature of ground.....

4. Quality of sand used in mortar.....

5. What walls are built as party walls?.....

6. What fire escapes are provided?.....

7. Is building fireproof? Not

8. If building is vacant, state how the same was occupied Boarding and Missionary

9. Is the present building to be connected with any adjoining building?.....

If so, state dimensions and material of adjoining building, viz: -

Material.....; feet front.....; feet rear.....;
 feet deep.....; feet in height.....; number of stories.....;
 how occupied.....

10. How is present building occupied? Basement Kitchen; 1st floor Literary;

2d floor Meeting Room; 3d floor Sleeping Room; 4th floor Sleeping Room; 5th floor Sleeping Room;

6th ".....; 7th ".....; 8th ".....; 9th ".....;

11. Height of building—feet.....; stories.....

12. Size of building—feet front.....; feet rear.....; feet deep.....

13. Size of lot— " ".....; " ".....; " ".....

14. Are fireproof shutters provided?..... What kind?.....


Dated, May 6 1903 Geo. [Signature] Inspector.

BUREAU OF BUILDINGS,
Borough of Manhattan,
#220 Fourth Avenue.

New York, May 6th, 1903. (CFG)

Application #688, Alt., 1903, is disapproved with the following objections: viz., -

1. East basement wall will have excessive openings.
 2. Extension should have proper foundation.
 3. Alteration involving an increase in the number of bedrooms is unlawful.
 4. Capacity of tank and size of steel beams supporting same should be stated and authority shown for placing this tank on the adjacent building.
 5. Existing fire-escapes must be described and located and additional means of escape provided if required.
 6. Occupancy of building must be definitely stated.
- Awaiting Inspector's report.




Superintendent of Buildings,
Borough of Manhattan.

Department

DIAGRAM OF PROPERTY AT

N^o 129 E. 10TH STR. for

THE N. Y. CITY MISSION AND TRACT SOCIETY.



BOROUGH OF MANHATTAN,

Oct 1, 1903

To the Superintendent of Buildings for the Borough of Manhattan.

Work was commenced on the within described building on the 8 day of June 1903

Respectfully submitted,

William J. McCarty Inspector.

FINAL REPORT OF INSPECTOR.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Oct 1 1903

To the Superintendent of Buildings for the Borough of Manhattan.

Work was completed on the within described building on the 30 day of September 1903 and all the iron and steel girders, beams and columns are properly set, and of size as per application, and all the work upon said building has been done in accordance with the foregoing detailed statement, except as noted below.

Respectfully submitted,

William J. McCarty Inspector.

REMARKS.

[Dotted lines for remarks]

5/20/03 m
ORIGINAL

Form No. 2-1902.
BUREAU OF BUILDINGS
CITY OF NEW YORK,
OF MANHATTAN.

Statement of Specifications
FOR
PLANS TO BUILDINGS.

Submitted, MAY 5 1903, 190

LOCATION.
10th Street
N. Y. City
Manufact. Trade Society
P. B. Co.

.....190

.....190

Report.....favorably.

or 1/2

.....190

.....190

Inspector.

COPIES FILED.
affidavit
THE CITY OF NEW YORK.

BOROUGH OF MANHATTAN, 5/8 1903

This is to certify that the within detailed statement of specifications and a copy of the plans relating thereto have been submitted to the Superintendent of Buildings

for the Borough of Manhattan, and are hereby.....

Disapproved
Superintendent of Buildings
for the Borough of Manhattan

5/20 1903
7- Case closed plan 57207-3

Dis 5/20 3
5/22

Henry Thompson
Superintendent of Buildings,
Borough of Manhattan.

5/26 3
5/28

Henry Thompson
Superintendent of Buildings,
Borough of Manhattan.
5/28 3

as amended
Henry Thompson

CLASSIFICATION.

Duckling
OK May 24-1903
R. W. H.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

Alteration APPLICATION No. 1344 192 2
[N. B., ALT., ELEV., ETC.]

LOCATION 127-129 E. 10th Street, N. I. C. BLOCK 406 LOT 2 40-44

New York City August 16 192 2

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the following **AMENDMENT** to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed) Edwood Williams
Applicant

It is desired to remove the pier between the windows in the rear of the basement of 127 E. 10th St., insert steel mesh and carry the non-bearing wall above on steel beams and strut as now shown on drawings.

The size of base under a beam strut is now shown on drawings.
All steel supporting walls will be covered with 2" of concrete on metal in the.

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON

8/25 192 2 C.A. Hermann
Examiner

APPROVED AUG 25 1922

Superintendent of Buildings, Borough of Manhattan

as of



BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

Alteration _____ APPLICATION No. 1344 _____ 2
[N. B., ALT., ELEV., ETC.] _____ 192

LOCATION 127, 129 East 10th St. N.Y.C. BLOCK 466 LOT 43-44

New York City June 12 192 2

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the following **AMENDMENT** to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed) _____

Applicant

1. This will be used solely as residence building divided into non-house keeping apartments. There will be no business in the building.
2. All openings in fire wall now have old self-closing fire doors on fusible links, these will remain.
Stairs in 127 will lead direct to street thru old bed room ~~to~~ and new door in place of old window, see plan.

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED
FOR APPROVAL ON _____


6/29 192 2

A. Herman
Examiner

APPROVED _____ 192

Superintendent of Buildings, Borough of Manhattan

RECEIVED



10
12

Faint, illegible text, possibly a header or a list of items, located in the middle section of the page.

Faint text at the bottom left corner of the page.

iv.
- Applications
To Examiners

Dec. 30, 1919

RA
Ramus Tomlinson Byrnes Dolan Foley

duents

	AP 112 ¹⁹	CA 679 ¹⁹	FD 1602 ¹⁷	FD 677 ¹⁹	ES 42 ¹⁹
-	286	13213	644 ¹⁹	1716	
	296	Dec 1514	999 ¹⁸	1823	
	335	2934	1043	2063	
Dec 208		3133	1590 ¹⁹	1732	
	1711	3163	1424	2209	
			2106		
			2207		
			2276		
			2283		
			2315		

[Faint, illegible handwritten text, possibly bleed-through from the reverse side of the page]

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

ALT. APPLICATION No. 1344 ¹⁹²² ₁₉₂

LOCATION 127-129 East 102 Street

REFERRED TO INSPECTOR _____, 192____, FOR IMMEDIATE REPORT AS TO OCCUPANCY: (If vacant, how last occupied?)

Basement	<i>used for keeping apartments</i>	6th Floor
1st Floor	" " " "	7th Floor
2d Floor	<i>Furnished Rooms</i>	8th Floor
3d Floor	" " "	9th Floor
4th Floor	" " "	10th Floor
5th Floor	" " "	

Is Building Fireproof, Non-fireproof or Frame? *Non Fireproof*

What are the posted floor capacities?

Remarks:

(Dated) May 26, 1922

(Signed) *C. F. McQuinnell* Inspector.



(4)


THIRD AVENUE
189.5'

BLOCK 466

EAST 11TH STREET


CHURCH
YARD

ST MARKS
CHURCH



Map. 246-1902

(3)




345'-6"

EAST 10TH STREET

50'-0"

#127 #129



Lot #44
Lot #45

23'-0" 27'-0"
50'-0"

345'-6"

ELLWOOD WILLIAM S. R.R. CO.
288 EAST 10TH ST., N.Y. CITY.