

B398 L24

188 E 3 St

HOUSE NO. AND STREET

HOUSE NO. AND STREET


HOUSE NO. AND STREET

DIAGRAM

APPLICATIONS

	KIND	NO.	YEAR	FILED	COMPLETED	DRAWINGS
1	ALT	1461	1903			FILED INSIDE
2	P.C.	51	1940			
3	ON	3227	1958	FE		
4	alt	358	1962		9-12-63	inside
5						
6						
7						
8						
9						
10						

DEPT. OF BUILDINGS OF THE CITY OF NEW YORK



E. 2ND STR.

E. 3RD STR.

AVE. A.

DEPT. OF BUILDINGS
CITY OF NEW YORK
1/16/1903
THROUGH

Form 2-1922
B 398
L 24

1
1461

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 1461

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Henry J. Kaplan Architect*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *Aug 31 1903*

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? *One*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)
188 E. 3rd St.
3. How was the building occupied? *1 em em em*
How is the building to be occupied? *1 em em em*
4. Is the building on front or rear of lot? *Front* Is there any other building erected on lot or permit granted for one? *No* Size:x.....; height.....
How occupied?..... Give distance between same and proposed building.....feet.
5. Size of lot? *24' 3"* feet front; *24' 3"* feet rear; *107' 0"* feet deep.
6. Size of building which it is proposed to alter or repair? *24' 3"* feet front; *24' 3"* feet rear; *76' 0"* feet deep. Number of stories in height? *Basement & 5 stories* Height from curb level to highest point? *60' 0"*
7. Depth of foundation walls below curb level? *12' 0"* Material of foundation walls? *Blue Stone*
Thickness of foundation walls? front *24* inches; rear *24* inches; side *24* inches; party *24* inches.
8. Material of upper walls? *Brick* If ashlar, give kind and thickness.....

9. Thickness of upper walls:

Basement:	front. <u>16</u> inches;	rear. <u>16</u> inches;	side. inches;	party. <u>16</u> inches.
1st story:	" <u>12</u> "	" <u>12</u> "	" " " "	" <u>12</u> "
2d story:	" <u>12</u> "	" <u>12</u> "	" " " "	" <u>12</u> "
3d story:	" <u>12</u> "	" <u>12</u> "	" " " "	" <u>12</u> "
4th story:	" <u>12</u> "	" <u>12</u> "	" " " "	" <u>12</u> "
5th story:	" <u>12</u> "	" <u>12</u> "	" " " "	" <u>12</u> "
6th story:	" " " "	" " " "	" " " "	" " " "

10. Is roof flat, peak or mansard? flat

11. Size of present extension, if any? feet front; feet deep; feet high.

12. Thickness and material of foundation walls?

13. Material of upper walls? If ashlar, give kind and thickness

14. Thickness of upper walls:

Basement:	front. inches;	rear. inches;	side. inches;	party. inches.
1st story:	" " " "	" " " "	" " " "	" " " "
2d story:	" " " "	" " " "	" " " "	" " " "
3d story:	" " " "	" " " "	" " " "	" " " "
4th story:	" " " "	" " " "	" " " "	" " " "

15. Is present building provided with a fire escape? Yes

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear?

17. Size of proposed extension, feet front; feet rear; feet deep; number of stories in height?; number of feet in height?

18. Material of foundation walls?; depth feet; material of base course; thickness of base course; thickness of foundation walls: front inches; side inches; rear inches; party inches.

19. Will foundation be on rock, sand, earth or piles?

20. What will be the size of piers in cellar?; distance on centres?; size of base of piers?; thickness of cap stones?; of bond stones?

21. Material of upper walls?; material of front?

22. Thickness, exclusive of ashlar, of upper walls:

1st story:	front. inches;	rear. inches;	side. inches;	party. inches.
2d story:	" " " "	" " " "	" " " "	" " " "
3d story:	" " " "	" " " "	" " " "	" " " "
4th story:	" " " "	" " " "	" " " "	" " " "
5th story:	" " " "	" " " "	" " " "	" " " "
6th story:	" " " "	" " " "	" " " "	" " " "

39. Give material of new walls thickness of story inches;
 story inches; story inches; story
 inches; story inches; story inches;
 story inches.
40. Material of floor beams? Size tier ;
 centres ; tier ; centres ; tier ;
 centres ; tier ; centres ; tier ;
 centres
41. Material of girders? Size under 1st tier ; 2d tier ;
 3d tier ; 4th tier ; 5th tier ; 6th tier
42. Material of columns? Size under 1st tier ; 2d tier ;
 3d tier ; 4th tier ; 5th tier ; 6th tier
43. Size of piers in cellar ; distance on centres ; thickness of capstones
 to piers ; bond stones
44. If constructed of frame, give material of frame ; size of sills
 corner posts ; middle posts ; enterties ;
 plates ; braces ; studs
45. How will building be occupied when altered?
 If for dwelling, state number of families on each floor
46. With what kind of fire escape will building be provided?

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner:

47. I propose to take out all partitions shown in dotted lines and set
 new partitions shown on plans of 2 1/2 x 4' sparrow joists well
 framed & plastered three coats. New partition frames to be
 set where shown. I propose to take out present shaft and
 construct new one shaft of 3 x 3 angle iron to be filled in
 with 3" thick fire proof hard burnt clay blocks. Outside walls
 of light shaft is to receive a 1" coat of Portland
 Cement. All framing of angles, wooden beams

If altered internally, give definite particulars, and state how the building will be occupied:

48. Etc. to be done according to Law. Box frame leading to shaft
 to be of wood. Have 8" brick walls for shaft in cellar
 also fire proof door at bottom of shaft.
 Inside walls of shaft to be framed then lathed & plastered.
 I respectfully ask that no objections be made, as walls of light shaft are to
 be built of 3 x 3 angles & 3" fire proof block instead of bricks, as shaft is being
 built by order of the Treasurer & Board Dept. and space is limited.
 Since front is to have 3000 sq ft; then corner it is to project 12 ft. from line.

49. How much will the alteration cost? 3000 00

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose? If so, state for what.....

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each? - - - - -								
52. Height of ceilings? - - - - -								

53. How basement to be occupied?

How made water-tight?.....

54. Will cellar or basement ceiling be plastered?..... How?.....

55. How will cellar stairs be enclosed?.....

56. How cellar to be occupied?.....

How made water-tight?.....

57. Will shafts be open or covered with louvre skylights full size of shafts?.....

Size of each shaft?.....

58. Dimensions of water closet windows?.....

Dimensions of windows for living rooms?.....

59. Of what materials will hall partitions be constructed?.....

60. Of what materials will hall floors be constructed?.....

61. How will hall ceilings and soffits of stairs be plastered?.....

62. Of what material will stairways be constructed?.....

Give sizes of stair well holes.....

63. If any other building on lot, give size: front.....; rear.....; deep.....;

stories high.....; how occupied.....; on front or rear of lot.....;

material.....

How much space between it and proposed building?.....

64. How will floors and sides of water closets to the height of 16 inches be made waterproof?.....

65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;

3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....

Owner, *Mr. Isaac Klein* Address, *# 418 E. 5th St.*

Architect, *Henry Reisman* " *# 133 - 7th St.*

Superintendent, "

Mason, "

Carpenter, "

City of New York.

WILLIAMS,
 President of the Board of Buildings and
 Commissioner of Buildings for the Bor-
 oughs of Manhattan and The Bronx.
 Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,
 Borough of Manhattan.

JOHN W. ...
 Commissioner of Buildings for
 the Borough of Brooklyn.
 Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,
 Commissioner of Buildings for the Bor-
 oughs of Queens and Richmond.
 Office, Richmond Building, New Brighton, Staten Island,
 Borough of Richmond.
 Branch Office, Town Hall, Jamaica, Long Island,
 Borough of Queens.

PLAN No. 1461 NEW BUILDINGS } 190 3
 ALTERATIONS }
 Location 188 East 3^d St.
 Borough of Manhattan

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Department.

1. Foundation walls. Depth below curb level _____ material _____
 thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
2. Upper walls. Material _____; thickness as follows:
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " " " " " " " " " "
 2d story: " " " " " " " " " "
 3d story: " " " " " " " " " "
 4th story: " " " " " " " " " "
 5th story: " " " " " " " " " "
 6th story: " " " " " " " " " "
3. Nature of ground _____
4. Quality of sand used in mortar _____
5. What walls are built as party walls? _____
6. What fire escapes are provided? _____
7. Is building fireproof? _____
8. If building is vacant, state how the same was occupied _____
9. Is the present building to be connected with any adjoining building? _____
 If so, state dimensions and material of adjoining building, viz: -
 Material _____; feet front _____; feet rear _____;
 feet deep _____; feet in height _____; number of stories _____;
 how occupied _____
10. How is present building occupied? Basement Stores & 2^d floor; 1st floor Stores;
 2d floor Stores; 3d floor Stores; 4th floor Stores; 5th floor Stores;
 6th " _____; 7th " _____; 8th " _____; 9th " _____

B9.327

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF _____, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLE COPY in DEPARTMENT OF BUILDINGS
BUILDING NOTICE

Application for Minor Structures, Minor Alterations and Repairs
Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

DEPARTMENT OF BUILDINGS
RECEIVED OCT 10 1958
CITY OF NEW YORK
BOROUGH OF MANHATTAN

F. E.
J. H. Bernas

APPLICATION No. 3227 19 1958 Block 398 Lot 24

LOCATION 188 East Third St
(Give Street Number)

Is sidewalk shed or fence required

FEES REQUIRED FOR

DISTRICT (under building zone resolution) Use Height Area

STATE AND CITY OF NEW YORK, }
COUNTY OF New York } ss. Expedite letter has been written but not yet received. Party will condition adjoining buildings vacated.

sworn deposes and says: That he resides at 451 East 88th St David Wohlgenuth being duly (Typewrite Name of Applicant)

City of New York; that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications herewith submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Deponent further says that the full names and residences of the owners or lessees of said premises are:

Owner Jeno V. Kiss Address 718 E 9th St.

Lessee Address

Sworn to before me this 9th day of October 19 58

(Sign here) David Wohlgenuth Applicant

Arthur Wohlgenuth Notary Public, State of New York No. 30-9719400 Qualified in Nassau County Commission Expires March 30, 1960. If Licensed Architect or Professional Engineer, affix seal.

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: Century Ornamental Iron Works 451 East 88th St

State proposed work in detail: Cosmopolitan Mutal Insurance Co No WC 0530759 Expire 5/27/59

Install new type "A" fire escapes at rear...3-4-5 stories

Is this a new or old building? old

If old building, give character of construction brick

Number of stories high 5

How occupied Class A. MD. non fireproof constructed before 1938

Is application made to remove a violation? yes

How to be occupied no change

If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.


Estimated Cost \$ 1650.00

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim.

10-14-58, captopped, 4 separate independent steel fire escapes must be provided at the rear in the 1st, 2nd, 3rd, 4th & 5th story. Taking in mind of rear end of rear west side.



If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb _____ Total Splay _____
Length in Feet Length in Feet

Deposit (\$ _____), either in cash or certified check, payable to the order of the Department of Housing and Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B. _____
ALT. _____ 19

EXAMINED AND RECOMMENDED
For Approval on 10-14-58 _____ 19

Approved _____ 19

OCT 27 1958
J. Gennaro
Examiner
Thomas V. [Signature]
Borough Superintendent

Work commenced _____ Date signed off _____ BOROUGH SUPERINTENDENT 19

I hereby Certify that the above report is true in every respect and that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed _____ Inspector

Initial fee payment—Amount \$ _____ OCT-10-58 89426 53227 58 FIB
Date _____ 1st Receipt No. _____ Cashier _____

2nd payment of fee to be collected before a permit is issued—Amount \$ (1-5) 2.00
Verified by K. Peeler Date 10/24/58
2nd Receipt No. _____ Date OCT-24-58 91097 53227 58 FIB
Cashier _____

OWNER _____ ADDRESS _____
APPLICANT _____ ADDRESS _____

ADDITIONAL FEES REQUIRED _____ AMOUNT \$ _____
(Yes or No)

VERIFIED BY _____ DATE _____

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Avenue
Bronx 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

AUTHORIZATION OF OWNER—
MULTIPLE DWELLING

BLOCK 398 LOT 24

DO NOT WRITE IN THIS SPACE

LOCATION 188 East Third St. Man.

House Number Street Distance from Nearest Corner Borough

Jeno N. Kiss states that he resides

at 718 E. 9th St. Borough of Man.

City of New York State of New York; that he is Sole Owner

of all that certain piece or lot of land situated in the Borough of Man. in the City of

New York, and located on the South side of of East Third St. and known as

No. 188 on said street; that the said multiple dwelling will be altered or constructed in accord-

ance with the annexed specifications and plans submitted herewith for the approval of the Department of Buildings;

that the work will be supervised by Licensed Architect, Professional Engineer or a Superintendent of Construction who

has had ten years' experience supervising building construction; and that

David Wohlgenuth

Century Ornamental Iron Works 451 E. 88th St. is duly authorized by said

Jeno N. Kiss owner to make application in said owner's behalf for the approval of

such specifications and plans in compliance with Chapter 713 of the Laws of 1929 Zoning Resolution, Administra-

tive Code and other Laws, Rules and Regulations applicable to the Construction and Use of Multiple Dwellings.

He further says that the full names and residences, street and number, of the owner or owners of the said land, and of every person having an interest in said premises and projected multiple dwelling either as owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows: (If a corporation, give full name and address of at least two officers.)

Jeno N. Kiss No. 718 East 9th St. Address

Name and Relationship to premises No. Address

Name and Relationship to premises No. Address

x Jeno N. Kiss Signature of Owner

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Avenue
Bronx 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

STATEMENT "A"

BLOCK 3398 LOT 24

CONSULT FIRE DEPARTMENT REGULATIONS AND
ADDITIONAL FIRE EXTINGUISHING APPLIANCES
UNDER C19-161.0 ADMINISTRATIVE CODE.

339
Borough Manhattan

LOCATION 188 East 3rd Street s/s 176.75' East of Avenue B Manhattan.
House Number Street Distance from Nearest Corner Borough

TO THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C26-177.0.)

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26-187.0.)

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0.)

EXAMINED AND RECOMMENDED

FOR APPROVAL ON 12/10, 1962 [Signature] Examiner

APPROVED JAN 15 1963 19 [Signature] Borough Superintendent

Ludwig P Bono
(Typewrite Name)

states that he resides at 601 E Tremont Avenue
in the Borough of Bronx; in the City of N.Y.
in the State of New York; that he is making this application for the approval of

Architectural Structural, Mechanical plans and specifications herewith submitted and made part hereof.
(Architectural, Structural, Mechanical, Etc.)

Applicant further states that he has personally supervised the preparation of such

Arch' L. Struct' l Mech' l plans and that to
(Architectural, Structural, Mechanical, Etc.)

the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all applicable provisions of the charter, the administrative code, the multiple dwelling law, the labor law, the general city law, the zoning resolution, the rules of the board and all other laws governing building construction, except as specifically noted otherwise.

Applicant further states that he is duly authorized by Terzo Property Inc.
(Name of Owner)

who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the said owner's behalf.

Applicant further states that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure, are as follows:

Owner's name Terzo Property Inc. Address 2139 Blackrock Avenue Bronx.
(If a corporation, give full name and address of at least two officers.)

Harry Bigman - President 15 Park Row.

Vincent Soffi - Secty. 2139 Black rock Avenue. Bronx.

Lessee Address

Address

Architect Ludwig P Bono Address 601 E Tremont Avenue...

Engineer Address

Superintendent Address

NOTICE—This statement must be TYPEWRITTEN and filed in QUADRUPPLICATE.

That the said land and premises above referred to are situated, bounded and described as follows:
(NOTE—See diagram below)

BEGINNING at a point on the **South** side of **East 3rd Street...**
distant **176.75** feet **East** from the corner formed by the intersection of...
East 3rd Street and **Avenue B.**

running thence **South 100.0'** feet; thence **East 24.0** feet;
(Direction) (Direction)

thence **North 100.0'** feet; thence **West 24.0'** feet;
(Direction) (Direction)

to the point or place of beginning, being designated on the map as
Block No. **398** Lot No. **24**

(SIGN HERE) *Richard P. Basso* Applicant

Affix Seal of Registered
Architect or Professional
Engineer Here.

AUTHORIZATION OF OWNER: I hereby state that I have authorized the applicant to file this application for
the work specified herein.

Henry B...
(Signature of Owner or Officer of Corp.)

**Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code
and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not
more than sixty (60) days or both.**

Above Block and Lot Verified _____ 19____

Department of _____

House Number _____ Dated _____ 19____ Bureau of _____



PLOT DIAGRAM must be drawn to indicated scale, showing the correct street lines from the city plan; the plot to be built
upon in relation to the street lines and the portion of the lot to be occupied by the building; the legal grades and the exist-
ing grades, properly identified, of streets at nearest points from the proposed buildings in each direction; the House numbers
and the Block and Lot numbers. Obtain this data from Bureau of Sewers and Highways and the Tax Department or consult
Plan Desk in each Borough as to where data is available. Show dimensions of lot, building, courts and yards.

Status of Street: private— ; public highway— ; other _____
The legal width of _____ is _____ ft.; sidewalk width should be _____ ft.
The legal width of _____ is _____ ft.; sidewalk width should be _____ ft.

The street lines as shown in the diagram are substantially correct. Proposed changes in street lines and grades, if any, are
indicated in red. The legal grades and the existing grades are indicated on the diagram thus: Legal Grade, 25.00. Existing, 24.00.

Dated _____ 19____ Bureau of _____

DIAGRAM



THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57


QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

ALTERED BUILDING

BLOCK 398 LOT 24
ZONING: USE DIST. R7-2
HEIGHT DIST.
AREA DIST.



LOCATION 188 East 3rd Street, S/S 176.75' East of Avenue B, Manhattan
House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED
FOR APPROVAL ON

APPROVED 19

Examiner.

Borough Superintendent.

Initial fee payment

2nd payment of fee to be collected before a permit is issued—Amount \$ 45-24 → 41.00

Verified by [Signature] Date 7/17/63

JUL-17-63 356812 E 2 350 02 FIS --- 1.00

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) **Class III N-FP**
- (2) Any other buildings on lot or permit granted for one? **No**
Is building on front or rear of lot? **Front**
- (3) Use and Occupancy. **Stores and Dwellings.. OLT**
(NOTE—If a multiple dwelling, authorization of owner must be filed)
A new C of O (will) (~~will not~~) be required. 6/22/63

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Boiler & Storage.	on Ground						Boiler & Storage
Basement	2	6	Stores & Dwellings	#40				4	4	Dwellings
1st Fl.	4	12	Dwellings	#40				4	8	Dwellings
2nd Fl.	4	12	Dwellings	#40				4	8	Dwellings
3rd Fl.	4	12	Dwellings	#40				4	8	Dwellings
4th Fl.	4	12	Dwellings	#40				4	8	Dwellings.
5th Fl.	4	12	Dwellings	#40				4	8	Dwellings
Roof				#40						

2

(4) State generally in what manner the Building will be altered: **It is proposed to change the existing stores into two apartments and add new bathrooms at each floor.**

SEP 18 1962

(5) Size of Existing Building:

At street level	24-0	feet front	75-0	feet deep	24-0	feet rear
At typical floor level	24-0	feet front	75-0	feet deep	24-0	feet rear
Height ¹	5	stories	63-0	feet		

(6) If volume of Building is to be changed, give the following information:

At street level	feet front	feet deep	feet rear
At typical floor level	feet front	feet deep	feet rear
Height ¹	stories	feet	

Area² of Building as Altered: At street level *2000 - 7/17/63* Total floor area² sq. ft.
 Total Height³ *2000 - Additional* Cubic Contents⁴ cu. ft.

(7) Estimated Cost of Alteration:⁵ *\$10,000*
 Estimated Cost, exclusive of extension: *\$8,000 - Ellen 7/17/63*

Note: work shown on BN 4647/58 for all the water closets & fee paid based on \$8,000 - Ellen 7/17/63

(8) Is Application made to remove violations? **No**

If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil Bearing capacity

(10) State what disposition will be made of waste and sewage **Existing Sewer**
 (Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb? **No**

(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁶)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:	feet.			
Deposit: \$	Fee: \$	Total: \$		
Paid	19	Document No.	Cashier	

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	Length	feet.
Will any other miscellaneous temporary structures be required?		
Fee Required	Fee Paid	19 Document No. Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.

6. Space for plot diagram is located on Affidavit Form.

7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.

8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

SDP

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

BLOCK 398 LOT 24
ZONING: USE DIST. R-7-2
HEIGHT DIST. _____
AREA DIST. _____

ALTERED BUILDING

AL-350 62

RECEIVED SEP 18 1962
DEPARTMENT OF BUILDINGS
CITY OF NEW YORK
BOROUGH OF MANHATTAN

DO NOT WRITE IN THIS SPACE

LOCATION 188 East 3rd ^{Street} Avenue, S/S, 176'9" E of Avenue B, Manhattan
House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED
FOR APPROVAL ON _____ 19 _____ Examiner.
APPROVED _____ 19 _____ Borough Superintendent.

Initial fee payment _____
2nd payment of fee to be collected before a permit is issued—Amount \$ _____
Verified by _____ Date _____

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. * (NOTE—See C26-238.0) **Class III Non fireproof**
- (2) Any other buildings on lot or permit granted for one? **none**
Is building on front or rear of lot? **front**
- (3) Use and Occupancy. **Class "A" MDL**
(NOTE—If a multiple dwelling, authorization of owner must be filed)
A new C of O (will) ~~XXXXXX~~ be required.

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Boiler & storage	on ground						Boiler & Storage
Basem.	2	5	2 stores Dwelling	40			4	10		Dwelling
1st Fl.	4	12	Dwelling	40			4	10		Dwelling
2nd Fl.	4	12	Dwelling	40			4	10		Dwelling
3rd Fl.	4	12	Dwelling	40			4	10		Dwelling
4th Fl.	4	12	Dwelling	40			4	10		Dwelling
5th Fl.	4	12	Dwelling	40			4	10		Dwelling

7

(4) State generally in what manner the Building will be altered:

Partition work and installation of new toilets to create new dwelling apartments.

NOV 30 1958

(5) Size of Existing Building:

At street level	24	feet front	75	feet deep	24	feet rear
At typical floor level	24	feet front	75	feet deep	24	feet rear
Height ¹	5+B+C	stories	63	feet		

(6) If volume of Building is to be changed, give the following information:

At street level	NO CHANGES	feet front		feet deep		feet rear
At typical floor level		feet front		feet deep		feet rear
Height ¹		stories		feet		

Area ² of Building as Altered: At street level	Total floor area ²	sq. ft.
Total Height ³	Additional Cubic Contents ⁴	cu. ft.

(7) Estimated Cost of Alteration:⁵ **\$10,000.00**
Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil	Bearing capacity
-------------------	------------------

(10) State what disposition will be made of waste and sewage **public sewer**
(Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb? **no**
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁶)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:			feet.	
Deposit: \$	Fee: \$	Total: \$		
Paid	19	Document No.		Cashier

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	Length	feet.		
Will any other miscellaneous temporary structures be required?				
Fee Required	Fee Paid	19	Document No.	Cashier

- The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
- In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
- Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
- The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
- "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
- Space for plot diagram is located on Affidavit Form.
- Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
- If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

THE CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

BLOCK 398 **LOT** 24
ZONING: USE DIST. R-7-B 12/3/62
HEIGHT DIST.
AREA DIST.

ALTERED BUILDING

Lit. 950 52

DEPARTMENT OF BUILDINGS
RECEIVED NOV 30 1962
CITY OF NEW YORK
BOROUGH SUPERINTENDENT

DO NOT WRITE IN THIS SPACE

LOCATION 188 East 3rd Street, S/S, 175'9" S. of Avenue A, Manhattan
House Number, Street, Distance from Nearest Corner and Borough

Initial fee payment—Amount \$..... 1st Receipt No.....

Date..... Cashier.....

2nd payment of fee to be collected before a permit is issued—Amount \$.....

Verified by..... Date.....

2nd Receipt No..... Date..... Cashier.....

EXAMINED AND RECOMMENDED

FOR APPROVAL ON 12/15/62

[Signature]
Examiner

[Signature]
Borough Superintendent

APPROVED..... 19

JAN 15 1963

SPECIFICATIONS

- Classification of Buildings to be Altered. (NOTE—See C26-238.0) Class III on fire roof
- Any other buildings on lot or permit granted for one? none
Is building on front or rear of lot? front
- Use and Occupancy. Class "A" MDL O.C.C.T.
(NOTE—If a multiple dwelling, authorization of owner must be filed)
A new C of O (will) (will not) be required. 12/3/62

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	Use	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	Use
					MALE	FEMALE	TOTAL			
Cellar			Boiler & storage	on ground						Boiler & storage
Basement	4	5	2 stores	40				4	4	Dwelling
1st Fl.	4	12	Dwelling	40				4	4	Dwelling
2nd Fl.	4	12	Dwelling	40				4	4	Dwelling
3rd Fl.	4	12	Dwelling	40				4	4	Dwelling
4th Fl.	4	12	Dwelling	40				4	4	Dwelling
5th Fl.	4	12	Dwelling	40				4	4	Dwelling

(10)

(4) State generally in what manner the Building will be altered:

Partition work and installation of new toilets to create new dwelling apartments.

(5) Size of Existing Building:

At street level	feet front	75	feet deep	24	feet rear
At typical floor level	feet front	75	feet deep	24	feet rear
Height ¹	stories	63	feet		

(6) If volume of Building is to be changed, give the following information:

At street level	no changes	feet front	feet deep	feet rear
At typical floor level		feet front	feet deep	feet rear
Height ¹		stories	feet	

Area ² of Building as Altered: At street level	Total floor area ²	sq. ft.
Total Height ³	Additional Cubic Contents ⁴	cu. ft.

(7) Estimated Cost of Alteration:⁵ 10,000.00
Estimated Cost, exclusive of extension: 12.13

(8) Is Application made to remove violations? If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil	Bearing capacity
-------------------	------------------

(10) State what disposition will be made of waste and sewage (Public sewer, Private sewer, Cesspool, etc.) Public sewer

(11) Does this Application include Dropped Curb? (If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁶)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:				feet.
Deposit: \$	Fee: \$	Total: \$		
Paid	19	Document No.		Cashier

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	Length	feet.		
Will any other miscellaneous temporary structures be required?				
Fee Required	Fee Paid	19	Document No.	Cashier

- The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
- In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
- Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
- The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
- "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
- Space for plot diagram is located on Affidavit Form.
- Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
- If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

**THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS**

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

ALTERED BUILDING

BLOCK 398 **LOT** 24
ZONING: USE DIST. R7-2 ← 3/4/63
HEIGHT DIST.
AREA DIST.

DO NOT WRITE IN THIS SPACE

LOCATION 188 East 3rd Avenue, S/S, 176'9" E of Avenue B, Manhattan
House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED

FOR APPROVAL ON.....19.....

Examiner.

APPROVED.....19.....

Borough Superintendent.

Initial fee payment

2nd payment of fee to be collected before a permit is issued—Amount \$.....

Verified by.....Date.....

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) **Class III Non fireproof**
 (2) Any other buildings on lot or permit granted for one? **one**
 Is building on front or rear of lot? **front**
 (3) Use and Occupancy. **Class "A" MDL OLT**
 (NOTE—If a multiple dwelling, authorization of owner must be filed)
 A new C of O (~~XXX~~) (will not) be required.

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Boiler & Storage	on ground						
Basement	2	5	2 stores Dwelling	40				2	5	2 J. Home
1st Fl.	4	12	Dwelling	40				4	12	
2nd Fl.	"	"	"	"	NO CHANGES			4	12	
3rd Fl.	"	"	"	"				4	12	
4th FL.	"	"	"	"				4	12	
5th FL.	"	"	"	"				4	12	

(4) State generally in what manner the Building will be altered:

Partition work for installation of interior toilets.

(5) Size of Existing Building:

At street level	24	feet front	75	feet deep	24	feet rear
At typical floor level	24	feet front	75	feet deep	24	feet rear
Height ¹	5+B+C	stories	63	feet		

(6) If volume of Building is to be changed, give the following information:

At street level	NO CHANGES	feet front		feet deep		feet rear
At typical floor level		feet front		feet deep		feet rear
Height ¹		stories		feet		

Area ² of Building as Altered: At street level	Total floor area ²	sq. ft.
Total Height ³	Additional Cubic Contents ⁴	cu. ft.

(7) Estimated Cost of Alteration: **\$2,000**
Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil	Bearing capacity
-------------------	------------------

(10) State what disposition will be made of waste and sewage (Public sewer, Private sewer, Cesspool, etc.) **public sewer**

(11) Does this Application include Dropped Curb? **no**
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁸)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:			feet.	
Deposit: \$	Fee: \$		Total: \$	
Paid	19	Document No.		Cashier

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	Length	feet.		
Will any other miscellaneous temporary structures be required?				
Fee Required	Fee Paid	19	Document No.	Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
6. Space for plot diagram is located on Affidavit Form.
7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

ORIGINAL

DEPARTMENT OF BUILDINGS

BOROUGH OF Man, THE CITY OF NEW YORK

MANHATTAN Municipal Bldg., New York 7

BROOKLYN Municipal Bldg., Brooklyn 1

BRONX 1932 Arthur Ave., New York 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall, St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE. A copy must be kept in plain view on the work at all times until completion.

PERMIT

3607

PERMIT No. 1963 N. B. ALT. ELEV. SIGN } Application No. 350/62 19 Alt.

LOCATION 188 East 3rd St. Man. BLOCK 398 LOT 24

FEES PAID FOR

NOTE—Trees in streets fronting on site are under jurisdiction of Department of Parks. They must be protected and written notification made to that Department at least 48 hours prior to commencement of work.

Permit must be obtained from Borough President's Office for Material Storage, Hoist or Mixing Machines beyond the building line.

New York City July 17 19 63

To the Borough Superintendent:

Application is hereby made for a PERMIT to perform the entire

work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

State Ins. Fund Y 358 032-1 Exp. 3/9/64

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

No certificate of occupancy will be issued unless the construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent. An affidavit shall be filed indicating such supervision, as required by Section 2.1.3.7 of the Building Code.

Name and address of person designated for this supervision is as follows:

Name Dominick Luciani Address 1616 Bogart Ave. Bronx NY

Typewrite Name of Applicant

states: That he resides at Number 1616 Bogart Ave. in the Borough of Bronx in the City of NY, in the County of Bronx in the State of NY, that he is the contractor for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man, City of New York aforesaid, and known and designated as Number 188 E. 3rd St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Terzo Property Inc. - owner (Name of Owner or Lessee)

and that Dominick Luciani is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) X Dominick Luciani

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 19

Approved 19

Borough Superintendent