

rough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 502

APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here)

Harrison & Sackheim

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,

June 7th 1909

1. State how many buildings to be erected One
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) N. E. 5th St. 100'
West 2nd Ave # 237 E. 5th St.
3. Will the building be erected on the front or rear of lot? Front
4. How to be occupied? Tenement & Stores If for dwelling, state the number of families in each house 17
5. Size of lot? 30 feet front; 30 feet rear; 97 feet deep.
Give diagram of same.
6. Size of building? 30 feet front; 23'-6" feet rear; 84 feet deep.
Size of extension? — feet front; — feet rear; — feet deep.
Number of stories in height: main building? 6 Extension? —
Height from curb level to highest point: main building? 67 feet. Extension? — feet.
7. What is the character of the ground: rock, clay, sand, etc.? earth
8. Will the foundation be laid on earth, rock, timber or piles? earth
9. Will there be a cellar? yes
10. What will be the base, stone or concrete? concrete If base stones, give size and thickness, and how laid —. If concrete, give thickness 12" thick under walls, 16" under piers, 12" projection
11. What will be the depth of foundation walls below curb level or surface of ground? 10'
12. Of what will foundation walls be built? brick
13. Give thickness of foundation walls: front, 20 inches; sides, 20 inches; rear, 20 inches; party, — inches.
14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? none
Give size of same —
15. If piers, give thickness of cap stones or plates — bond stones or plates —

17.

supported on pier.

Give size: front _____ size of base course...

rear _____ " " "

side _____ " " "

Size of cap stones _____ size of bond stones _____

18. Of what materials will the upper walls be constructed? brick

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement: front _____ inches; rear 20 inches; side 20 inches; party _____ inches.1st story: " " " 16 " " 16 " " "2d story: " 16 " " 16 " " 16 " " "3d story: " 12 " " 12 " " 12 " " "4th story: " 12 " " 12 " " 12 " " "5th story: " 12 " " 12 " " 12 " " "6th story: " 12 " " 12 " " 12 " " "

7th story: " _____ " " _____ " " _____ " " "

19. What will be the materials of the front? brick If of stone, what kind? _____ If ashlar, give thickness _____20. Will flues be lined with pipe or have 8 inches of brick around the same? clay pipe21. Will any wall be supported on iron or steel girders? yes front wallFront, material Steel size 2-15" weight or thickness 50 #42

Side, " " " " " "

Rear, " " " " " "

Interior, " " " " " "

Will any wall be supported on iron or steel columns? yes frontFront, material C.I. size 8" x 16" & 12" x 16" weight or thickness 1" mel

Side, " " " " " "

Rear, " " " " " "

Interior, " " " " " "

22. Give material of girders Steel of columns _____Under 1st tier, size of girders 7" and 8"; size of columns _____

" 2d tier, " " " " "

" 3d tier, " " " " "

" 4th tier, " " " " "

" 5th tier, " " " " "

" Roof tier, " " " " "

23. Give material, size and distance on centres of floor beams

1st tier, material Steel; size 8" @ 18 #; distance on centres 4'-6" arches2d tier, " Yellow Pine " 3" x 10" " " 16"3d tier, " Spice " " " " "

4th tier, " " " " " "

5th tier, " " " " " "

6th tier, " " " " " "

7th tier, " " " " " "

8th tier, " Spice " 3" x 10" " " "Roof tier, " Yellow Pine " 3" x 9" " " 20"Give thickness of headers double beams of trimmers double beams24. Specify construction of floor filling 2 layers systemKlotz
6/11/98

stairs be plastered? 3 coats
ways be constructed? steel string & marble used
Give sizes of stair well holes 6"

52. If any other building on lot, give size: front no; rear _____; deep _____;
stories high _____; how occupied _____; on front or rear
of lot _____; material _____.

How much space between it and proposed building? _____

53. How will floors and sides of water closets to the height of ~~4~~6 inches be made waterproof? marble

54. Number and location of water closets: Cellar 1; 1st floor 3; 2d floor 3;
3d floor 3; 4th floor 3; 5th floor 3; 6th floor 3;
7th floor _____.

55. This building will safely sustain per superficial foot upon the 1st floor 150 lbs.; upon 2d floor
90 lbs.; upon 3d floor 90 lbs.; upon 4th floor 90 lbs.; upon 5th floor 90
lbs.; upon 6th floor 90 lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.

56. What is the estimated cost of each building, exclusive of lot? \$ 35000.00

57. What is the estimated cost of all the buildings, exclusive of lots? \$ _____

Owner, Harris Sokolski Address, 354 Grand St.
Architect, Harrison & Sackheim " 230 Grand St.
Superintendent, Owner " _____
Mason, _____ " _____
Carpenter, _____ " _____

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, _____ 190

The undersigned gives notice that _____ intend to use the _____ wall of building

_____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the
same be examined and a permit granted therefor. The foundation wall _____ built of _____
_____ inches thick, _____ feet below curb; the upper wall _____ built of _____,
_____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

- Is the building to be fire proof? no
26. Of what material will partitions be built? Cross stud plan
27. Give material of skylights gal. iron; size 4 x 6
28. What will be the material of roofing? tin Will roof be flat,
peak or mansard? flat
29. What will be the material of dumb waiter shafts? 3" Sanitary blocks & angle iron
30. What will be the material of elevator shafts? none
31. What will be the material of the cornices? gal. iron
32. What will be the material of bay windows? none
33. What kind of fire escape will be provided? iron
34. Will cellar be plastered? Yes How? 3 coats
35. Will access to roof be by scuttle or bulkhead? bulkhead If by bulkhead, how
constructed? brick walls
36. With what material will walls be coped? glazed terra cotta
37. How will building be heated? ranges
38. Is there any other building erected on lot or permit granted for one? no
Size x; height feet. How occupied?
Give distance between same and proposed
building feet.
39. Are any buildings to be taken down? Yes; how many? two

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:

40. Is any part of building to be used as a store or for any other business purpose? If so state for what?

	Cellar.	Base- ment.	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each? - - -			2	3	3	3	3	3	
42. Height of ceilings? - - -	8'		11'6"	9'6"	9'6"	9'6"	9'6"	9'6"	

43. How basement to be occupied? —

How made water-tight? —

44. How will cellar stairs be enclosed? the outside stairs

45. How cellar to be occupied? stores & storage

How made water-tight? concrete

46. Will shafts be open or covered with louver skylights full size of shafts? Yes

Size of each shaft? 2' x 2' D. W.

47. Dimensions of water-closet windows? 2' x 4'

Dimensions of windows for living rooms? 1/10 area of room & as per plan

48. Of what materials will hall partitions be constructed? brick walls

49. Of what materials will hall floors be constructed? Steel beams, concrete arches

Klotz 6/15/98
Rappaport